## Senate Standing Committee on Environment and Communications Legislation Committee

## Answers to questions on notice Environment portfolio

**Question No:** 

Hearing:

Supplementary Budget Estimates

Outcome:

1

Programme:

Great Barrier Reef Marine Park Authority

Topic:

Science to support green zones

Hansard Page:

**Question Date:** 

17 October 2016

**Question Type:** 

Spoken

## Senator Urquhart requested:

1. Detail of the science that supports green zones.

## Answer:

Adams, S.M., Mapstone, B.D., Russ, G.R. and Davies, C.R. 2000, Geographic variation in the sex ratio, sex specific size, and age structure of Plectropomus leopardus (Serranidae) between reefs open and closed to fishing on the Great Barrier Reef, Canadian Journal of Fisheries and Aquatic Sciences 57: 1448-1458.

Ayling, A.M. and Choat, J.H. 2008, Abundance patterns of reef sharks and predatory fishes on differently zoned reefs in the offshore Townsville region, Great Barrier Reef Marine Park Authority, Townsville, viewed 17/10/2016 <a href="http://www.gbrmpa.gov.au/\_\_data/assets/pdf\_file/0020/34652/No91ResPubFinal.pdf">http://www.gbrmpa.gov.au/\_\_data/assets/pdf\_file/0020/34652/No91ResPubFinal.pdf</a>.

Boaden, A.E. and Kingsford, M.J. 2015, Predators drive community structure in coral reef fish assemblages, Ecosphere 6(4): art46.

Bonin, M.C., Harrison, H.B., Williamson, D.H., Frisch, A.J., Saenz-Agudelo, P., Berumen, M.L. and Jones, G.P. 2016, The role of marine reserves in the replenishment of a locally impacted population of anemonefish on the Great Barrier Reef, Molecular Ecology 25(2): 487-499.

Emslie, M.J., Logan, M., Williamson, D.H., Ayling, A.A., MacNeil, M.A., Ceccarelli, D., Cheal, A.J., Evans, R.D., Johns, K.A., Jonker, M.J., Miller, I.R., Osborne, K., Russ, G.R., and Sweatman, H.P.A. 2015, Expectations and outcomes of reserve network performance following re-zoning of the Great Barrier Reef Marine Park, Current Biology 25(8): 983-992.

Evans, R.D. and Russ, G.R. 2004, Larger biomass of targeted reef fish in no-take marine reserves on the Great Barrier Reef, Australia, Aquatic Conservation: Marine and Freshwater Ecosystems 14(5): 505-519.

Evans, R.D., Russ, G.R. and Kritzer, J.P. 2008, Batch fecundity of Lutjanus carponotatus (Lutjanidae) and implications of no-take marine reserves on the Great Barrier Reef, Australia, Coral Reefs 27(1): 179-189.

Evans, R.D., Williamson, D.H., Sweatman, H., Russ, G.R., Emslie, M.J., Cheal, A.J. and Miller, I.R. 2006, Surveys of the effects of rezoning of the GBR Marine Park in 2004 on some fish species: preliminary findings, Marine and Tropical Sciences Research Facility, Townsville, .

Ferreira, B.P. and Russ, G.R. 1995, Population structure of the leopard coral grouper, Plectropomus leopardus, on fished and unfished reefs off Townsville, Central Great Barrier Reef, Australia, Fishery Bulletin 93(4): 629-642.

Graham, N.A.J., Ainsworth, T.D., Baird, A.H., Ban, N.C., Bay, L.K., Cinner, J.E., de Freitas, D.M., Diaz-Pulido, G., Dornelas, M., Dunn, S.R., Fidelman, P.I.J., Foret, S., Good, T.C., Kool, J., Mallela, J., Penin, L., Pratchett, M.S. and Williamson, D.H. 2011, From microbes to people: tractable benefits of no-take areas for coral reefs, Oceanography and Marine Biology: An Annual Review 49: 105-136.

Graham, N.A.J., Evans, R.D. and Russ, G.R. 2003, The effects of marine reserve protection on the trophic relationships of reef fishes on the Great Barrier Reef, Environmental Conservation 30(2): 200-208.

Harrison, H.B., Williamson, D.H., Evans, R.D., Almany, G.R., Thorrold, S.R., Russ, G.R., Feldheim, K.A., van Herwerden, L., Planes, S., Srinivasan, M., Berumen, M.L. and Jones, G.P. 2012, Larval export from marine reserves and the recruitment benefit for fish and fisheries, Current Biology 22(11): 1023-1028.

Hisano, M., Connolly, S.R. and Robbins, W. 2011, Population growth rates of reef sharks with and without fishing on the Great Barrier Reef, PLoS ONE 6(9): e25028.

Kenchington, R.A. and Day, J.C. 2011, Zoning, a fundamental cornerstone of effective Marine Spatial Planning: lessons learnt from the Great Barrier Reef, Australia, Journal of Coastal Conservation 15(2): 271-278.

Lamb, J.B., Williamson, D.H., Russ, G.R. and Willis, B.L. 2015, Protected areas mitigate diseases of reef-building corals by reducing damage from fishing, Ecology 96(9): 2555-2567.

Mapstone, B.D., Davies, C.R., Little, L.R., Punt, A.E., Smith, A.D.M., Pantus, F., Lou, D.C., Williams, A.J., Jones, A., Ayling, A.M., Russ, G.R. and McDonald, A.D. 2004, The effects of line fishing on the Great Barrier Reef and evaluations of alternative potential management strategies. CRC Reef Research Centre, Townsville.

McCook, L.J., Ayling, T., Cappo, M., Choat, J.H., Evans, R.D., de Freitas, D.M., Heupel, M., Hughes, T.P., Jones, G.P., Mapstone, B., Marsh, H., Mills, M., Molloy, F.J., Pitcher, C.R., Pressey, R.L., Russ, G.R., Sutton, S., Sweatman, H., Tobin, R., Wachenfeld, D.R. and Williamson, D.H. 2010, Adaptive management of the Great Barrier Reef: A globally significant demonstration of the benefits of networks of marine reserves, Proceedings of the National Academy of Sciences 107(43): 18278-18285.

Mellin, C., MacNeil, M.A., Cheal, A.J., Emslie, M.J. and Caley, M.J. (in press), Marine protected areas increase resilience among coral reef communities, Ecology Letters doi: 10.1111/ele.12598.

Miller, I., Cheal, A.J., Emslie, M., Logan, M. and Sweatman, H. 2012, Ongoing effects of no-take marine reserves on commercially exploited coral trout populations on the Great Barrier Reef, Marine Environmental Research 79: 167-170.

Robbins, W.D., Hisano, M., Connolly, S.R. and Choat, J.H. 2006, Ongoing collapse of coral reef shark populations, Current Biology 16: 2314-2319.

Russ, G.R., Cheal, A.J., Dolman, A.M., Emslie, M.J., Evans, R.D., Miller, I.R., Sweatman, H. and Williamson, D.H. 2008, Rapid increase in fish numbers follows creation of world's largest marine reserve network, Current Biology 18(12): R514-R515.

Sweatman, H. 2008, No-take reserves protect coral reefs from predatory starfish, Current Biology 18(14): R598-R599.

Wen, C.K.C., Almany, G.R., Williamson, D.H., Pratchett, M.S., Mannering, T.D., Evans, R.D., Leis, J.M., Srinivasan, M. and Jones, G.P. 2013, Recruitment hotspots boost the effectiveness of no-take marine reserves, Biological Conservation 166: 124-131.

Wenger, A.S., Williamson, D.H., da Silva, E.T., Ceccarelli, D.M., Browne, N., Petus, C. and Devlin, M.J. 2016, Effects of reduced water quality on coral reefs in and out of notake marine reserves, Conservation Biology 30(1): 142-153.

Williamson, D.H., Russ, G.R. and Ayling, A.M. 2004, No-take marine reserves increase abundance and biomass of reef fish on inshore fringing reefs of the Great Barrier Reef, Environmental Conservation 31(2): 149-159.

Williamson, D.H., Ceccarelli, D.M., Evans, R.D., Jones, G.P. and Russ, G.R. 2014, Habitat dynamics, marine reserve status, and the decline and recovery of coral reef fish communities, Ecology and Evolution 4: 337-354.

Zeller, D.C. and Russ, G.R. 2000, Population estimated and size structure of Plectropomus leopardus (Pisces: Serranidae) in relation to no-fishing zones: mark-release-resighting and underwater visual census, Marine and Freshwater Research 5116260: 221-228.