Senate Standing Committee on Education and Employment

QUESTIONS ON NOTICE Budget Estimates 2017 - 2018

Agency - Fair Work Ombudsman

Department of Employment Question No. EMSQ17-004324

Senator Bilyk provided in writing.

Question

FWO - Facilities upgrades

Have the facilities of any of the Department's premises, or the premises of any agencies in the portfolio, been upgraded since 1 March 2017, for example, staff room refurbishments, kitchen refurbishments, bathroom refurbishments, the purchase of any new fridges, coffee machines, or other kitchen equipment?

If so, can a detailed description of the relevant facilities upgrade please be provided together with an itemised list of costs (GST inclusive)? Can any photographs of the upgraded facilities please be provided?

Answer

Have the facilities of any of the Department's premises, or the premises of any agencies in the portfolio, been upgraded since 1 March 2017, for example, staff room refurbishments, kitchen refurbishments, bathroom refurbishments, the purchase of any new fridges, coffee machines, or other kitchen equipment?

Yes.

If so, can a detailed description of the relevant facilities upgrade please be provided together with an itemised list of costs (GST inclusive)?

Location	Description	Cost
Coffs Harbour Office	Coffee machine	\$168
	Microwave	\$257
	Dishwasher	\$875
	Minor works – painting & patching	\$694
Mt Gambier Office	Coffee machine	\$209
	Microwave	\$229
	Dishwasher	\$469
	Minor works – painting, patching, re-tiling	\$6,360
Gold Coast Office	Coffee machine	\$222
	Microwave	\$249
	Dishwasher	\$787
	Minor works – painting & patching	\$720
Traralgon	Coffee machine	\$229
	Microwave	\$269
	Dishwasher	\$899
Warrnambool	Coffee machine	\$169
	Refrigerator	\$1,200
	Dishwasher	\$799

	Minor works – painting & patching	\$1,014
Sydney	Refrigerator	\$306
Melbourne	Office construction to accommodate	\$15,478
	Registered Organisation Commission staff	

Can any photographs of the upgraded facilities please be provided?

No photographs are available.