NSW STATE ENVIRONMENTAL PLANNING POLICY [SEPP] (INFRASTRUCTURE) 2007 (INT/2010/05999)

Div 21, Part 3 re Telecommunications*

Summary of relevant provisions (for NBN Co Broadband proposal) prepared by S Gow, Director Planning, Armidale Dumaresq Council, NSW

Key: EX = Exempt Development

WC = Permissible without Consent

DA= Development Application/Consent required

| Infrastructure | Co-located Telecomm. Network | | Subscriber Connections | | | Tower | Mast | Other |
|----------------|--------------------------------------------------------|-------------|--------------------------------------------|--------------------------------------------|------------------|-----------------------------|------|------------------|
| Type | On cables on | Underground | Co-located with | Satellite Dishes | Other | | | (eg Fibre Access |
| | existing | | electricity | | | | | Node) |
| | Electricity | | supply | | | | | |
| | poles | | connection/ | | | | | |
| | _ | | ACIF | | | | | |
| | | | Compliant | | | | | |
| SEPP Clause | 114(3) + (5) | | 116(a) | 116(b) | 114(4) + (5) | 114(2) | | 114/115 |
| PUBLIC | WC, new aerial cable must be consistent with ACIF Code | | Exempt if consistent with cl.20 of SEPP #1 | Exempt if consistent with cl.20 of SEPP #1 | WC unless | WC, subject to 21 day prior | | |
| AUTHORITY | | | | | heritage | written notice to | | WC |
| | | | | | affected #2, | Council/occupiers of land | | |
| OTHER | | | | | new aerial cable | DA | DA | DA, new aerial |
| AUTHORITY | | | | | must be | | | cable must be |
| | | | | | consistent with | | | consistent with |
| | | | | | ACIF Code | | | ACIF Code |

Notes:

- #1 Cl. 20(2) provides:
 - (2) To be exempt development, the development:
 - (a) must meet the relevant deemed-to-satisfy provisions of the Building Code of Australia, and
 - (b) if it is carried out in relation to an existing building, must not cause the building to contravene the Building Code of Australia, and
 - (c) must be carried out in accordance with all relevant requirements of the Blue Book (Managing Urban Stormwater Soils & Construction, Landcom 2004), and
 - (d) must involve no more than minimal impact on the environment or amenity of the surrounding area, and
 - (e) if it is likely to affect a State or local heritage item or a heritage conservation area, must involve no more than minimal impact on the heritage significance of the item or area.

Note. Other provisions of this Policy identify kinds of development that are exempt development if they meet the requirements of subclause (2).

#2 Check cl. 67 and Schedule 2 of Armidale Dumaresq LEP 2008 re Heritage Issues for our area.

* PTO for relevant definitions

Definitions from cl. 113 of the SEPP:

ACIF Code means the Australian Communications Industry Forum Industry Code entitled ACIF C524:2004 External Communication Cable Networks.

subscriber connection means an installation for the sole purpose of connecting premises to a line forming part of a telecommunications network.

telecommunications facility means:

- (a) any part of the infrastructure of a telecommunications network, or
- (b) any line, cable, optical fibre, equipment, apparatus, tower, mast, antenna, dish, tunnel, duct, hole, pit, pole or other structure in connection with a telecommunications network.

telecommunications network has the same definition as it has in the Standard Instrument.

Note.

The Standard Instrument defines *telecommunications network* as follows:

telecommunications network means a system, or series of systems, that carries, or is capable of carrying, communications by means of guided or unguided electromagnetic energy, or both.