


ADVICE ON AUTOMATED AND ZERO EMISSIONS VEHICLES INFRASTRUCTURE

October 2018





CONTENTS

EXECUTIVE SUMMARY	4
TERMS OF REFERENCE	8
SUMMARY OF RECOMMENDATIONS	10
TRANSPORT	11
ICT INFRASTRUCTURE AND DATA	12
ENERGY	12
PLANNING	13
WASTE	13
MONITORING AND COORDINATION	13
OUR ADVICE	17
RECOMMENDATIONS	41
PATHWAYS AND TRIGGERS	80
OUR APPROACH	82
CONSULTATION	84
DEVELOPING OUR EVIDENCE BASE	90
LITERATURE REVIEW	91
SCENARIOS	91
WHAT THE EVIDENCE TELLS US	100
BASE CASE – VICTORIA IN 2046	101
ELECTRIC AVENUE	108
PRIVATE DRIVE	127
FLEET STREET	149
HYDROGEN HIGHWAY	169
SLOW LANE	179
HIGH SPEED	189
CONSISTENT THEMES ACROSS ALL SCENARIOS	201
NEXT STEPS	205
APPENDIX A: SUMMARY OF IMPACTS BY SCENARIO	206
APPENDIX B: INFRASTRUCTURE VICTORIA'S 30-YEAR STRATEGY OBJECTIVES	210
FIGURES	216
ACKNOWLEDGEMENTS	218
SOURCES	220
ABOUT US	222

EXECUTIVE SUMMARY

In October 2017, the Victorian Government asked Infrastructure Victoria to provide advice on what infrastructure is required to pave the way for highly automated and zero emissions vehicles.

Our advice seeks to help Victoria navigate through the inherent challenges and uncertainties that new technology brings, while maximising the benefits and minimising the risks associated with its introduction.

Government at all levels, as well as the private sector, has a role to play in realising the transformative potential of these vehicles and to reap unprecedented benefits for the economy, community and the environment.

These projected benefits are discussed and quantified for the first time in a Victorian context throughout this report. They include reduced congestion, improved accessibility, lower disadvantage, improved road safety, lower greenhouse gas emissions and higher economic growth.

Zero emissions vehicles are already operating on Victorian roads. They can provide significant reductions in greenhouse gas emissions, better public health and a cleaner environment. A fleet made up entirely of zero emissions vehicles is projected to eliminate around 27 million tonnes of greenhouse gas emissions in Victoria in 2046 and deliver over \$706 million in health benefits to Victorians in the same year.

The potential benefits of automated vehicles are, in many ways, even more significant than those of zero emissions vehicles, but less certain. Automated vehicles offer reduced congestion, faster travel times, safer roads, improved access to services and a stronger economy. If they realise their potential, automated vehicles could improve the efficiency of Victoria's road network by up to 91%, and boost economic growth by up to \$15 billion in 2046.

These technologies are not without their challenges, but we believe these can be addressed through deliberate, evidence-based planning. The Victorian Government has an opportunity to champion automated and zero emissions vehicles through a mix of smart regulatory and policy settings and targeted infrastructure investments that could put Victoria at the forefront of these emerging technologies. Investment will be required from both the public and private sectors to fully maximise the potential of automated and zero emissions vehicles, including:

- Up to \$1.7 billion to upgrade mobile networks
- Around \$250 million for improved line markings on roads
- At least \$2.2 billion for energy network upgrades



While significant, these investments should be viewed in the context of the potential benefits of automated and zero emissions vehicles.

We have made 17 recommendations in total, all of which have been tested against the context of seven possible scenarios for the future and key triggers for action. They provide clear direction, but also encourage flexibility and responsiveness to change in technology, industry, policy or community sentiment. We've also linked these recommendations back to the objectives of Infrastructure Victoria's 30-year infrastructure strategy, delivered to Parliament in 2016, to ensure they reflect the long-term needs of the state.

Many of our 17 recommendations have lasting implications for Victoria's infrastructure and policy settings and have been recommended for action in the 5-10 year timeframe, when there is greater certainty about the requirements and impacts of these developing technologies.

There are many other recommendations where government can take action right now to get Victoria ready for new vehicle technologies. These include integrating on-demand and mobility as a service offerings into the public transport mix, sharing transport data in real time and allowing flexibility in the planning regime to make it easier for people to charge their electric vehicles. All could have immediate impact and deliver benefits, regardless of how new vehicle technologies roll out.

To truly reap the benefits of automated and zero emissions vehicles, Victoria should focus on getting the most out of our existing infrastructure – a principle that underpins all our work. We recommend updating the state's road maintenance program and road space allocation framework to take account of automated vehicles and their interactions with other road users.

Automated and zero emissions vehicles are also likely to come with challenges, including significant demands on Victoria's energy infrastructure and changes to some industries, particularly transport. Automated and zero emissions vehicles could fundamentally alter the way governments plan and deliver transport infrastructure, and future demands on Melbourne's public transport system could be considerable. The development of a transport plan which includes potential impacts from these vehicles is another of our key recommendations.

Our modelling work shows that automated vehicles are likely to have impacts on where people live and work. In our advice we recommend government take this opportunity to reconsider some of the principles and assumptions in planning policy about the shape of Victorian cities, towns and neighbourhoods to enable a future with automated and zero emissions vehicles.


We recognise that the government will need to consider community attitudes and willingness to accept new technology. While social licence and behaviour change will help guide government, it is the rapid advancement of technology and the preparedness of our infrastructure that provide the opportunity for the biggest transformation of our transport and energy systems since the introduction of the car itself.

In developing our advice and recommendations, we were asked to consult broadly with stakeholders, and build a strong body of evidence based on comprehensive modelling, analysis and global experience. We thank everyone who contributed to this important work – challenging our thinking and providing thoughtful and well considered evidence and views.

This is now the most comprehensive body of evidence in this area in Australia and, arguably, the world. All our work is readily available on our website as a valuable resource for government, industry and interested members of the community.


By the numbers

Depending on exactly how and when zero emissions and automated vehicle technology rolls out, Victoria could realise some huge benefits including:





UP TO 94% of
road accidents
reduced



UP TO 50%
reduced car
operating costs

UP TO

\$735 million
worth of
health benefits




Realising these benefits would require some significant infrastructure investment from government and private sector including:



UP TO

\$1.7 billion to
upgrade mobile
networks



APPROXIMATELY

\$250 million

for improved line markings
on roads



AT LEAST

\$2.2 billion for
energy network
upgrades

TERMS OF REFERENCE

The Special Minister of State formally requested that Infrastructure Victoria provide advice on the infrastructure requirements to enable highly automated and zero emissions vehicles to operate in Victoria.

There were three key elements of the request:

- Enabling the operation of **highly automated vehicles** (at Society of Automotive Engineers (SAE) levels 4 and 5).
- Responding to the **ownership and market models** that may emerge from the availability of highly automated vehicles.
- Enabling **zero emissions vehicles** as a high proportion of the Victorian fleet.

We were also asked to advise on the potential sequencing, timing and scope of infrastructure delivery.

You can find the full terms of reference on our website infrastructurevictoria.com.au/AVadvice.

How

Infrastructure Victoria was asked to undertake comprehensive engagement with industry and other key stakeholders, draw on international comparators and research, and develop our own modelling and analysis to inform our advice.

We were asked to present the advice in two parts:

1. A scenarios report, setting out potential future scenarios for the uptake of automated and zero emissions vehicles in Victoria to form the basis of the advice (published in May 2018).
2. A final report, supported by evidence and analysis, detailing potential infrastructure requirements for automated and zero emissions vehicles. The final report analyses the current situation, recommends delivery pathways and identifies key decision or trigger points for the infrastructure (this document).

For more detail on the scenarios we developed for this advice, refer to the Scenarios section in pages 91-93 of this report.

Terminology

We're used to hearing automated and zero emissions vehicles being described as driverless and electric cars in the media, and the terms are often interchangeable. But not always.

For the purposes of this advice:

- **Vehicles** can be cars, trucks, buses or any form of motorised, road-based transportation. Automated trams and trains are not a primary focus of this advice.
- **Zero emissions vehicles** emit no emissions from the tailpipe, charging or fuel source. Currently, vehicles powered by electric batteries and hydrogen fuel cells have the potential to be zero emissions.
- **Highly or fully automated vehicles** at SAE levels 4 and 5 are capable of driving without the involvement of a human driver. They are likely to be cooperative, with connections to other vehicles, infrastructure and the internet.
- **Base case** is our forecast of Victoria's population, labour market, transport system performance and energy network in 2046 without automated or zero emissions vehicles.

SAE levels of automation

The Society of Automotive Engineers has defined six levels of automation for motor vehicles ranging from no driving automation at level 0 to full driving automation at level 5.

At levels 0 to 3, people are required to perform most of the driving and/or to intervene if needed when the vehicle is in control. At levels 4 and 5, a human driver is not needed. The difference between levels 4 and 5 is that at level 5, the vehicle is capable of being automated anywhere, under any conditions, whereas at level 4, vehicles are limited in where and when they can operate without a driver. Our advice focuses on the infrastructure required to support vehicles operating at levels 4 and 5. The infrastructure required for levels 4 and 5 is expected to be the same, so they are not differentiated in our analysis.

For more details on the levels of automation and their definitions, see our *Future scenarios* report.



SUMMARY OF RECOMMENDATIONS

While many of the benefits of automated and zero emissions vehicles may be realised without government intervention, there are important actions that Victorian state and local governments should take now and in the future to enable their deployment. These actions should help to ensure that the contribution of these emerging vehicle technologies to Victoria is broadly positive and timely, and any potential risks are minimised.

Not everything the government can do is related to investing in or building new infrastructure. Regulatory settings, standards, incentives and information provision are all levers available to government to steer the emergence of these vehicle technologies toward the best possible outcome. This is particularly important given the still considerable uncertainty about how and when automated vehicle technologies will evolve. Such uncertainty reinforces the importance of planning, monitoring key triggers and flexibility of future action.

Keeping in mind the potential benefits, risks and uncertainties about the future, there are some tangible actions that government should take to prepare for automated and zero emissions vehicles in Victoria. These recommendations are described in more detail in the next section of the report.





Transport

1. Update Victoria's roads

Update road maintenance and monitoring to take into account the needs of automated vehicles, including changes to lines and signs, roadworks, and road maintenance throughout Victoria, and provision of reliable and timely data to connected and automated vehicles.

2. Rethink road space

Incorporate automated and zero emissions vehicles into a transparent road space allocation framework in Victoria, building on existing transport system and place-based planning principles.

3. Future-proof projects

Develop specific guidance for business cases for transport projects to account for the risks, opportunities and uncertainties posed by automated and zero emissions vehicles.

4. Plan for transport

Develop a transport plan that includes potential impacts of automated and zero emissions vehicles, to enable priority transport investments and reforms to be identified and to support the development of business cases that address transport needs.

5. Manage before you build

Ensure Victoria's transport planning considers how non-infrastructure solutions, including transport network pricing, can provide a policy response to address the potential impacts of automated and zero emissions vehicles.

6. Integrate new transport options

Incorporate new services like on-demand and mobility as a service into the public transport mix, in preparation for automated vehicles.



ICT infrastructure and data

7. Boost ICT infrastructure

Promote investment in ICT infrastructure where there is a safety and/or optimisation requirement for automated vehicles that the market is unable to satisfy commercially.

8. Share more data

Expand the availability of open, real-time information on government-owned transport system data and establish principles for data sharing between government and commercial transport service providers.

9. Integrate transport management

Develop integrated transport management to enable better real-time coordination of the system across all transport modes, including network management of connected automated vehicles.



Energy

10. Transition to zero emissions

Establish a supportive environment for the Victorian fleet to transition to zero emissions technologies.

11. Plan for energy changes

Enable the energy sector to respond to the emergence of zero emissions vehicles.

12. Encourage demand management

Allow for incentives or other mechanisms to shift energy demand from peak periods.



Planning

13. Rethink planning values

Re-examine planning values, assumptions and opportunities related to where people may want to live and work in a future with automated vehicles, and how government should constrain or support these preferences.

14. Create planning flexibility

Create flexibility for property owners and local authorities to adapt to future changes due to automated and zero emissions vehicles.



Waste

15. Prepare for new waste

Implement changes to the *Statewide waste and resource recovery infrastructure plan* and *Recycling industry strategic plan* to incorporate impacts of the emergence of automated and zero emissions vehicles.



Monitoring and coordination

16. Keep track of trends

Initiate monitoring and annual reporting of automated and zero emissions vehicles developments, benefits and risks, focusing on uptake, performance, safety, vehicle connectivity, road wear, road structures and public transport usage changes.

17. Lead and collaborate

Continue to participate in the development of national and international principles, standards and regulations for automated vehicles.

Which recommendations can government implement now?

Despite the uncertainty around the potential benefits and risks associated with automated and zero emissions vehicles, there are some concrete actions within these recommendations that the Victorian Government can and should take now to prepare for automated and zero emissions vehicles and new business models.

These actions are characterised by being low-cost, no-regrets actions that are likely to deliver benefits regardless of how the technologies evolve.

- **Survey or audit road infrastructure** to evaluate suitability for automated vehicles, for example to identify road quality challenges, or to ensure that pedestrian right of way is clear for vehicles and pedestrians. A phased approach should be applied to prioritise areas where the greatest benefit or risk is identified. *(Recommendation 1.a)*
- **If significant changes are required** to lines, signage, or road quality to enable automated vehicles, particularly where these requirements may be temporary, **review funding arrangements** for road maintenance and upgrades by local authorities. *(Recommendation 1.b)*
- **Evaluate the impact of upgrading/changing road network features** (for example, sign consistency, machine readability and placement, line quality, consistency and reflectivity) on the basis of recommendations expected from Austroads as part of its Connected and Automated Vehicles projects in 2018/2019. Prioritise upgrading critical corridors and considering end-of-life replacement where possible. *(Recommendation 1.c)*
- **Review current legislation and traffic management guidelines** to identify and remove barriers to future vehicle technologies. For example, legislation that does not currently allow private vehicles in drop-off zones should be amended. *(Recommendation 2.a)*
- **Proactively increase pick-up and drop-off areas** in and around public transport stations, activity centres and destinations. *(Recommendation 2.b)*
- **Develop specific guidance for business cases** for transport projects to account for the risks, opportunities and uncertainties posed by automated and zero emissions vehicles. *(Recommendation 3)*
- **Develop a transport plan** which includes potential impacts of automated and zero emissions vehicles, to enable priority transport investments and reforms to be identified and to support the development of business cases that address transport needs. *(Recommendation 4)*
- **Incorporate new services** like **on-demand and mobility as a service** into the public transport mix, in preparation for automated vehicles. *(Recommendation 6)*
- **Identify priority corridors for cellular data coverage requirements**, based on need and demand, and monitor the market's delivery of coverage in these areas as automated vehicles are adopted. *(Recommendation 7.a)*
- **Leverage** the Victorian Government's existing communications infrastructure base and significant purchasing power to influence Australian Government activities (such as the Mobile Black Spot Program) and ventures by private sector telecommunications providers **to improve cellular data coverage in rural and regional areas**. *(Recommendation 7.b)*

- **Expand the availability of open, real-time information** on government-owned transport system data and establish principles for data sharing between government and commercial transport service providers. *(Recommendation 8)*

- **Develop design standards to govern the design and placement of electric vehicle charging infrastructure** in public areas. *(Recommendation 10.a)*

- **Establish principles for smart charging and integrated payment systems** in all charging infrastructure in Victoria to ensure interoperability between various charging infrastructure providers. *(Recommendation 10.b)*

- **Advocate** that the Australian Government **implement stricter vehicle emissions targets** in line with advice from the Climate Change Authority, and enable further investment in transmission networks associated with the development of renewable. *(Recommendation 11.a)*

- **Ensure** that the **regulatory frameworks governing network investment are reviewed** to check that these will facilitate investment in the distribution network to support the uptake of zero emissions vehicles. This includes advocating that the Australian Government work through the COAG Energy Council to review regulatory settings and remove barriers to distributors addressing highly-localised impacts of zero emissions vehicles uptake. *(Recommendation 11.b)*


- **Review** state-based regulatory settings to **allow electricity providers to set demand-variable rates and demand management strategies**. For example, consider amending metering and pricing arrangements to allow for separate 'vehicle only' electricity tariffs to be offered to zero emissions vehicle owners to shift the electricity demand from these vehicles away from peak times. *(Recommendation 12.a)*

- **Consider changes to minimum car parking requirements** in the planning scheme within the broader context of policy objectives for the transport system with automated and zero emissions vehicles. This could build on recent amendments to the Victoria Planning Provisions that reduce car parking requirements for new uses of existing buildings in commercial areas and for land within walking distance of public transport. *(Recommendation 13.a)*

- **Create flexibility for property owners** and local authorities to adapt to future changes due to automated and zero emissions vehicles. *(Recommendation 14)*

- **Initiate monitoring and annual reporting of automated and zero emissions vehicles developments**, benefits and risks, focusing on uptake, performance, safety, vehicle connectivity, road wear, road structures and public transport usage changes. *(Recommendation 16)*

- **Continue to participate** in the **development of national and international principles, standards and regulations** for automated vehicles. *(Recommendation 17)*



OUR ADVICE

Automated and zero emissions vehicles may be the biggest shift in transport since the car itself. With a potential change of this scale, a lot of uncertainty is to be expected.

Some of the potential risks and benefits associated with zero emissions vehicles are already beginning to be seen, while the potential benefits of automated vehicles could be even more significant – but are less certain. Our advice seeks to help Victoria navigate through this uncertainty, while maximising the benefits and minimising the risks associated with these technologies.

What are the benefits of automated and zero emissions vehicles for Victoria?

The potential benefits of automated and zero emissions vehicles are compelling and wide-ranging. In our 30-year infrastructure strategy, we outlined 10 objectives to guide long-term infrastructure planning, which were developed through extensive consultation with stakeholders and the community. With the right approach, automated and zero emissions vehicles can support the achievement of all of these objectives.

Our strategic objectives are:


- prepare for population change
- foster healthy, safe and inclusive communities
- reduce disadvantage
- enable workforce participation
- lift productivity
- drive Victoria's changing, globally integrated economy
- promote sustainable production and consumption
- protect and enhance natural environments
- advance climate change mitigation and adaptation
- build resilience to shocks.

Victorians will likely see significant environmental, social and economic benefits from automated and zero emissions vehicles, even if the full potential of these vehicles is not realised or if only a portion of the vehicle fleet transitions to automated and zero emissions technologies. The likelihood that these are realised, however, relies heavily on the evolution of the vehicles themselves, the availability of infrastructure to enable their deployment and people's acceptance of them.

What is the vehicle flow factor?

Automated vehicles have the potential to increase the effective capacity of roads by using road space more efficiently than non-automated vehicles (also referred to as conventionally driven vehicles or 'CDVs' in Figure 1). Examples of more efficient behaviour include smaller gaps between vehicles and improved take-off at intersections, with reduced lag time for automated vehicles to respond to a traffic light change.^{1,2} The flow capacity of automated vehicles is assumed to be between 1.5 and two times that of non-automated vehicles. Figure 1 illustrates the difference in flow capacity between automated and non-automated vehicles, and a mix of both.

Figure 1: Flow capacity of conventional and automated vehicles in a queue model



Source: KPMG Model Development Report

The Melbourne Activity Based Model (MABM) was used to test the potential impacts of automated vehicles on Melbourne's roads. MABM uses queue simulation, which is designed as a 'strategic level' traffic flow model. This means that it does not explicitly model detailed car following, gap observance or lane changing behaviour.

For the purposes of developing our evidence base, we have assumed a flow capacity increase of 1.75, or 75%. However, since there is still significant uncertainty about how these technologies will evolve, we also sensitivity tested this assumption by testing the impact of a smaller increase in flow capacity of 1.25, or 25%. How these factors evolve in future could affect the flow factor of our roads and will need to be closely monitored. In the short term, the flow factor may fall to below 1, as early automated vehicles may be more 'cautious', particularly around non-automated vehicles. However, this is likely to be a transitional issue, while humans and automated vehicles learn to interact. As our focus is on longer-term infrastructure requirements, we have not considered this transitional issue in detail in our advice.

¹ Friedrich, B. (2016), *The Effect of Autonomous Vehicles on Traffic*

² Levin, MW. and Boyles, SD. (2016), *A multiclass cell transmission model for shared human and autonomous vehicle roads.*

The transport network

If our assumptions around the efficiency improvements of automated vehicles hold, specifically with regard to the 'flow factor' of automated vehicles, a fully connected and cooperative automated vehicle fleet could dramatically improve the performance of the road network, leading to network-wide reductions in congestion and traffic delays. We have estimated the value of time lost to traffic delays on Melbourne's roads in the 2046 base case as \$8.1 billion. Improvements in the performance of the network driven by automated vehicles have the potential to reduce this cost significantly. The scale of these benefits is dependent on the ownership model associated with automated vehicles and whether they actually realise potential efficiencies, and is forecast to be greatest if all vehicles are on-demand vehicles with no-one owning their own car. However, even if only a proportion of the vehicle fleet is automated, our modelling shows that congestion and delays would be reduced while average network speeds could be improved compared to the base case.

The environment and population health

Eliminating tailpipe emissions could deliver significant environmental and health benefits to Victorians. In 2046, a fully zero emissions vehicle fleet would remove around 27 million tonnes of potential greenhouse gas emissions compared to the base case and contribute to the emissions reduction objectives outlined in the *Climate Change Act 2017*.

Other harmful tailpipe emissions that contribute to poor health outcomes for Victorians would also be eliminated. The value of these potential health benefits is significant, with a value of between \$270 and \$735 million per year depending on the size and composition of the vehicle fleet. While these benefits will be felt by all Victorians, they are greater in dense urban areas and along major road corridors.

There are also potential safety benefits to be captured. Research from the United States suggests that vehicle automation could reduce road crashes by up to 94%, meaning the uptake of automated vehicle safety features could potentially save hundreds of lives on Victorian roads every year. However, this likely represents the upper limit of potential safety benefits of automated vehicles, and the extent to which it can be realised remains to be seen.

In fact, some types of road accidents may increase in the short-term as automated vehicles become more common on Victorian roads, such as rear-endings.³ However, there remains strong evidence that automation may reduce road accidents overall. This further highlights the importance of continuing to prioritise vehicle and road safety initiatives until the full potential of vehicle automation can be proven.

Accessibility


Automation is predicted to make car travel more efficient and appealing, and zero emissions vehicles are likely to reduce the operating cost of vehicles. For the average Victorian driver who travels 15,000km per year, privately-owned automated and zero emissions vehicles are forecast to cost less to use than a traditional vehicle does today, while using an on-demand automated vehicle is forecast to cost less again, as shown in Figure 2.⁴ In 2046, an automated on-demand vehicle is forecast to be less than half the cost to use than a non-automated petrol/diesel vehicle, and 40% cheaper than a privately-owned automated zero emissions vehicle. This finding reflects whole of lifecycle costs of vehicle use, including purchase, maintenance, registration, fuelling and insurance and is consistent with other international analysis.⁵

³ Martyn, A (2017), *Autonomous car companies report getting rear-ended in most crashes, blame driver error*. Available at: <https://www.consumeraffairs.com/news/autonomous-car-companies-report-getting-rear-ended-in-most-crashes-blame-driver-error-102017.html>. Accessed 13 September 2018.

⁴ Useful vehicle life assumed to be 280,000km in KPMG's *Vehicles Advice – financial analysis* report, commissioned for this advice.

⁵ Keeney, T (2017), *Self-Driving Cars: 7 Takeaways For Innovation Investors*. Available at: <https://ark-invest.com/research/self-driving-cars>. Accessed 13 September 2018.

Figure 2: Average cost per kilometre, by vehicle type



Source: Adapted from KPMG Vehicles Advice – financial analysis

The combination of improved efficiency and lower cost could improve all Victorians’ access to services, such as public transport, healthcare, education and jobs by between 7 and 32%. This could bring wide-ranging social and economic benefits, including deeper labour markets, greater employment and educational opportunities for Victorians and, over time, reduced disadvantage across the state.

The electricity grid

Zero emissions vehicles, particularly battery electric vehicles, bring a number of potential benefits to Victoria’s electricity network. Battery electric vehicles can support greater uptake of renewable energy technologies and support the resilience of the network by providing greater flexibility in managing risks across the network, such as price fluctuations. While untested, battery electric vehicles could also act as mobile storage to provide additional support to balance demand and supply across the network.

The economy

Our research suggests that automated and zero emissions vehicles could boost productivity and employment in Victoria and increase the output of the Victorian economy. A fully automated vehicle fleet is forecast to create up to 11,000 new jobs and boost the economy by nearly \$15 billion (in real terms) in 2046. However, the scale of these potential benefits is heavily contingent on the ownership and business model associated with automated vehicles, whether they actually realise assumed efficiencies, and the fuel source of zero emissions vehicles.


The journey of automated vehicles

Automated vehicles are at the start of a journey that is likely to be anything but smooth. There are many barriers to uptake; some relatively easy to fix, some much more difficult. Barriers at the easier end of the spectrum are relatively procedural in nature, like regulatory barriers to automated vehicles operating on Victorian roads, or the question of who is liable for an accident involving automated vehicles and how will they be insured. The more challenging barriers to uptake involve the human impacts of automated and zero emissions vehicles, such as the potential disruption to some industries (like taxis and freight) leading to one-off job losses, or the behavioural shift required for people to overcome their scepticism of automated and zero emissions vehicles.

Our research suggests that public perception of the safety and viability of automated vehicles is still mixed, which may hamper automated vehicle uptake. A poll by global market research firm Ipsos, released in 2018, found that while the vast majority of Australians are at least interested in automated vehicles, they are less optimistic than other countries about the benefits, and less than half of us believing automated vehicles will make driving safer.⁶ A similar study commissioned by Budget Direct Motor Insurance found that over half of Australians (57%) think automated vehicles are dangerous, and less than half would actually use one (47%).⁷ This means that proven reliability and safety, and the public perception of these, will be important for automated vehicles to become ubiquitous.

These findings align with recent work done on how expectations of new technologies fluctuate, such as Gartner's 'Hype cycle', shown here. Gartner places automated vehicles just over the 'Peak of inflated expectations'.

GARTNER HYPE CYCLE



Source: Gartner Methodologies, Gartner Hype Cycle, <https://www.gartner.com/en/research/methodologies/gartner-hype-cycle>

What this diagram illustrates is that the evolution of new technologies, and the expectations that accompany them, develop in a non-linear way.

Automated and zero emission vehicles have a long way to go before their performance is optimised, and it is very difficult to predict what adoption rates will be or when market saturation will be reached. In part, this will be influenced by how effectively the barriers to uptake, discussed above, are overcome.

⁶ Ipsos (2018), *Public opinion on a future with driverless cars*. Available at: <https://www.ipsos.com/en-au/australians-sceptical-about-autonomous-vehicles>. Accessed 13 September 2018.

⁷ Budget Direct (2018), *Australia lags behind in the driverless cars race*. Available at: <https://www.budgetdirect.com.au/car-insurance/articles/australia-lags-behind-in-the-driverless-cars-race.html>. Accessed 13 September 2018.

The risks

The energy system

Automated and zero emissions vehicles are likely to come with some challenges. Zero emissions vehicles will generate significant additional demand on Victoria's electricity infrastructure, regardless of whether vehicles are battery electric or hydrogen fuel cell. However, hydrogen generation can be done at any time, mitigating its impact on peak demand. This section focuses specifically on the challenges associated with battery electric vehicles.

In the absence of any demand management, incentives and other mechanisms for managing charging behaviour, a battery electric vehicle fleet is likely to cause large increases in peak electricity demand due to a high proportion of people charging their vehicle at the end of the day when they arrive home. On top of this, given the forecast emissions profile of Victoria's energy sector, unless the additional electricity demand for battery electric vehicles comes from zero emissions sources, they could actually lead to an overall increase in greenhouse gas emissions in Victoria.

Battery electric vehicles and emissions – timing is everything

The risk that battery electric vehicles could lead to an increase in emissions from electricity generation is greater the earlier they emerge. Victoria's energy grid is currently relatively carbon intensive. However, the combination of initiatives such as the Victorian Renewable Energy Target and the *Climate Change Act 2017*, and the forecast retirement of coal-fired Yallourn power station in 2032 mean that, over time, battery electric vehicles will be increasingly likely to be powered by zero emissions energy sources, such as renewable generation and storage. Our research suggests that zero emissions vehicles could reach cost parity with traditional petrol and diesel vehicles between 2025 and 2030. With a vehicle lifecycle of 10 to 15 years, this means that there is a strong possibility the emergence of zero emissions vehicles will align with a significant decarbonisation of Victoria's energy grid.

Ultimately, the energy generation capacity required to meet the uplift in demand caused by battery electric vehicles will vary according to the size of the fleet, the ownership model in place and whether any incentives for managing the charging behaviour of users are in place. At the same time, the effects of zero emissions vehicles on transmission and distribution networks are likely to move in line with the movements in peak demand. Both transmission and distribution networks are likely to require investment to meet the additional demand requirements of zero emissions vehicles. This investment will most likely be funded by private sector providers and be reflected in network charges. The impact on local networks, below the zone substation level, will vary on a network-by-network basis depending on the types of charging infrastructure being used and the overall resilience of that network. Some local networks may be poorly equipped to deal with any level of additional demand.

Productivity and employment

Although automated and zero emissions vehicles are projected to boost productivity and employment overall, they are likely to lead to structural changes in some industries within the transport sector, resulting in one-off job losses during the transition period. While the overall employment impact is forecast to be positive, there may be a need to support affected workers to transition into new roles or industries as these impacts begin to be felt.

There are also likely to be some financial impacts to governments in Victoria (both state and local) due mostly to the impact of vehicle automation on registration and licensing fees, and the loss of fuel excise revenue at the Australian Government level. However, analysis of financial impacts undertaken for this advice focused on selected direct financial impacts to governments in Victoria (state and local), it did not include the potential flow-on effects of automated and zero emissions vehicles, like payroll tax revenue, GST revenue, or avoided Victorian Government health-related spending. Taken together, the state-wide economic benefit of automated and zero emissions vehicles is likely to ultimately offset the financial cost to government. There are also many potential income streams for both local and state income that may emerge as a result of automated and zero emissions vehicles, such as kerbside pricing, transport network pricing or fleet licensing.

Road maintenance costs

Municipal councils are individually responsible for the inspection, maintenance and upgrading of roads that are not state or privately owned. Funding for councils is mostly derived from local rates, charges and grants from the Victorian and Australian Governments. Each council's proportion of funding from different sources varies, with rural councils relying more heavily on government grants and metropolitan councils relying more on local rates and charges. Rural councils also tend to have significant road networks and low revenues, while urban councils have much fewer roads to maintain with a much higher revenue base. For example, the Shire of Buloke has a road network of 5,313 kilometres, while the City of Stonnington has a road network of just 260 kilometres.⁸ Maribyrnong City Council is different again, with around 430 kilometres of roads and a roads budget of \$14.6 million in 2018-19 – 10% of the council's total income for the year.⁹

Our research found that clear line markings and road signs are likely to be a key enabler of automated vehicles. Single, solid line marking costs on average \$1,600/km in Victoria¹⁰, not accounting for traffic management and associated support costs, which could double the cost. Based on a conservative assumption of 100% of Victoria's non-declared roads (suitable for general traffic) requiring new or improved single, line marking, the one-off cost of this is likely to be in the order of \$250 million, excluding the additional costs identified above. This could make the task of line marking all local roads to the standard required to enable automated vehicles unattainable for local authorities.

⁸ Local Government Victoria (2018), Report on 2017-18 Council Budgets. Available at <https://www.localgovernment.vic.gov.au/strengthening-councils/sector-guidance-planning-and-reporting>. Accessed 21 September 2018.

⁹ Maribyrnong City Council (2018), *Annual Budget and Strategic Resource Plan 2018/2019*. Available at: <https://www.maribyrnong.vic.gov.au/files/assets/public/council-plans-reports-and-publications/budgets/20182019-annual-budget-and-strategic-resource-plan.pdf>. Accessed 13 September 2018.

¹⁰ Rawlinsons Construction Cost Consultants and Quantity Surveyors (2016). *Rawlinsons Australian Construction handbook 2016*.


Ensuring accessibility

In a future where all vehicles are automated and on-demand, Melbourne's public transport network is forecast to come under considerable pressure. In fact, in all scenarios modelled as part of developing this advice, public transport use is forecast to be much higher than today. Depending on the pricing structure associated with on-demand vehicles, some Victorians are likely to experience poorer accessibility outcomes due to the cost associated with using on-demand vehicles. This emphasises the ongoing importance of ensuring Victoria's public transport network continues to meet the needs of all Victorians and adapts to the emergence of automated and zero emissions vehicles. It also demonstrates the value of enabling an appropriate mix of private, on-demand and other transport options that provide the greatest choice.

However, automated vehicles could increase accessibility for those who are currently unable to drive, and could lead to significant benefits by reducing the risk of social exclusion. We estimate this benefit could be around \$3.5 billion per year (in today's terms).

New waste streams

Automated and zero emissions vehicles are likely to cause significant new waste streams to enter the Victorian waste and resource recovery system. Lithium-ion battery waste from battery electric vehicles could present a challenge to governments if battery recycling is not managed and promoted well, particularly in the face of already rapid growth in lithium-ion battery waste. In addition, a typical automated vehicle is estimated to generate an extra 10kg of e-waste, including on-board computers, additional wiring, sensors and radars. This could lead to around 79,800 extra tonnes of e-waste per year overall from 2046 onward. To put this into perspective, Victoria's total estimated e-waste in 2016 was 130,000 tonnes.



Should we wait for automated technologies to be perfect?

This advice focuses on the technological challenges and infrastructure requirements for automated and zero emissions vehicles, and not on human behaviour change or acceptance. This is because our scenarios are deliberately future focused, and assume that the challenges of user acceptance have already been overcome. Infrastructure and land use planning is long term by nature, given the time required to plan and carry out most major projects.

However, the tragic death of a woman in the US state of Arizona by an Uber automated test vehicle in March 2018 has brought to the fore questions about user acceptance. A recent survey by the American Automobile Association¹¹ found a 10% increase in respondents who said they would be 'too afraid' to ride in an automated vehicle, which reversed the previous trend where acceptance of automated vehicles had increased. The Uber crash could have been a factor in this heightened distrust of automated vehicle technology.

Yet, the potential safety benefits of automated vehicles are compelling, if they can be realised. Even if the proposed 94% reduction in accidents doesn't eventuate, a 50% reduction would return staggering benefits to society. Arup highlighted in its report:

"It is expected that in the 30-year period since 1989, over 50,000 Australians will have been killed on the road network...When considering the number of people killed in the last 30 years is similar to the population of Shepparton, there is a huge incentive to eliminate the errors leading to these events."

Aurecon also estimated in its analysis that the reduced crash fatality benefit for our scenarios is estimated at nearly \$1 billion in 2046, based on the 276 deaths and thousands of serious vehicle accidents that occurred on Victoria's roads in 2016.

The RAND corporation, an American think-tank, has assessed the impact of waiting for automated vehicles to be perfected as compared to introducing the technology earlier and acknowledging that these vehicles may contribute to some road injuries. It found that a delay of 20 years in approving automated technology could equate to hundreds of thousands more lives lost due to accidents than a more permissive policy.¹²

It should also be noted that many of these safety benefits could be achieved sooner than when we have a fully automated fleet. Level 2 automation could bring a significant proportion of the benefits of automated vehicles with a combination of advanced driver assistance systems. In the wake of the Uber crash in March 2018, many people noted that automated emergency braking alone could have prevented the crash (it was disabled at the time of the accident).

Therefore, while we have not focused on the immediate implications of human behaviour or acceptance on the uptake of these vehicles, we believe that this should be a focus for other organisations working on these challenges, such as the National Transport Commission and Austroads.

¹¹ Smith, A., (2018), *Distrust in self-driving cars on the rise after crashes*. Available at: <http://money.cnn.com/2018/05/22/technology/self-driving-cars-aaa/index.html>. Accessed 13 September 2018.

¹² Kalra, N. & Groves, D. G. (2017), *The Enemy of Good: Estimating the Cost of Waiting for Nearly Perfect Automated Vehicles*. Available at: https://www.rand.org/pubs/research_reports/RR2150.html. Accessed 13 September 2018.



*Ringwood Station reimagined
under our Fleet Street scenario
as part of our Urban Design work*

A future Victorian fleet

While we deliberately modelled and analysed extreme scenarios to isolate the impacts of different vehicle technologies and ownership models, we do not consider it likely that any one scenario will become reality.

With this in mind, we modelled a 'mix of scenarios' to understand how a mix of vehicle technologies and ownership models coexisting on Victorian roads would affect the way the road network operates. This mix of scenarios represents a future where privately-owned automated vehicles, on-demand automated vehicles, and privately-owned, non-automated zero emissions vehicles coexist on Victorian roads. This mix of vehicle technologies represents a more realistic future than the deliberately extreme scenarios we developed, and more closely reflects the differing needs and preferences of vehicle users across Victoria.

In most of our scenarios we assumed a future with the same types of vehicles that are on Victoria's roads today. However, there is a range of possible vehicle types and sizes that could emerge with automated and zero emissions vehicles. These could change the way people choose to travel. For example, we tested a scenario in which buses were replaced by a fleet of automated Demand-Responsive Transport (DRT) services. DRT vehicles are assumed to carry up to eight people, and could have the same fare as a bus. Unlike buses, DRT vehicles do not follow a set route, but pick up and drop off passengers along the course of a trip. These vehicles can drop people directly at their destination, rather than at a bus stop. DRT vehicles are just one of a number of potential innovations we could see on Victorian roads as automated vehicle technologies develop and could represent a future where automated vehicles provide benefits to the wider community, rather than just an individual.



Different vehicles for different purposes – a more likely future

We developed seven scenarios to inform this advice. The scenarios were designed to help us isolate the impact of different variables and to complement rather than compete with each other. Noting these scenarios are not likely to happen independently, we also developed a mix of scenarios, which we consider to be a more likely future.

Using the insights from these scenarios, which were intentionally extreme, this more likely future includes a more nuanced split of vehicle types determined by where people live in metropolitan Melbourne. The split of vehicles applied in this mix of scenarios is intended to reflect the differing needs and preferences of users in different places, based on the insights gained from the original scenarios.

In the more likely future, 75% of travellers in the inner suburbs are assumed to use on-demand automated vehicles, and not own their own car. The proportion of on-demand automated vehicle users falls to 50% in the middle suburbs of Melbourne and 25% in the outer suburbs. Of the privately-owned vehicles in use, 95% are assumed to be automated and 5% are assumed to be non-automated zero emissions vehicles, recognising that some people may never choose to give up the driver's seat. In this future, we've assumed that freight would be either hydrogen or battery-powered, depending on what technology the market prefers, but that they would also be automated. We also modelled a \$5 peak and \$2.50 off-peak cordon charge around the inner city to discourage empty running of privately owned vehicles.

From modelling this future we found that many of the benefits to the road network of automated and zero emissions vehicles can be realised without many of the downsides seen in some of the original scenarios, such as increased congestion in the inner urban areas due to the empty running of vehicles. In this future, road congestion is forecast to fall considerably compared to the base case across the whole day and particularly in the morning peak period. Average delays due to congestion are forecast to fall by 90% compared to the base case. These benefits are felt across the network, including in the inner city, due largely to the assumption that inner suburban road users are predominantly using a smaller fleet of on-demand vehicles which, in turn, leads to more public transport use. Figure 3 shows the change in speed across the network in this future. These improvements are driven mostly by the likelihood that fewer people in the inner suburbs own their own car than in the base case (or the Private Drive scenario). Instead, they use on-demand vehicles.

Figure 3: Change in network speed in a more likely future




Source: KPMG

These network-wide improvements could also deliver significant benefits to road users in the form of time savings. We have estimated the value of time lost to delay to be significantly lower in this future – around \$800 million, compared to \$8.1 billion in the base case.

At the same time, the majority of people living in the outer suburban areas of Melbourne use their private automated vehicle to get around, rather than relying on on-demand vehicle. These people tend to travel longer distances, and have better accessibility outcomes, due to improved operating efficiency of automated vehicles (compared to the base case) and low operating cost (compared to Fleet Street). A mix of vehicle types also allows for people who want their own private automated car, such as families with car seats, tradespeople, people with some types of mobility impairment, and people who do not feel comfortable in an automated vehicle. In this more likely future, the size of the vehicle fleet falls from 3.5 million to 2.2 million. This is 11 times the size of the vehicle fleet in the Fleet Street scenario, but 30% less than the base case, and offers choice to help Victorians meet their diverse travel needs.

At the same time, this future is forecast to lead to an increase in public transport use across all modes, albeit to a lesser extent than Fleet Street. Public transport use is forecast to account for 22% of all motorised trips in this mix of scenarios, compared to 19% in the base case. Buses and trams in particular are forecast to experience the strongest growth in demand, as shown in Figure 4. This is likely due to public transport use becoming more common for more trip types, other than travel to work, and the fact that buses and trams service a more diverse range of destinations.

Figure 4: Public transport mix - scenario comparison



Source: KPMG

While we did not test the impact of this future on the energy market, land use patterns, or the environment and population health impacts, there are lessons from our scenario analysis that can be applied to this future.

In the more likely future, all vehicles are assumed to be zero emissions. This means that, like other scenarios in which all vehicles are zero emissions, 27 million tonnes of greenhouse gas emissions would be eliminated in 2046. Reduced vehicle emissions could also be expected to deliver significant population health benefits of between 3,200 and 3,780 years of healthy life for Victorians, worth between \$630 and \$730 million in 2046 alone.

All of the automated vehicle scenarios modelled for this advice showed a redistribution of households and jobs across Melbourne of between 10% and 16%. This is a significant shift when compared to the land use impacts of major infrastructure projects, such as Citylink. This future is likely to lead to a similar redistribution of households and jobs across the city.

Similarly, because this future is a mix of our other scenarios, largely a combination of Private Drive and Fleet Street, the estimated electricity consumption of the vehicle fleet is likely to be between 21,700 and 24,100 GWh in 2046. Depending on the charging patterns associated with these vehicles and the incentives in place to influence these patterns, this could require additional investment in energy generation, transmission and distribution infrastructure of between \$5.2 and \$9.7 billion in 2046.

Myth busters

Through the course of our work, we have challenged some myths about automated and zero emissions vehicles, and what they might mean for Victoria.

We have found that some widely-held preconceptions are not likely to become reality, and some unexpected benefits could occur, assuming automated vehicles operate the way we predict. In this section are some actions that we consider are not required to respond to the emergence of automated and zero emissions vehicles.

Myth: Automated and zero emissions vehicles will make car travel so affordable and convenient that congestion will worsen – unless more roads are built to accommodate them.

If our assumptions regarding the flow capacity of automated vehicles are realised – specifically the ability to follow more closely – the effective capacity of Victoria's roads will actually increase significantly. Even if our assumptions about the flow capacity of automated vehicles are incorrect, and the increase is 25% rather than 75%, our modelling still shows a reduction in average network delay, a proxy for congestion, of between 50% to 85% in different scenarios. For example, our Slow Lane scenario, in which only 50% of road trips are taken in automated vehicles and all other trips are taken by human drivers, and 25% flow factor improvement for automated vehicles, we saw a 70% reduction in average delay on the network. This means that, even with more car trips being taken, overall network congestion is forecast to be much lower compared to the base case.

In all scenarios, the overall performance of Victoria's road network is improved by the presence of automated vehicles. This is true even in scenarios with less than full uptake of automated vehicles. However the effects are not felt evenly in all areas across all scenarios. The scenarios with high private automated vehicle ownership are projected to lead to an unprecedented increase in congestion in the inner urban areas of Melbourne if no action is taken to restrict them. This is due largely to the potential for privately owned automated vehicles dropping occupants at their destination and returning home to avoid parking costs before returning to pick up their owner when required, meaning the congestion-dampening effects of parking costs in the CBD are eliminated.

Alternatively, a fully on-demand vehicle fleet would not cause the same congestion issues in inner areas, but could lead to poorer access to services for Victorians on lower incomes or people in outer suburban and regional areas, depending on the commercial model deployed and availability of good public transport services.

A more balanced outcome, in which a mix of different technologies and ownership models coexist (automated, non-automated, zero emissions, privately-owned and on-demand) as described earlier, shows all of the potential benefits of automated vehicles can be realised, with very few of the congestion costs. As such, if this outcome were to eventuate, which we consider more realistic than those outcomes discussed in our base scenarios, congestion could be very significantly reduced on Victorian roads by 2046.

However, infrastructure investment and planning will still be essential. Automated vehicles could lead to significant changes in people's travel behaviours, resulting in an increase in the number and length of car journeys. In addition, during the development of vehicle automation, a growing population will place increasing demand pressures on Victoria's transport system, further highlighting the importance of both build and non-build solutions to manage transport demand in the short- to medium-term.

Myth: Roads will need to be redesigned to accommodate automated and zero emissions vehicles, including dedicated lanes, stronger surfaces and reinforced bridges.

Overwhelmingly, the evidence we've gathered concludes that automated vehicles are being developed to operate on existing road infrastructure. While automated vehicles, particularly freight vehicles, have the potential to impose some additional pressure on road surfaces and structure design in future through uniform routing or reduced following distances, our research suggests that the most significant challenges in this area could be addressed through digital non-build solutions, such as implementing coordinated traffic management systems. The one exception is line markings and information signs. A clear and consistent approach to lines and signs is likely to be a key enabler of automated vehicles, at least in the short term. This is discussed further in our recommendations section.

We found that in a fully automated and zero emissions future, the way heavy vehicles operate is not likely to change significantly. This means that things like dedicated or designated lanes or increased road strengths are not likely to be required directly as a result of automation. However, the transition to full automation could happen faster in the freight sector than in passenger vehicles and before zero emissions technologies evolve, due to the commercial incentives to do so. If this happens, freight operators may seek to implement platooning of freight vehicles – where vehicles closely follow a lead vehicle in a 'road train' style formation – to reduce labour costs and use fuel more efficiently. If this were to occur, changes to road space allocation and road design may be needed in the medium-term.

While road design may not be required to change as a result of automated vehicles, opportunities may arise to make some road design changes to improve efficiency. As automated vehicle technologies advance, the need for road markings and information signs as navigational and safety tools for drivers may be reduced. Similarly, a fleet of fully connected and automated vehicles would likely reduce the risk of driver error and vehicle-to-vehicle crashes, meaning investments in ICT infrastructure for road safety purposes could become as important as physical safety measures. Further, once automated vehicles become ubiquitous lane widths could be reduced.

That said, many of the potential improvements are contingent on all vehicles in the fleet being automated. As long as human-driven vehicles remain on the road, the opportunities to change road design are likely to be limited. People will still rely heavily on visual aids, such as line markings, street signs and traffic lights, while safety barriers are an important element of improved road safety outcomes. Future design changes will also need to reflect the needs of other road users, such as cyclists and pedestrians, who are still likely to benefit from line markings or other sources of information to maintain separation from vehicles and for wayfinding purposes.

Myth: Automated vehicles will gather and transmit vast amounts of data, straining the capacity of Victoria's cellular data networks.

The scale of data transmitted by automated vehicles is forecast to be a small fraction of overall network traffic. Our research suggests that automated vehicles will generate around 20GB of data per hour through on-board sensors, cameras and technology, but most of this data will not need to be shared or transmitted. WSP's analysis suggests that 10MB per vehicle per hour will be transmitted and a further 10MB per hour will be downloaded via the cellular data network.

Average data traffic per person per month is forecast to increase from 42.5GB to 125.8GB between 2016 and 2021 alone. If the projections outlined above hold true, privately-owned automated vehicles would generate, at most, 500MB per month in 2046 – a fraction of overall network traffic. A smaller fleet of on-demand automated vehicles would generate significantly higher amounts of data per vehicle over the course of a day due to their much higher utilisation rates, but overall data consumption would likely be largely similar.

Even in the most aggressive projection of automated vehicle growth and with no upgrades to ICT infrastructure, a one-hundred-fold vehicle and/or data increase would make the share of vehicle-generated internet traffic around 8%. As a result, the 'backbone' ICT infrastructure (the underlying infrastructure responsible for supporting the network) is likely to be more than sufficient to meet the data needs of automated vehicles in the context of wider network growth. Further, it is still unclear exactly which technologies automated vehicles will use to communicate with each other and with supporting infrastructure. Dedicated short range communications or 5G technologies are both potential solutions and may, in fact, be complementary.

Cellular data coverage is considered an important part of optimising the performance and safety of automated vehicles. It has the potential to provide an additional layer of information, navigation and communication to vehicles, making it more likely that they will be able to operate at full effectiveness in more areas. Providing cellular data coverage to support automated vehicles on main roads in Victoria is estimated to require an additional 134 cell towers at a cost of around \$76 to \$109 million in 2046. To cover all sealed roads in Victoria this increases to 2,098 cell towers at a cost of between \$1.1 and \$1.7 billion.

The commercial need for cellular coverage is generally addressed by telecommunications companies in densely populated areas, but less so in regional and rural areas. These areas potentially have the most to gain from automated vehicles in safety and economic benefits, highlighting the importance of improving coverage in rural and regional Victoria. This aligns with our previous findings and recommendations in our 30-year infrastructure strategy, in which we noted that limitations in communications networks can make access to jobs and services challenging in regional and rural areas, and exacerbate disadvantage. Automated vehicles only strengthen this argument further, reinforcing the importance of the Victorian Mobile Black Spot Project and Australian Mobile Black Spot Program and their role in supporting the operation of automated vehicles in rural and regional Victoria.


Myth: Automated and zero emissions vehicles will make travel so affordable and convenient that Melbourne's population will sprawl beyond Melbourne's Urban Growth Boundary.

In all scenarios modelled in our research, automated and zero emissions vehicles are forecast to improve transport accessibility for middle and outer-ring areas of Melbourne, leading to greater dispersion of where new jobs and households locate. The degree of dispersion varies according to ownership models and how people value their time in an automated vehicle. However, in all scenarios these population shifts could readily be accommodated within the existing Urban Growth Boundary.

Unlike major road infrastructure projects, which tend to deliver localised accessibility improvements for households, automated and zero emissions vehicles are forecast to drive a network-wide uplift in accessibility, leading to a dispersed pattern of growth in households. The modelling and evidence we have gathered as part of this project suggests that the market will respond to increased population dispersal by providing additional medium-density dwellings in middle and outer-ring suburbs. This is provided that planning controls allow increased density in these areas, which may require a rethink of where, and how, land subdivision and medium-density development is currently permitted.

The finding that this dispersal is forecast to be relatively evenly spread likely means no particular area of Melbourne is forecast to expand dramatically, and the Urban Growth Boundary is not likely to come under pressure. For the same reason, automated and zero emissions vehicles are not likely to cause changes to the urban footprint in regional Victorian centres. Our research suggests that additional growth in dwellings occurring in Geelong and (to a lesser extent) Ballarat, Bendigo and Melbourne's peri-urban areas, could be accommodated via infill development and small increases in densities, such as through medium-density housing developments.

Overall, these findings show that automated and zero emissions vehicles could change the way people think about their proximity to jobs and other services, making them more willing to live further from major employment hubs than today. This has potential implications for future planning policy, and is discussed further in our recommendations.



Is there a role for the private sector?

We have found that a lot of the 'hard' infrastructure required to enable automated and zero emissions vehicles to operate is in energy and ICT networks, which are largely the domain of the private sector (with some government regulation).

Potentially the most significant impact of automated and zero emissions vehicles is the additional electricity generation and distribution capacity required to meet the forecast demand of battery electric vehicles. A fully automated, battery electric vehicle fleet is forecast to add over 50% to Victoria's total annual energy consumption in 2046. All of this additional demand will need to be met by additional generation, transmission and distribution capacity, provided by the private sector.

By the same token, our evidence suggests that cellular data coverage is considered an important part of optimising the performance and safety of automated vehicles. While the commercial need for cellular coverage is generally addressed by telecommunications companies in densely populated areas, they are less likely to do so in more sparsely populated regional and rural areas. These areas have the most to gain from automated vehicles, particularly from a safety and accessibility perspective, but currently have relatively poor cellular data coverage.

A number of recommendations outlined in our advice are, to some extent, about the Victorian Government putting in place the right environment for the market to operate efficiently. For example, renewable energy policy and emissions targets send a clear message about the preferred electricity generation mix, while reviewing regulatory settings in the energy market could provide flexibility for electricity transmission and distribution network providers to invest in their networks in response to changes in electricity demand.

Others recommendations are about the Victorian Government working with or supporting the private sector to deliver the infrastructure requirements in places or situations where it might not otherwise happen. Examples of this approach include leveraging existing Australian and Victorian Government initiatives, such as the Mobile Black Spot Program, to include consideration of automated vehicles, or potentially partnering with the private sector to upgrade the state's existing ICT infrastructure asset base for mutual benefit.

Other insights and issues to monitor

We have gained some interesting insights about the risks and opportunities of automated and zero emissions vehicles that, while not the focus of specific recommendations, we suggest should be considered as part of the broader preparations for these technologies.

Future investment in public transport infrastructure is likely to be required regardless of the emergence of automated and zero emissions vehicles.

Even in the 2046 base case, the public transport network is forecast to come under considerable demand pressure. The scenario with the lowest public transport use (Private Drive) is forecast to have twice the public transport demand of today, while the scenario with the highest use (Fleet Street) is projected to have more than four times today's patronage. The realisation of a Fleet Street scenario in particular would have significant implications for buses and trams, as people are projected to use public transport for a wider range of trips, other than just commuting to work, and more diverse locations are likely to be served by buses and trams.

This means that, while automated vehicles alone are not likely to have a significant impact on public transport demand, the ownership model associated with them probably will. The impact of the ownership model on public transport demand is also likely to be sensitive to the fare structure associated with on-demand vehicles. A subscription-based fare is likely to result in more moderate growth in public transport demand, due to the lower perceived cost of using on-demand vehicles.

A more realistic future, in which the population uses a mix of privately-owned and on-demand automated and non-automated vehicles, also shows significant increases in public transport use. This future is forecast to have 11% higher public transport patronage than the base case, across all modes (train, tram and bus) and over three times the public transport patronage of today.

Given the variation in public transport demand across the scenarios, we have not sought to recommend specific infrastructure investments. However, what our evidence shows us is a clear need for continued planning and investment in public transport between now and 2046 that takes into account uncertainties about how vehicle technologies may develop. These uncertainties further reinforce the importance of a real options approach to future infrastructure projects.

Investment in hydrogen production should be considered in the context of a broader energy security plan.

Hydrogen is likely to represent a viable fuel or energy storage solution in some specific use-cases, such as a zero emissions fuel for heavy vehicles or as a storage method for renewable energy. However, the infrastructure and resource requirements for a fully hydrogen-fuelled future are likely to be significant.

Depending on the method of hydrogen production, meeting the forecast needs of Victoria's entire vehicle fleet would require either a significant investment in additional electricity generation capacity in excess of Victoria's current state-wide consumption, or intensive use of coal and natural gas resources. Coal or gas methods of hydrogen production also generate significant CO₂ emissions which would subsequently need to be stored via carbon capture and storage or other similar technology. Energy modelling found that between 12 million and 31 million tonnes of CO₂ storage would be required annually if Victoria's hydrogen needs were met by natural gas and coal sources respectively. This scale of hydrogen production would also require the development of a new hydrogen supply chain encompassing generation, distribution and refuelling infrastructure. Local and international evidence suggests that hydrogen supply chains can be very costly to develop. Japanese gas and energy company Iwatani put the cost of building its first hydrogen refuelling station at around A\$6 million, which is around four times the cost of a comparable-sized petrol station.

However, there are some examples of where developing hydrogen supply and refuelling infrastructure can be viable. Hydrogen has potential range-to-weight benefits when used as a fuel for heavy vehicles. In addition, it offers energy storage potential (similar to a battery) to maximise the potential of renewable energy generation. To this end, hydrogen represents a viable potential fuel in specific applications, such as heavy vehicles, and may improve the resilience of Victoria's energy network by diversifying Victoria's energy supply mix. In addition, the CSIRO's National Hydrogen Roadmap identified a range of uses for hydrogen beyond the transport sector. For example, the global market for hydrogen represents an export opportunity that may support the emergence of a hydrogen generation and distribution supply chain in the medium-term.¹³ Hydrogen exported from Victoria is likely to be used in a number of applications, including for hydrogen fuel cell vehicles.

Ultimately, the shape of any potential future hydrogen supply chain in Victoria will be contingent on the method and location of production, viability of using existing gas network infrastructure and intended use.

¹³ Bruce S, et al. (2018). *National Hydrogen Roadmap*.

A fair and comprehensive transport network pricing scheme will become an increasingly important tool to recover the cost of direct investment and manage demand across the entire transport network.

Our evidence shows that widespread use of automated vehicles could have significant effects on the functioning of the transport system, in particular through reduced congestion. There may be opportunities to re-structure the way we charge users for both the public transport and road networks to help manage these impacts, especially during the transition to high levels of uptake. Pricing represents a relatively flexible and low cost way to manage demand – especially when compared to the alternative of new capital investment – where the future might involve substantially lower overall demand. More efficient ways of generating revenue from the transport system would also help to better target investment in maintenance, renewals and new projects which would facilitate the development of a transport system that is fit-for-purpose to effectively accommodate emerging vehicle technologies.

In designing a transport network pricing scheme that applies to zero emissions vehicles, consideration will need to be given to the effect this may have on their uptake and the realisation of potential benefits.

The transition to automated and zero emission vehicles will most likely entrench or worsen economic or geographic disadvantage in the medium-term.

Any new technology takes time to diffuse and become widespread. Even with a linear rate of uptake, as assumed in our scenario analysis, there are likely to be disparities in access to automated and zero emissions vehicles technologies among different income groups. In addition, the emergence of on-demand business models may further entrench the spatial disadvantage of some areas.

In private ownership scenarios, Victorians in all parts of the state across all income groups are projected to benefit from the accessibility improvements of automated vehicles. However, when there is not 100% uptake, such as during the transition to the new vehicle technologies, or in the Slow Lane scenario, Victorians without access to automated and zero emissions vehicles (who are more likely to have lower incomes) are forecast to have poorer relative accessibility outcomes.

In the on-demand vehicle scenarios, such as Fleet Street, the cost of using on-demand vehicles could be much higher in regional Victoria than in metropolitan areas, due to the greater travel distances and a higher per-kilometre cost. If a shared ownership model were to emerge that didn't provide good value in these areas, Victorians in regional and rural areas would experience much poorer access to services than Victorians living in metropolitan centres. Further, the smaller and more dispersed populations in regional and rural areas might discourage on-demand fleet owners from offering services in these areas. While the commercial benefits are less likely, the potential social benefits from automated vehicles remain. These include improved road safety, emission abatement, greater choice of housing, increased access to services and amenities and other drivers of economic growth.

Consider whether to accelerate the transition to zero emission vehicle technologies.

The Minister's terms of reference requested our advice focus on the infrastructure required to enable automated and zero emissions vehicles once they are a high proportion of the fleet. In doing so, we found examples of jurisdictions that have sought to accelerate the emergence of zero emissions vehicles. Our research suggests that, where one or more of the following actions have been taken, zero emissions vehicles make up a greater proportion of the overall vehicle fleet.

- Subsidising zero emissions vehicles.
- Establishing vehicle emissions standards, ideally at the national level.
- Implementing low or zero emissions zones for all or a segment of vehicles (for example, freight).
- Providing public charging infrastructure.
- Continuing (or strengthening) renewable energy targets.
- Phasing out internal combustion engine vehicles over time, ultimately leading to a ban on petrol/diesel vehicles beyond a certain date.

Governments often take a long-term view of the costs and benefits of policies or programs and may consider wider costs and benefits of policy interventions or infrastructure investment, beyond the immediate financial impacts. In the case of zero emissions vehicles, the accumulation of the environmental and public health benefits associated with reduced emissions could, over time, outweigh the initial transition costs. Zero emissions vehicles could also contribute to achieving other policy outcomes, such as emissions abatement.

The question of government going further to accelerate the roll out of zero emissions vehicles is a complex one. While government support of zero emissions vehicles might bring forward some benefits, it is not immediately clear that the active support of a transition to zero emissions vehicles would be the most efficient or effective way of achieving these objectives. We recommend that any use of government funds to accelerate the uptake of zero emissions vehicles would need to be supported by an assessment of other available policy levers and a rigorous cost benefit analysis, and only once government was certain that the benefits any intervention would deliver would not be otherwise realised.

Lessons from the base case – technology-agnostic actions

Infrastructure Victoria was asked to consider a range of scenarios for the uptake of automated and zero emissions vehicles. One of the scenarios we tested in our analysis was the 'Dead End' scenario, where automated and zero emissions vehicles technologies never eventuate. Dead End is our base case. It gives us an opportunity both to understand what changes are likely to occur between now and 2046, and to understand the specific impact of automated and zero emissions technologies.

We can also learn some lessons from the base case about what to expect in the future regardless of how technologies evolve. With a population of around 9.4 million people in 2046, 7.4 million of whom live in Melbourne, Victoria is forecast to look very different to today. A significant proportion of this growth is forecast to be in new growth areas in the north, west and south east of Melbourne. At the same time, the structure of the Victorian economy will continue to shift away from manufacturing towards services. This is forecast to both reinforce the importance of Melbourne's CBD as an employment hub and lead to further growth in existing employment hubs outside the inner city.

A similar story can be seen in regional Victoria, where larger regional centres are forecast to become increasingly important as population and employment hubs, experiencing stronger growth in population and jobs when compared to smaller regional centres.

With a more dispersed population, people are likely to take more and longer trips. The number of cars on the road is forecast to increase considerably, as is public transport use. In the 2046 base case the number of people taking public transport in Melbourne is forecast to be around three times greater than today and account for a greater share of motorised trips (19% compared to 10% today). At the same time the number of car trips is forecast to increase by nearly 4 million to over 13.4 million per day.

What this tells us is that even without automated and zero emissions vehicles, Victoria is likely to look very different in 2046 than it does today, underscoring the critical importance of long-term, integrated land use and transport planning. While not the focus of our advice, there are some things the Victorian Government should think about to prepare for the future, regardless of how automated and zero emissions technologies evolve.

- The prevalence of public transport use in 2046 (three times higher in the base case than in 2015) further underlines the importance of public transport infrastructure investment, with trains, trams and buses all forecast to experience growth in patronage.
- Changing travel behaviours, significant growth in vehicle trips and localised congestion will require new approaches to delivering transport services for Victorians underpinned by sustainable funding models. A comprehensive, equitable and flexible approach to transport network pricing has the potential to fund positive transport system outcomes regardless of how vehicle technologies develop.

- High levels of population growth across metropolitan Melbourne (over 2 million extra people in 2046) will generate increased demand for services and infrastructure, including public transport, schools, libraries, and healthcare, further strengthening the case for integrated land use and infrastructure planning.
- Uneven patterns of population growth in regional Victorian centres could put pressure on infrastructure in centres experiencing high growth, while putting at risk the sustainability of infrastructure in areas experiencing low or negative growth.
- The potential retirement of baseload power stations may lead to an 800MW shortfall in dispatchable generation required to meet peak electricity demand. The amount of additional investment in generation capacity could be reduced by mechanisms to manage peak electricity demand, such as pricing incentives.

Infrastructure Victoria is undertaking further research on these and other issues, alongside a broader range of infrastructure challenges facing Victoria, as part of our work to update *Victoria's 30-year infrastructure strategy*.

Real actions

Dealing with uncertainty is especially challenging when planning for infrastructure provision. The Department of Treasury and Finance's *Investing under uncertainty: Real options analysis technical supplement – investment lifecycle and high value high risk guidelines* identifies a methodology for government to incorporate flexibility and resilience into decision-making processes using 'real options analysis'. This will form an important part of the government's ability to plan for large investments within the overall context of uncertainty.

A real options approach is used to identify and compare alternative responses to a problem in a way that will deliver the best value for money. It embeds the usual principle of seeking to ensure benefits exceed costs, and ideally by more than is offered by any alternative. A real option can provide government with the ability to take a specific action in the future if circumstances change. This advice recommends that the real options approach outlined by the Department of Treasury and Finance be applied to future infrastructure projects that may be impacted by the emergence of automated and zero emissions vehicles on Victoria's transport system. Taking a real options approach is essential to ensuring the benefits of automated and zero emissions vehicles are maximised. Doing so can also minimise risks associated with the emergence of automated and zero emissions vehicles, such as potential overinvestment in specific projects or technologies.¹⁴ It gives government the flexibility to respond to new vehicle technologies as they emerge and to any corresponding changes to people's travel behaviour. It also provides flexibility if, conversely, the forecast benefits of automated vehicles are not fully realised.


In this advice, we have sought to apply a real options approach to doing things now that are 'no regrets' actions, while also setting the state up for potential future changes. We have also sought to identify trigger points and responses as part of our recommendations. These decisions and triggers are intended to provide a pathway for implementing the recommendations made in this advice and further support a real options approach to minimising the risks associated with potential responses and avoiding unnecessary costs.

¹⁴ For further information, refer to the Department of Treasury and Finance's *Investing under uncertainty: Real options analysis technical supplement – Investment Lifecycle and High Value High Risk Guidelines*.

RECOMMENDATIONS

To support the implementation of our advice, and ensure Victoria is prepared for the emergence of automated and zero emissions vehicles, Infrastructure Victoria is making 17 recommendations to the Victorian Government.

The combination of the advice articulated in the previous section, the scenarios presented in our *Future scenarios* report, the evidence presented in this report, and these recommendations represent our response to the terms of reference from the Special Minister of State. Each recommendation presented here also contribute to achieving at least one, and in some cases more, of the strategic objectives identified in our 30-year infrastructure strategy.



Decisions and triggers

We have structured our recommendations to provide some additional guidance for implementation, including preconditions for action (triggers) and suggested timelines for re-evaluating each recommendation to test their continuing relevance. Our triggers reflect different stages of the development and availability of automated and zero emissions technologies that government should monitor in deciding when to act. The suggested timelines for initiating and re-evaluating the implementation of these recommendations reflect how soon we think action is required and how long it will take to implement. This section details each recommendation in full, while the following section provides a summary view of the recommendations with timelines and trigger points identified.

We have identified seven different triggers, with associated timeframes, that apply across the recommendations:

TRIGGER	INITIATE	REVIEW	RATIONALE (WHY THIS TIMING)	EXAMPLES OF THIS TRIGGER OCCURRING
Preparations underway for manufacturers to bring highly automated vehicles to Victoria	Now	1 year	National Transport Commission (NTC) regulations are being prepared for automated vehicles to be on the roads by 2020 (15 months from advice completion).	This trigger has already occurred.
Identification of potential impacts of automated vehicles and zero emissions vehicles in Victoria	Now	2 years	Our evidence has identified that significant impacts are possible with automated vehicles and zero emissions vehicles; start planning now and re-evaluate in two years when significant additional knowledge is likely to be available.	This trigger has already occurred.
New market models ready to be deployed in Victoria with or without automated vehicles	Now	2 years	A variety of market models are already under development that can be deployed before automated vehicles, such as mobility as a service. These market models are already starting to be deployed in Australia, and automated applications of these models could appear in two to seven years in Victoria.	This trigger has already occurred.

Legend:


Trigger: Key activities or trends that occur prior to taking action.

Initiate: Timeframe within which we expect trigger will be met.

Review: Timeframe to review action (to determine if it is still relevant/has achieved its goal) or trigger (to determine if it has been met and if timelines need to shift).

While the following triggers have longer timeframes for initiation, some could be started sooner if the evidence supports it, or to achieve a desired policy objective. In fact, as outlined earlier there are a number of actions the Victorian Government can and should take right now, that are low-cost, no regrets actions that will help ensure the state is ready for the emergence of automated and zero emissions vehicles.

TRIGGER	INITIATE	REVIEW	RATIONALE (WHY THIS TIMING)	EXAMPLES OF THIS TRIGGER OCCURRING
Significant uncertainties in automated vehicle requirements resolved	2 years	1 year	There is further information required before progressing on this recommendation, but it is time critical so needs to be watched closely.	Agreed views expressed by international industry and government organisations.
Proportion of automated and/or zero emissions vehicles in fleet increasing significantly	5 years	2 years	Electric vehicles are expected to reach price parity with petrol/diesel vehicles between 2025 and 2030; some form of highly automated vehicles could be operating on our roads in two to seven years.	Automated and/or zero emissions vehicles accounting for 50% of new car sales; automated and zero emissions vehicles as proportion (for example, two-thirds) of overall Victorian fleet, or number of highly automated vehicles in use by public transport or commercial operators.
Connected, automated vehicles ready for optimisation	10 years	5 years	While we do not expect that automated vehicles need to be connected in order for them to be introduced, many of the efficiency benefits that we have identified would be possible only if they are fully connected and cooperative. We think that this could happen in 10 to 30 years, but recommend review at five years in case the technology develops sooner.	Connected, automated vehicles outnumbering conventionally-driven vehicles in Victoria.
Need to dispose of a significant number of automated and/or zero emissions vehicles	10 years	5 years	Assumes a 10 to 20 year lifecycle for vehicles; some limited capacity for e-waste is already in place but unlikely to be sufficient for the amount of new waste generated by automated and zero emissions vehicles.	Information on service life of automated and/or zero emissions vehicles; increasing commercial deployments and/or sales of automated and zero emissions vehicles in Victoria.



Alignment to the *30-year infrastructure strategy* objectives

We have developed recommendations that contribute to the achievement of one or more of the strategic objectives developed as part of our *30-year infrastructure strategy*. The 10 objectives are outlined in the table below.

- 1 ● Prepare for population change
- 2 ● Foster healthy, safe and inclusive communities
- 3 ● Reduce disadvantage
- 4 ● Enable workforce participation
- 5 ● Lift productivity
- 6 ● Drive Victoria's changing, globally integrated economy
- 7 ● Promote sustainable production and consumption
- 8 ● Protect and enhance natural environments
- 9 ● Advance climate change mitigation and adaptation
- 10 ● Build resilience to shocks

For a summary of how our recommendations reconcile with these objectives, refer to Appendix B.



Recommendation 1

Update Victoria's roads

Transport

Update road maintenance and monitoring to take into account the needs of automated vehicles, including changes to lines and signs, roadworks, and road maintenance throughout Victoria, and provision of reliable and timely data to connected and automated vehicles.

If Victoria wishes to enable automated vehicles, standardised approaches to lines, signs and roadworks would assist. Any changes should be suitable for both automated and non-automated vehicles for the foreseeable future.

Do now:

- a. Survey or audit road infrastructure to evaluate suitability for automated vehicles, for example to identify road quality challenges, or to ensure that pedestrian right of way is clear for vehicles and pedestrians. A phased approach should be applied to prioritise areas where the greatest benefit or risk is identified.
- b. If significant changes are required to lines, signage, or road quality to enable automated vehicles, particularly where these requirements may be temporary, review funding arrangements for road maintenance and upgrades by local authorities.
- c. Evaluate the impact of upgrading/ changing road network features (for example, sign consistency, machine readability and placement, line quality, consistency and reflectivity) on the basis of recommendations expected from Austroads as part of its Connected and Automated Vehicles projects in 2018 and 2019. Prioritise upgrading critical corridors and considering end-of-life replacement where possible.

Do when trigger is met:

- d. Develop clear guidance on road maintenance approaches, integrating needs of automated and conventionally-driven vehicles especially where changes would benefit both, such as avoiding competing lane markings (for example, white and yellow) in a single road zone.
- e. Establish a single source of trusted Victorian Government transport data to advise of planned or unplanned maintenance and road changes.
- f. Explore physical and digital technology solutions to communicate both planned and unplanned maintenance to connected vehicles.

Trigger: Significant uncertainties in automated vehicle requirements resolved.

Initiate: 2 years

Review: 1 year

Re-evaluation criteria: Results of trials demonstrating level of benefits from connected road vehicles locally or overseas (predictability, safety and efficiency); cost of changes to be made, feedback on the requirements of automated vehicles.

Relevant findings

Lines, signs and road maintenance were three of the top infrastructure items stakeholders told us would be required for early adoption of automated vehicles. While there is still some uncertainty as to whether automated vehicles will learn to rely on additional sources of data, there is an opportunity to introduce changes to both attract automated vehicles manufacturers and to improve clarity for conventionally-driven vehicles.

- We heard that road maintenance consistency and access to data on the road network condition is useful for automated driving system manufacturers. (Arup transport engineering)
- Information from trials in Victoria has identified specific changes to lines and signs that could be helpful for the introduction of automated vehicles on Victorian roads. (Transurban, ConnectEast surveys)
- Austroads found that, for the foreseeable future, for any data where the actions of an automated vehicle have an immediate safety impact (including speed limits, traffic signals, closed lanes), vehicles will need to accurately respond to the same stimuli as human drivers, pedestrians and cyclists. Even if road signs, lines and traffic signals are complemented by methods to assist interpretation by automated vehicles, the signs, lines and signals would remain the authoritative regulatory devices. (Austroads research report: Connected and Automated Vehicles (CAV) Open Data Recommendations)
- Potentially ambiguous road features (such as competing line markings) could be difficult for automated vehicles to interpret. (Arup transport engineering)
- Solid line marking costs on average \$1,600/km in Victoria, not accounting for traffic management and associated support costs, which could double the cost. Based on a conservative assumption of 100% of Victoria's non-declared roads (suitable for general traffic) requiring new or improved single, line marking, the one-off cost of this is likely to be in the order of \$250 million, excluding the additional costs identified above. (Arup transport engineering)

ALIGNMENT TO THE 30-YEAR INFRASTRUCTURE STRATEGY OBJECTIVES

- 1 Prepare for population change
- 2 Foster healthy, safe and inclusive communities
- 3 Reduce disadvantage
- 4 Enable workforce participation
- 5 Lift productivity
- 6 Drive Victoria's changing, globally integrated economy
- 7 Promote sustainable production and consumption
- 8 Protect and enhance natural environments
- 9 Advance climate change mitigation and adaptation
- 10 Build resilience to shocks

For more information on our findings, please read the following technical reports:

Arup – *Infrastructure Victoria Automated and Zero Emission Vehicles Transport Engineering Advice*



Recommendation 2

Rethink road space

Transport

Incorporate automated and zero emissions vehicles into a transparent road space allocation framework in Victoria, building on existing transport system and place-based planning principles.

Infrastructure Victoria's *30-year infrastructure strategy* and *Five-year focus report* have previously highlighted the opportunities to review and accelerate road space allocation changes.

However, automated and zero emissions vehicles are likely to have implications that have not previously been incorporated in transport system and place-based planning. Automated vehicles could change the way people access transport hubs, reshape long-term parking to pick-up and drop-off areas, and allow for a reallocation of road space for walking, cycling, urban greening and place-making to an even greater extent than has been contemplated today.

Do now:

- a. Review current legislation and traffic management guidelines to identify and remove barriers to future vehicle technologies. For example, legislation that does not currently allow private vehicles in drop-off zones should be amended.
- b. Proactively increase pick-up and drop-off areas in and around public transport stations, activity centres and destinations.

Do when trigger is met:

- c. Publish an updated road space allocation framework that includes automated and zero emissions vehicles. This should include consideration of place-making, optimal traffic flow, variable traffic prioritisation, flexible road space, allocation of sufficient space for pedestrians, trees and roadside amenity, parking versus pick-up and drop-off areas, and principles for automated vehicles to interact with vulnerable road users.
- d. Consider the longer-term potential for changes to physical or virtual traffic calming, including potential truncation or closures of streets to through traffic.
- e. Health agencies should monitor health benefits and risks arising from the increased or reduced use of active transport under different automated vehicle uptake scenarios.

Trigger: Connected, automated vehicles ready for optimisation.

Initiate: 10 years

Review: 5 years

Re-evaluation criteria: Results of trials demonstrating road space allocation needs for automated vehicles and their interactions with pedestrians.

Relevant findings

Automated and zero emissions vehicles are likely to significantly change current thinking about road space allocation requirements and opportunities.

- Evidence suggests that there is a significant opportunity to replan our streetscapes with the emergence of automated and zero emissions vehicles. (Arup transport engineering; Urban Circus and Ethos Urban design work)
- In urban areas, adopting lane widths that are closer to actual vehicle widths could be possible with areas that have complete adoption of automated vehicles. This could deliver substantial 'place' benefits through reduced road space allocation to vehicles, reducing the space requirement for roads overall. (Arup transport engineering)
- The need for parking space is likely to reduce significantly. Pick-up and drop-off requirements and kerbside access are likely to increase, possibly requiring kerbside management practices to be introduced where private passenger vehicles, service vehicles and road-based public transport compete. (Arup transport engineering)

- We heard that there is opportunity to define pick-up and drop-off areas at precinct or sub-precinct levels, instead of disaggregated solutions, allowing strategic planning of streets, maximising footfalls, contributing to population health goals and mitigating interactions between small and large vehicles. (Arup transport engineering)
- Arup found that with up to 30% of public space is currently used for roads there is an opportunity to adapt streets over time, reallocating to purposes other than movement. (Arup transport engineering)
- Transport modelling shows increased amounts of walking under some shared automated fleet scenarios in which there is additional demand for public transport, and reductions in private ownership scenarios. There is potential for significant health costs with reductions in active transport. (KPMG transport modelling)

ALIGNMENT TO THE 30-YEAR INFRASTRUCTURE STRATEGY OBJECTIVES

- 1  Prepare for population change
- 2  Foster healthy, safe and inclusive communities
- 3  Reduce disadvantage
- 4  Enable workforce participation
- 5  Lift productivity
- 6  Drive Victoria's changing, globally integrated economy
- 7  Promote sustainable production and consumption
- 8  Protect and enhance natural environments
- 9  Advance climate change mitigation and adaptation
- 10  Build resilience to shocks

For more information on our findings, please read the following technical reports:

Arup – Infrastructure Victoria Automated and Zero Emission Vehicles Transport Engineering Advice

KPMG – Automated and Zero Emission Vehicle Infrastructure Advice Transport Modelling

Urban Circus and Ethos Urban – Automated and Zero Emission Vehicles – how they might reshape our streets



Recommendation 3

Future-proof projects

Transport

Develop specific guidance for business cases for transport projects to account for the risks, opportunities and uncertainties posed by automated and zero emissions vehicles.

While there is some uncertainty around the potential risks and benefits of automated and zero emissions vehicles, there is sufficient evidence to suggest they will have a significant impact on the transport system in future. Current and future infrastructure projects would benefit from clear guidance on how to plan for these potential changes.

Do now:

- a. Incorporate real options to defer, stage, modify or cancel projects due to technology change explicitly into project contracting and delivery arrangements, where appropriate.
- b. All major transport infrastructure projects that are planned but not yet in construction should be reviewed to ensure the strategic fit, benefits assessment, and real options analysis adequately address the uncertainty posed by automated vehicles.
- c. Opportunities should be sought in the evaluation of real options to consider low marginal cost investments that could allow for future flexibility (for example, conduits, roadside ICT infrastructure, upgradeable or demountable infrastructure) as standard design requirements.
- d. Review and update approach to transport modelling underpinning project development and evaluation. Delivery agencies would benefit from up-to-date guidance on industry developments and an approach to testing the impacts of new technological developments on projects and programs. The current transport modelling reference case should be regularly reviewed to reflect changing technologies, cost parameters, risk profiles and evaluation tools.
- e. Assess strategic investment need, appraisal periods, and range of project benefits to identify how different futures could change these outcomes. For example, a moderate technology change (such as 10% uptake over the next 10 years), more significant technology change (such as the 'Slow Lane' scenario) or a radical change (such as the 'Fleet Street' scenario).

Trigger: Identification of potential impacts of automated vehicles and zero emissions vehicles in Victoria.

Initiate: Now

Review: 2 years

Re-evaluation criteria: Whether changes to evaluation are creating unforeseen issues; whether the network efficiencies of automated vehicles are possible in real-world applications.

Relevant findings

Our findings suggest that automated vehicles could change the network efficiency of our roads, with significant implications for transport network performance.

- Up to 91% reduction in average delay across the network in 2046 in a Fleet Street scenario compared to base case. (KPMG transport modelling)
- Up to 83% reduction in average delay across the network in 2046 in a Fleet Street scenario even if no new roads are built compared to base case. (KPMG transport modelling)
- Even without transport network changes, asset management and useful life and intervention strategies may change with the advent of automated vehicles due to things like the potential for pavement and structure impacts. (Arup transport engineering)
- The North East Link Authority noted in its assessment of real options that to address vehicle automation, the “Commercial framework is to be further developed during procurement phase to accommodate flexibility where feasible; [however] there is too much uncertainty at this stage to explicitly consider requirements for automated vehicles in North East Link’s design.” (Section 3, p 10–26). This suggests that more clear guidance would be helpful for projects. (North East Link Authority)

- Our literature review highlighted a strong possibility that the convenience, privacy and flexibility of use of time spent in an automated vehicle could lead to changes in people’s evaluation of their willingness to travel longer distances in vehicles, referred to as the ‘marginal utility of travel time’ (MUTT). (Automated and zero emissions vehicles infrastructure advice literature review)

ALIGNMENT TO THE 30-YEAR INFRASTRUCTURE STRATEGY OBJECTIVES

- 1  Prepare for population change
- 2  Foster healthy, safe and inclusive communities
- 3  Reduce disadvantage
- 4  Enable workforce participation
- 5  Lift productivity
- 6  Drive Victoria’s changing, globally integrated economy
- 7  Promote sustainable production and consumption
- 8  Protect and enhance natural environments
- 9  Advance climate change mitigation and adaptation
- 10  Build resilience to shocks

For more information on our findings, please read the following technical reports:

KPMG – Automated and Zero Emission Vehicle Infrastructure Advice Transport Modelling

Infrastructure Victoria – Automated and zero emissions vehicles infrastructure advice literature review



Recommendation 4

Plan for transport

Transport

Develop a transport plan that includes potential impacts of automated and zero emissions vehicles, to enable priority transport investments and reforms to be identified and to support the development of business cases that address transport needs.

A transport plan should include scenarios testing and support adaptive planning in the face of the potential for significant change due to new technologies and business models.

Do now:

- a. Identify priority transport investments and reforms in the context of the potential impacts from automated and zero emissions vehicles, along with other key considerations in developing the transport system such as those set out in the *Transport Integration Act 2010*.
- b. Require future business cases for priority investments to be referenced to the transport plan to assess strategic fit in a variety of futures. The plan should support project benefits assessment and real options analysis.

Trigger: Identification of potential impacts of automated vehicles and zero emissions vehicles in Victoria

Initiate: Now

Review: 2 years

Re-evaluation criteria: Greater certainty of impacts of automated and zero emissions vehicles.

Relevant findings

- Our transport modelling identified significant potential changes to transport requirements as a result of automated and zero emissions vehicles. (KPMG transport modelling)
- Land use modelling work showed that these technologies could substantially change where people want to live and work. In considering future projects prior to business case development, strategic fit to these potential futures should be considered. (SGS land use modelling)
- Many submissions from stakeholders identified the potential benefits of a transport plan to help prioritise reforms and investment.

ALIGNMENT TO THE 30-YEAR INFRASTRUCTURE STRATEGY OBJECTIVES

- 1 ● Prepare for population change
- 2 ○ Foster healthy, safe and inclusive communities
- 3 ○ Reduce disadvantage
- 4 ○ Enable workforce participation
- 5 ● Lift productivity
- 6 ○ Drive Victoria's changing, globally integrated economy
- 7 ○ Promote sustainable production and consumption
- 8 ○ Protect and enhance natural environments
- 9 ○ Advance climate change mitigation and adaptation
- 10 ● Build resilience to shocks

For more information on our findings, please read the following technical reports:

*KPMG – Automated and
Zero Emission Vehicle
Infrastructure Advice
Transport Modelling*

*SGS Economics & Planning
– Automated & Zero
Emission Vehicle Land
Use Scenarios*



Recommendation 5

Manage before you build

Transport

Ensure Victoria's transport planning considers how non-infrastructure solutions, including transport network pricing, can provide a policy response to address the potential impacts of automated and zero emissions vehicles.

This should include consideration of both benefits (such as network performance) and risks (such as empty running) posed by the advent of automated vehicles, as well as the potential for induced trips due to reduced cost of vehicle running.

Do when trigger is met:

- a. Integrate automated and zero emissions vehicles into the design and deployment of a transport network pricing system for Victoria to equitably address growing congestion challenges and more clearly align the costs and benefits of these resources.
- b. Develop cost benefit analysis for potential physical or digital infrastructure required to support transport network pricing, taking automated vehicles into account.

Trigger: Proportion of automated and/or zero emissions vehicles in fleet increasing significantly.

Initiate: 5 years

Review: 2 years

Re-evaluation criteria: Consideration of impacts of empty running in jurisdictions experiencing early take-up of automated vehicles; evolution of challenges in funding road maintenance.

Relevant findings

There are significant uncertainties related to automated and zero emissions vehicles that need to be closely monitored to understand the ways in which benefits can be best realised, and risks can be best mitigated. Some of the most important uncertainties highlighted in our work include:

- In automated vehicle scenarios, the empty running of vehicles (unoccupied vehicles travelling between trips or returning home after dropping an occupant at their destination) generates additional congestion on the network compared to when there is no empty running. The congestion dampening effects of parking fees are lost. (KPMG transport modelling)
- In the Private Drive scenario, the addition of empty running generates an additional 46,000 hours of delay in the inner urban areas of Melbourne compared to our test of the same scenario with empty running disabled. (KPMG transport modelling)
- When an area-based charge of \$5 to drive in inner urban areas (within about 5km of the CBD) during peak times (7–9am and 3–6pm) and \$2.50 at all other times was applied to this scenario, the modelling showed a reduction in inner city network delays of six seconds per kilometre, or 22%. (KPMG transport modelling)

- The Fleet Street scenario had 13% of total distance travelled by on-demand vehicles being empty (in between trips). This value increases to 19% in the inner urban areas. (KPMG transport modelling)
- Infrastructure Victoria has previously highlighted the importance of transport network pricing to manage congestion in the 30-year infrastructure strategy. We are continuing work to identify a transport network pricing approach in Victoria. (Infrastructure Victoria 30-year infrastructure strategy)

ALIGNMENT TO THE 30-YEAR INFRASTRUCTURE STRATEGY OBJECTIVES

- 1  Prepare for population change
- 2  Foster healthy, safe and inclusive communities
- 3  Reduce disadvantage
- 4  Enable workforce participation
- 5  Lift productivity
- 6  Drive Victoria's changing, globally integrated economy
- 7  Promote sustainable production and consumption
- 8  Protect and enhance natural environments
- 9  Advance climate change mitigation and adaptation
- 10  Build resilience to shocks

For more information on our findings, please read the following technical reports:

KPMG – *Automated and Zero Emission Vehicle Infrastructure Advice Transport Modelling*

Infrastructure Victoria – *Victoria's 30-year infrastructure strategy*



Recommendation 6

Integrate new transport options

Transport

Incorporate new services like on-demand and mobility as a service into the public transport mix, in preparation for automated vehicles.

On-demand, mobility as a service, and integrated planning and payment for multi-modal trips are likely to supplement existing public transport services. Many of these functions are also considered to be necessary precursors to introducing shared automated fleets into new markets.

Do now:

- a. Ensure new contracts for public transport operators allow for changes to accommodate new market models, and include provisions for automated vehicles.
- b. Plan for opportunities to develop open payment, ticketing, validation, third-party purchasing platform(s) and open/integrated barrier systems for public transport.
- c. Plan for changes to public transport hubs to accommodate pick-up and drop-off facilities, and other mobility options like active transport to encourage multi-modal trips.
- d. Review existing contracts and public transport franchise agreements, including fare structure, for opportunities to integrate automated vehicles into service planning.
- e. Transport services delivered directly by the Victorian Government (such as community transport) should plan for potential changes to accommodate new market tools (for example, apps and on-demand services) and automated vehicles.
- f. Assess potential for automated vehicles to support demand-responsive transport services.
- g. Consider whether there is a role for government to incentivise or procure services from automated fleet operators to operate in regional and rural areas, if the market fails to do so.
- h. Consider how automated vehicles could be used to enhance public transport, especially to support people with mobility impairments and those currently on concession arrangements.

Trigger: New market models ready to be deployed in Victoria with or without automated vehicles.

Initiate: Now

Review: 2 years

Re-evaluation criteria: Interest from integrated transport providers to operate in Victoria; impacts of new market models on public transport usage.

Relevant findings

- The transport industry is undergoing a period of intense change, even without automated vehicles. The introduction of ride-hailing applications like Uber, Taxify and Ola in Melbourne in recent years has already changed the way people travel.
- Mobility as a service applications are also a likely precursor to effective integration of automated vehicles within the broader transport system. Without these services, there is greater potential for public transport trips to shift to other modes of transport, with resulting implications for road network performance. (L.E.K. International Scan)
- To support a mobility as a service system, there are pre-requisites that include a wide range of transport modes, the majority of providers having open, real-time data (including to third parties) third-party selling of services, e-ticket and e-payment abilities, integration with physical and digital validation systems and integration into single interfaces/apps primarily via APIs. Additionally, privacy and data security will need to be considered and safeguards may be needed to protect users. (WSP ICT infrastructure assessment, international stakeholder engagements)
- Planning is needed to move towards nationwide standards, agreements and protocols for security credentials, vehicle communication technology requirements and open data application providers and central systems, while mobile phones and other devices may run applications requiring sharing of data. (WSP ICT infrastructure assessment)
- Previous research, including Infrastructure Victoria's work on managing transport demand, has shown that even without automated and zero emissions vehicles, consumers would benefit from demand-responsive services. However, it is also a likely precursor to effective integration of automated vehicles within the broader transport system.
- Our transport modelling found that automated demand-responsive transport vehicles improved accessibility in areas with limited congestion, particularly in outer areas. (KPMG transport modelling).
- We heard that the emergence of on-demand transport services is likely to increasingly blur the line between public and private transport services, with users often using a combination of both as part of a single trip. This emphasises the importance of open payment platforms and integrated journey planning across transport services for users in future.

ALIGNMENT TO THE 30-YEAR INFRASTRUCTURE STRATEGY OBJECTIVES

- 1  Prepare for population change
- 2  Foster healthy, safe and inclusive communities
- 3  Reduce disadvantage
- 4  Enable workforce participation
- 5  Lift productivity
- 6  Drive Victoria's changing, globally integrated economy
- 7  Promote sustainable production and consumption
- 8  Protect and enhance natural environments
- 9  Advance climate change mitigation and adaptation
- 10  Build resilience to shocks

For more information on our findings, please read the following technical reports:

KPMG – *Automated and Zero Emission Vehicle Infrastructure Advice Transport Modelling*

WSP – *ICT Infrastructure Advice for Automated and Zero Emission Vehicles*

L.E.K. and Arup – *Infrastructure Victoria automated vehicle/ zero emissions vehicle international scan*



Recommendation 7

Boost ICT infrastructure

ICT infrastructure and data

Promote investment in ICT infrastructure where there is a safety and/or optimisation requirement for automated vehicles that the market is unable to satisfy commercially.

Do now:

- a. Identify priority corridors for cellular data coverage requirements, based on need and demand, and monitor the market's delivery of coverage in these areas as automated vehicles are adopted.
- b. Leverage the Victorian Government's existing communications infrastructure base and significant purchasing power to influence Australian Government activities (such as the Mobile Black Spot Program) and ventures by private sector telecommunications providers to improve cellular data coverage in rural and regional areas.

Do when trigger is met:

- c. Integrate automated vehicle support into criteria for determining locations for roll out of the Mobile Black Spot Program and Accident Black Spot Program, and monitor the levels and location of cellular coverage throughout Victoria to continuously identify priority corridors, particularly to meet demand and/or safety objectives.
- d. Monitor the need for investment in roadside ICT infrastructure as technology develops. Such technology may only be required temporarily in some areas. Consider the business case to invest in roadside ICT deployment on priority corridors when appropriate.
- e. Consider potential digital solutions to infrastructure issues that could be posed by automated vehicles (for example, pavement/road surface rutting), and analyse the cost, risks and benefits of non-build solutions prior to making structural changes.

Trigger: Connected, automated vehicles ready for optimisation.

Initiate: 10 years

Review: 5 years

Re-evaluation criteria: Technology developments in ICT requirements for automated and zero emissions technologies.

Relevant findings

- While automated vehicles are able to drive without cellular coverage, it is one of the ways in which they can triangulate where they are on the road. Therefore, while cellular coverage is likely to be needed at times, the extent is as yet unclear. (WSP ICT infrastructure assessment)
- There are major roads in Victoria that could serve as priority corridors where cellular data coverage is lacking. The density of automated vehicles in a geographical area will determine the density of additional cellular towers required. In a city environment with high traffic density, reaching the required telecommunications density to accommodate all vehicles would need extra cellular base stations. (WSP ICT infrastructure assessment)
- Providing cellular data coverage for main roads in Victoria is estimated to require an additional 134 cell towers at a cost of around \$76 to \$109 million in 2046. To cover all sealed roads in Victoria this increases to 2,098 cell towers at a cost of between \$1.1 and \$1.7 billion. (WSP ICT infrastructure assessment)
- Some of the potential impacts of automated vehicles on road design, such as increased bridge loading from closer following distances, could be managed by digital traffic management solutions. (Arup transport engineering)
- In *Victoria's 30-year infrastructure strategy*, we found that limitations in communications networks can make access to jobs and services challenging in regional and rural areas, which can exacerbate disadvantage and impede economic growth. (Infrastructure Victoria 30-year infrastructure strategy)

ALIGNMENT TO THE 30-YEAR INFRASTRUCTURE STRATEGY OBJECTIVES

- 1  Prepare for population change
- 2  Foster healthy, safe and inclusive communities
- 3  Reduce disadvantage
- 4  Enable workforce participation
- 5  Lift productivity
- 6  Drive Victoria's changing, globally integrated economy
- 7  Promote sustainable production and consumption
- 8  Protect and enhance natural environments
- 9  Advance climate change mitigation and adaptation
- 10  Build resilience to shocks

For more information on our findings, please read the following technical reports:

KPMG – *Automated and Zero Emission Vehicle Infrastructure Advice Transport Modelling*

WSP – *ICT Infrastructure Advice for Automated and Zero Emission Vehicles*

Infrastructure Victoria – *Victoria's 30-year infrastructure strategy*

Arup – *Infrastructure Victoria Automated and Zero Emission Vehicles Transport Engineering Advice*



Recommendation 8

Share more data

ICT infrastructure and data

Expand the availability of open, real-time information on government-owned transport system data and establish principles for data sharing between government and commercial transport service providers.

Agreement on data sharing between government and companies operating automated vehicles will help to promote transport system efficiency, fair market competition, integration, consistency, and user privacy. While Victoria is unlikely to be able to act alone to establish data-sharing requirements, not introducing basic principles prior to the introduction of automated vehicles could lead to significant disparities in the market, and may lead to lost benefits or greater risks.

Do now:

- a. Review open data policies across all transport services to incorporate preparations for automated vehicles and new service models.
- b. Ensure open data policies across all transport services account for quality, relevance and currency of data for automated vehicles and new service models.
- c. Expand the availability of open, real-time public transport information, including passenger loading data, across the metropolitan and regional networks covering all modes, as recommended in our 30-year infrastructure strategy.
- d. Agree data-sharing requirements and protocols with commercial transport service providers for network planning and performance improvement. These requirements and protocols could be implemented through the regulatory regimes that apply to commercial transport service providers.
- e. Expand the availability of integrated ticketing, payment and sales systems to include public transport operators and third-party providers.
- f. Consider how to alert connected vehicles to the presence of emergency vehicles.
- g. Explore physical and digital technology solutions to communicate both planned and unplanned maintenance to connected vehicles.
- h. Work with automated driving system manufacturers to confirm requirements and opportunities for data sharing to support a centralised traffic management approach.
- i. Work with automated driving system manufacturers, public transport operators and other service providers to ensure open data and machine readable information requirements are reflected in agreements and APIs, and that available data is fit for purpose. The whole-of-Victorian-Government API gateway could serve as a platform to help implement this.

Trigger: Preparations underway for manufacturers to bring highly automated vehicles to Victoria.

Initiate: Now

Review: 1 year

Re-evaluation criteria: Successful examples of transport data sharing internationally and/or locally.

Relevant findings

- We heard that even without automated vehicles and zero emissions vehicles, consumers would benefit from better transport service. Open data is also a likely precursor to effective integration of automated vehicles within the broader transport system.
- Open data is essential to establish mobility as a service type transport services, which allow users to plan, book and pay for different modes of transport (bus, train, light rail and on-demand vehicles) within a single platform – often in the form of smartphone app. (L.E.K. international scan)
- When government sells data or otherwise makes data available on an exclusive basis, this can have lasting negative implications for network performance, competition, innovation and service planning. (L.E.K international scan)
- Infrastructure Victoria has previously found that open data would be beneficial, even without automated vehicles. (Infrastructure Victoria’s 30-year infrastructure strategy)
- Austroads found that improved data availability and quality may be needed to realise the benefits of automated vehicles. The use of open data methods is appropriate for government road operator supply of data for automated vehicles, but further consideration around data for private roads may be needed. (Austroads research report: Connected and Automated Vehicles (CAV) Open Data Recommendations)
- Through our research and stakeholder engagement we found that pre-requisites for mobility as a service and other integrated service offerings include the opportunity for contracts between public transport providers and other service operators, application programming interfaces (APIs) that allow and support third-party integration and sales, as well as machine readable timetables, payment platforms, ticketing, planning and validation. (WSP ICT infrastructure assessment)
- The Victorian Government has recently implemented an API gateway that can provide a platform and supporting services for transport system data and APIs. (Victorian Department of Premier and Cabinet)

ALIGNMENT TO THE 30-YEAR INFRASTRUCTURE STRATEGY OBJECTIVES

- 1  Prepare for population change
- 2  Foster healthy, safe and inclusive communities
- 3  Reduce disadvantage
- 4  Enable workforce participation
- 5  Lift productivity
- 6  Drive Victoria’s changing, globally integrated economy
- 7  Promote sustainable production and consumption
- 8  Protect and enhance natural environments
- 9  Advance climate change mitigation and adaptation
- 10  Build resilience to shocks

For more information on our findings, please read the following technical reports:

WSP – *ICT Infrastructure Advice for Automated and Zero Emission Vehicles*

L.E.K. and Arup – *Infrastructure Victoria automated vehicle/ zero emissions vehicle international scan*



Recommendation 9

Integrate transport management

ICT infrastructure and data

Develop integrated transport management to enable better real-time coordination of the system across all transport modes, including network management of connected automated vehicles.

Existing road and public transport network management systems will need to be supported in the short to medium term. A progressive approach to upgrades as and when existing separate management centres become due for major renewal is likely to be feasible. Integration with the state emergency management centre and relevant operational management centres in other sectors should also be considered.

Do now:

- a. Expand the availability of open, real-time information on government-owned transport data and establish principles for data sharing from automated driving systems manufacturers.

Do when trigger is met:

- b. Engage with automated driving system manufacturers to confirm requirements and opportunities to integrate automated vehicles into a centralised transport management approach.
- c. Develop principles for data providers' accountability around data quality, device availability, timeliness/currency of data delivery, redundancy and fault tolerance.
- d. Assess privacy concerns and develop a plan to address these in the context of fully integrated transport and centralised management, such as mechanisms that grant confidentiality or encryption.

Trigger: Connected, automated vehicles ready for optimisation.

Initiate: 10 years

Review: 5 years

Re-evaluation criteria: Results of trials demonstrating level of benefits from connected road vehicles locally and/or overseas (predictability, safety and efficiency).

Relevant findings

- Achieving the potential performance benefits of automated vehicles will almost certainly require vehicles to be connected to each other and/or to certain types of infrastructure, with full benefits likely to depend on an integrated approach to transport management to optimise traffic flow in busy areas. (Arup transport engineering, WSP ICT infrastructure assessment)
- Several recent reports have highlighted the importance of an integrated transport system in addressing Melbourne's congestion issues, including Infrastructure Victoria's 30-year infrastructure strategy, and Plan Melbourne's 2017 strategy.
- WSP and Arup both recommended a centralised transport management system for Victoria's growing population, and suggested that this would be even more useful if automated vehicles were adopted. (Arup transport engineering, WSP ICT infrastructure assessment)

ALIGNMENT TO THE 30-YEAR INFRASTRUCTURE STRATEGY OBJECTIVES

- 1 Prepare for population change
- 2 Foster healthy, safe and inclusive communities
- 3 Reduce disadvantage
- 4 Enable workforce participation
- 5 Lift productivity
- 6 Drive Victoria's changing, globally integrated economy
- 7 Promote sustainable production and consumption
- 8 Protect and enhance natural environments
- 9 Advance climate change mitigation and adaptation
- 10 Build resilience to shocks

For more information on our findings, please read the following technical reports:

Arup – Infrastructure Victoria Automated and Zero Emission Vehicles Transport Engineering Advice

WSP – ICT Infrastructure Advice for Automated and Zero Emission Vehicles



Recommendation 10

Transition to zero emissions

Energy

Establish a supportive environment for the Victorian fleet to transition to zero emissions technologies.

There are significant health, amenity and emissions benefits associated with zero emissions vehicles (with or without automation). However, the transition of the Victorian fleet to zero emissions technologies needs to be balanced with adequate planning for charging and source energy generation.

Do now:

- a. Develop design standards to govern the design and placement of electric vehicle charging infrastructure in public areas.
- b. Establish principles for smart charging and integrated payment systems in all charging infrastructure in Victoria to ensure interoperability between various charging infrastructure providers.

Do when trigger is met:

- c. Only allocate public land to charging infrastructure that meets the Federal Chamber of Automotive Industries (FCAI) standards on harmonising charging equipment.
- d. Evaluate the effectiveness of current zero emissions vehicle subsidies and consider the need for these as zero emissions vehicles become more prominent.
- e. Invest in public charging infrastructure only in areas where there is evidence of market failure and a compelling reason for government to intervene (for example, demonstrated equity access issues) and/or where interoperability is a concern.
- f. Monitor developments of inductive charging trials and studies, and re-consider how these impact public charging infrastructure.
- g. Assess the benefits and impacts of permitting zero emissions freight to travel where currently restricted (such as low speed roads, residential areas and/or at night).
- h. Analyse the costs and benefits of zero emissions zones for freight vehicles.

Trigger: Proportion of automated and/or zero emissions vehicles in fleet increasing significantly.

Initiate: 5 years

Review: 2 years

Re-evaluation criteria: Zero emissions vehicles available at prices comparable to petrol/diesel vehicles in Victoria; clean energy generation capacity.

Relevant findings

- There is the potential for significant health and environmental benefits across all scenarios as compared to the base case. From the research done on emissions, the move from internal combustion engine vehicles to zero emissions vehicles reduces tailpipe emissions by 27 million tonnes of CO₂ equivalent in 2046. (Aurecon environmental and population health assessment)
- A fleet comprising automated and zero emissions vehicles is expected to substantially reduce adverse health outcomes from exposure to pollutants harmful to human health. (Aurecon environmental and population health assessment)
- Zero emissions vehicles, including hydrogen fuel cell vehicles, are also likely to generate much less noise than traditional petrol or diesel vehicles, particularly at lower speeds. This provides opportunities for increased freight services in urban areas, or where large amounts of low speed and start-stop driving are common. This could also be very important to ensure the ongoing social licence and capacity of the Port of Melbourne in the coming decades. (Aurecon environmental and population health assessment, Infrastructure Victoria's: *Securing Victoria's ports capacity* report).
- Some countries have had issues with interoperability between charging infrastructure providers due to a lack of specification of requirements for open protocols; some countries are now actively encouraging providers to use open protocols to avoid these challenges. (L.E.K. international scan)
- Current registration fee discounts for hybrid and electric vehicles are forecast to cost the Victorian Government around \$1.6 billion in 2046. (KPMG financial analysis)
- If battery electric vehicles become ubiquitous in Victoria between now and 2032 (the assumed retirement date of the Yallourn coal-fired power station) they could cause increased emissions from source generation, due to the relative carbon intensity of Victoria's electricity grid. (KPMG energy modelling)

ALIGNMENT TO THE 30-YEAR INFRASTRUCTURE STRATEGY OBJECTIVES

- 1 ● Prepare for population change
- 2 ● Foster healthy, safe and inclusive communities
- 3 ● Reduce disadvantage
- 4 ○ Enable workforce participation
- 5 ● Lift productivity
- 6 ● Drive Victoria's changing, globally integrated economy
- 7 ○ Promote sustainable production and consumption
- 8 ● Protect and enhance natural environments
- 9 ● Advance climate change mitigation and adaptation
- 10 ● Build resilience to shocks


For more information on our findings, please read the following technical reports:

KPMG – *Automated and Zero Emission Vehicle Infrastructure Advice Energy Impacts Modelling*

Aurecon – *Automated vehicle/zero emissions vehicle Environmental & Health Impact Assessment*

KPMG – *Vehicles Advice – financial analysis*

L.E.K. and Arup – *Infrastructure Victoria automated vehicle/zero emissions vehicle international scan*



Recommendation 11

Plan for energy changes

Energy

Enable the energy sector to respond to the emergence of zero emissions vehicles.

Rapid and widespread uptake of zero emissions vehicles may put significant pressure on the energy system. Measures intended to promote the effectiveness and stability of the energy market generally will become even more important in such a scenario. Action may need to be taken to ensure that the energy market can optimally respond to substantial additional demand while continuing to meet reliability and affordability requirements and emissions reductions targets in the face of the withdrawal of coal-fired energy generation.

If the market is not equipped to effectively absorb increased demand from zero emission vehicles, the stability of the system as a whole may be threatened, potentially resulting in steeply rising prices, falling reliability and failure to meet emissions reduction targets.

Do now:

- a. Advocate that the Australian Government implement stricter vehicle emissions targets in line with advice from the Climate Change Authority, and enable further investment in transmission networks associated with the development of renewable energy sources.
- b. Ensure that the regulatory frameworks governing network investment are reviewed to check that these will facilitate investment in the distribution network to support the uptake of zero emissions vehicles. This includes advocating that the Australian Government work through the COAG Energy Council to review regulatory settings and remove barriers to distributors addressing highly-localised impacts of zero emissions vehicles uptake.

Do when trigger is met:

- c. Monitor uptake of zero emissions vehicles by annually reviewing utilisation of registration discounts for zero/low emissions vehicles for the purposes of understanding the proportion of the Victorian fleet that is zero emissions. Consideration should be given to a register of where zero emissions vehicles are charging to allow for better planning, possibly related to the national register of distributed energy resources.
- d. Conduct further research on specific challenges of local distribution networks to minimise barriers to uptake of zero emissions vehicles. In particular, this research could examine measures to minimise the potential impact of electric vehicle charging on local grids.
- e. Manage the risks of large-scale vehicle fleet depot charging by engaging with shared fleet operators and network businesses on the location of electrified fleet depots and optimum charging patterns for the fleets.

Trigger: Proportion of automated and/or zero emissions vehicles in fleet increasing significantly.

Initiate: 5 years

Review: 2 years

Re-evaluation criteria: Sales of battery electric vehicles in Victoria as a proportion of all vehicles; take-up of distributed energy, additional energy demand from battery electric vehicles.

Relevant findings

- KPMG identified the requirements for the energy grid on the basis of different scenarios; all required additional generation and transmission investment. (KPMG energy modelling)
- KPMG also found that additional distribution capacity could be required. Further, academic research has suggested that Victoria may have very specific challenges due to the existing method of connecting homes. For example, the location of in-home chargers in a local network can have varied impacts on the resilience of local networks and could limit uptake. (KPMG energy modelling; de Hoog, J. et al (2014), *The importance of spatial distribution when analysing the impact of electric vehicles on voltage stability in distribution networks.*)
- A key problem is how the energy regulatory framework will manage uncertainty arising from battery electric vehicles, especially in the early years of adoption. Further, the regulatory framework needs to provide the right incentives for network businesses to support and enable the efficient integration of battery electric vehicles through a range of issues, such as design of tariff structures, the value of any network savings and connection standards. (KPMG energy modelling)
- Further consideration of the incentives for the generation and transmission sectors to invest in delivering a well-coordinated response to connecting new renewable projects to the network is needed. (KPMG energy modelling)
- Further investigation is required into how battery electric vehicles could improve the resilience of the energy network, enhance outcomes from renewables, provide disaster mitigation, and provide power reserves to maintain frequency and voltage for imbalances and/or congestion. (KPMG energy modelling)
- The potential reduction in tailpipe greenhouse gas emissions, estimated to be up to 27 million tonnes of CO₂ equivalent, would make a large contribution towards meeting Victoria's emission reduction targets. However, the net reduction depends on the greenhouse gas emissions-intensity of the electricity used to power electric vehicles. (Aurecon environmental and population health assessment)
- Implementation of a standard to reduce CO₂ emissions to 105g/km is projected to avoid 59 million tonnes of greenhouse gas emissions over the period to 2030, equivalent to the current annual emissions of all light vehicles. (Climate Change Authority *Light vehicle emissions standards for Australia research report*)

ALIGNMENT TO THE 30-YEAR INFRASTRUCTURE STRATEGY OBJECTIVES

- 1  Prepare for population change
- 2  Foster healthy, safe and inclusive communities
- 3  Reduce disadvantage
- 4  Enable workforce participation
- 5  Lift productivity
- 6  Drive Victoria's changing, globally integrated economy
- 7  Promote sustainable production and consumption
- 8  Protect and enhance natural environments
- 9  Advance climate change mitigation and adaptation
- 10  Build resilience to shocks

For more information on our findings, please read the following technical reports:

KPMG – *Automated and Zero Emission Vehicle Infrastructure Advice Energy Impacts Modelling*

Aurecon – *Automated vehicle/zero emissions vehicle Environmental & Health Impact Assessment*



Recommendation 12

Encourage demand management

Energy

Allow for incentives or other mechanisms to shift energy demand from peak periods.

Strategies to reduce electricity demand peaks can reduce the additional energy infrastructure required in Victoria.

Do now:

- a. Review state-based regulatory settings to allow electricity providers to set demand-variable rates and demand management strategies. For example, consider amending metering and pricing arrangements to allow for separate 'vehicle only' electricity tariffs to be offered to zero emissions vehicle owners to shift the electricity demand from these vehicles away from peak times.

Do when trigger is met:

- b. Implement changes to allow control of vehicle charging by individuals and/or other authorised parties so that charging can occur outside peak demand times, where possible.
- c. Establish flexibility in the energy system to allow new approaches to managing the impact of zero emissions vehicle charging by system operators. This could include connection standards around vehicle infrastructure, control and communications systems, and vehicle-to-grid integration capability.
- d. Investigate the potential for distributors to be an active system operator with control of a portfolio of generation, demand response and storage technology to improve the efficiency of the distribution network.

Trigger: Proportion of automated and/or zero emissions vehicles in fleet increasing significantly.

Initiate: 5 years

Review: 2 years

Re-evaluation criteria: Sales of battery electric vehicles in Victoria as a proportion of all vehicles; take-up of distributed energy, energy demand from battery electric vehicles.

Relevant findings

- Incentivised and/or controlled charging could make a significant difference in balancing the load on total and peak generation requirements, potentially saving approximately \$2.5 billion in additional infrastructure investment in scenarios with privately-owned battery electric vehicles. This aligns with a recent study by McKinsey, which found that time-of-use rates could halve the impact on peak loads associated with battery electric vehicle charging. (KPMG energy modelling, McKinsey¹⁵)
- The design of an incentive will influence the likelihood of behaviour change. An aggressive incentive, such as significant rate decreases, will act as a stronger signal for more actors to consider changing their behaviour. Conversely, a conservative reduction will provide less incentive to alter behaviours. The design of an appropriate tariff is complex and requires trade-offs when considering its calculation. (KPMG energy modelling)
- Controlled charging solutions as an infrastructure response are likely to be more effective to minimise the system impacts of battery electric vehicles compared to pricing incentives alone because the market would have total control over when these vehicles are charged. While controlled charging ensures off-peak charging of battery electric vehicles, it may impact on driver range anxiety and deter people from purchasing battery electric vehicles. (KPMG energy modelling)
- A number of different players may emerge as providers of charging infrastructure, including distributors. As discussed in the KPMG energy modelling report, distributors in particular face a range of regulatory barriers to providing charging infrastructure to consumers. For example, under the National Electricity Rules, distributors are not permitted to own equipment ‘behind the meter’, meaning behind a customer’s connection point. As a result, distributors are limited in their ability to provide charging infrastructure. Existing regulatory regimes may need to be reviewed to aid charging infrastructure roll outs. (KPMG energy modelling)
- In our 30-year infrastructure strategy we recommended mandating cost-reflective pricing for all energy consumers within zero to five years to fully realise the benefits of smart meters, increase customer engagement on energy consumption patterns and influence consumer choices to reduce peak and potentially total energy demand.

ALIGNMENT TO THE 30-YEAR INFRASTRUCTURE STRATEGY OBJECTIVES

- 1 ○ Prepare for population change
- 2 ○ Foster healthy, safe and inclusive communities
- 3 ○ Reduce disadvantage
- 4 ○ Enable workforce participation
- 5 ○ Lift productivity
- 6 ○ Drive Victoria’s changing, globally integrated economy
- 7 ● Promote sustainable production and consumption
- 8 ○ Protect and enhance natural environments
- 9 ○ Advance climate change mitigation and adaptation
- 10 ● Build resilience to shocks

For more information on our findings, please read the following technical reports:

KPMG – *Automated and Zero Emission Vehicle Infrastructure Advice Energy Impacts Modelling*

Infrastructure Victoria – *Victoria’s 30-year infrastructure strategy*

¹⁵ Engel, H, et al. (2018). *The potential impact of electric vehicles on global energy systems*. Accessed at: <https://www.mckinsey.com/industries/automotive-and-assembly/our-insights/the-potential-impact-of-electric-vehicles-on-global-energy-systems>



Recommendation 13

Rethink planning values

Planning

Re-examine planning values, assumptions and opportunities related to where people may want to live and work in a future with automated vehicles, and how government should constrain or support these preferences.

Automated vehicles may change much of the current thinking about the costs and benefits of vehicle use in a variety of planning settings. Without re-evaluating some of these underlying assumptions, we may not achieve the full benefits of automated vehicles, and may in some cases create restrictions that limit their usefulness.

Do now:

- a. Consider changes to minimum car parking requirements in the planning scheme within the broader context of policy objectives for the transport system with automated and zero emissions vehicles. This could build on recent amendments to the Victoria Planning Provisions that reduce car parking requirements for new uses of existing buildings in commercial areas and for land within walking distance of public transport.

Do when trigger is met:

- b. Using the evidence available on potential impacts of automated and zero emissions vehicles, re-evaluate the costs and benefits associated with car use in different planning settings to develop new guidance for strategic planning for urban, peri-urban and regional areas of Victoria.
- c. Monitor census, planning and building permit data and international findings on land use patterns before, during and after automated and zero emissions vehicles become a significant proportion of the relevant vehicle fleet.

Trigger: Connected, automated vehicles ready for optimisation.

Initiate: 10 years

Review: 5 years

Re-evaluation criteria:
Demonstrated lower marginal utility of travel time for automated vehicles in Victoria or overseas; changes to patterns of land purchases or jobs in Victoria.

Relevant findings

While our land use modelling showed that there would be many modest changes in land use as a result of automated vehicles, the way in which people will change the preferences on where to live and work is highly uncertain.

- Our literature review highlighted a strong possibility that the convenience, privacy and flexibility of use of time spent in an automated vehicle could lead to changes in people's evaluation of their willingness to travel longer distances in vehicles, referred to as the 'marginal utility of travel time' (MUTT). (Automated and zero emissions vehicles infrastructure advice literature review)
- Even if the MUTT does not change as a result of automated and zero emissions vehicles, the operating cost of these vehicles is likely to encourage people to change where they live and work. (SGS land use modelling)

- There is already a significant underutilisation of car parking spaces in certain areas, however, most planning schemes continue to mandate minimum car parking requirements, which may result in large amounts of redundant land. We found this would be especially relevant with the emergence of on-demand vehicle use and declining personal car ownership. (SGS land use modelling)

ALIGNMENT TO THE 30-YEAR INFRASTRUCTURE STRATEGY OBJECTIVES

- 1 Prepare for population change
- 2 Foster healthy, safe and inclusive communities
- 3 Reduce disadvantage
- 4 Enable workforce participation
- 5 Lift productivity
- 6 Drive Victoria's changing, globally integrated economy
- 7 Promote sustainable production and consumption
- 8 Protect and enhance natural environments
- 9 Advance climate change mitigation and adaptation
- 10 Build resilience to shocks

For more information on our findings, please read the following technical reports:

SGS Economics & Planning
– *Automated & Zero
Emission Vehicle Land
Use Scenarios*

Infrastructure Victoria
– *Automated and zero
emissions vehicles
infrastructure advice
literature review*



Recommendation 14

Create planning flexibility

Planning

Create flexibility for property owners and local authorities to adapt to future changes due to automated and zero emissions vehicles.

Do now:

- a. Allow flexibility in statutory planning for car parking infrastructure and design standards to allow for retrofits, including electricity, gas, water and other services to ensure infrastructure can adapt as needs change.
- b. Introduce flexible kerb space in high density areas, driven by real-time data to intelligently adjust permitted kerbside uses at different times, including the potential to apply pricing to kerbside use, to ensure that space both meets demand and achieves local transport and land use goals.
- c. Amend policy settings for establishing private charging infrastructure on private and public land, such as allowing metered electricity to be installed outside of titled property (for example, a charging point on a nature strip) to enable easy and equitable access to charging infrastructure.

Trigger: Identification of potential impacts of automated vehicles and zero emissions vehicles in Victoria.

Initiate: Now

Review: 2 years

Re-evaluation criteria: Changes to car parking usage; demand for pick-up and drop-off areas; confirmation on restrictions for automated vehicles 'double parking'.

Relevant findings

- There is already a significant underutilisation of car parking spaces which, when combined with the ongoing trend of parking added to newly built apartments, may result in large amounts of redundant land. We found this would be especially relevant with the emergence of on-demand vehicle use and declining personal car ownership. (SGS land use modelling)
- Busy urban streets and metropolitan and regional CBDs could benefit from new approaches to flexible kerbside management that preserve accessibility for automated vehicles while maintaining and enhancing neighbourhood character and delivering improvements for pedestrians and other road users. (Arup transport engineering)
- We heard that a lack of off-street parking in some residential areas may be a barrier to uptake of zero emissions vehicles, given the challenges associated with charging vehicles.

ALIGNMENT TO THE 30-YEAR INFRASTRUCTURE STRATEGY OBJECTIVES

- 1 ● Prepare for population change
- 2 ○ Foster healthy, safe and inclusive communities
- 3 ○ Reduce disadvantage
- 4 ○ Enable workforce participation
- 5 ○ Lift productivity
- 6 ○ Drive Victoria's changing, globally integrated economy
- 7 ● Promote sustainable production and consumption
- 8 ○ Protect and enhance natural environments
- 9 ○ Advance climate change mitigation and adaptation
- 10 ● Build resilience to shocks

**For more information
on our findings, please
read the following
technical reports:**

SGS Economics & Planning
– *Automated & Zero
Emission Vehicle Land
Use Scenarios*

Arup – *Infrastructure Victoria
Automated and Zero
Emission Vehicles Transport
Engineering Advice*



Recommendation 15

Prepare for new waste

Waste

Implement changes to the *Statewide waste and resource recovery infrastructure plan* and *Recycling industry strategic plan* to incorporate impacts of the emergence of automated and zero emissions vehicles

Automated and zero emissions vehicles are forecast to introduce new forms of waste into the waste management system and dramatically increase the amount of e-waste being disposed of.

Do when trigger is met:

- a. Analyse the current and future capacity of waste infrastructure to accommodate new waste streams and volumes and develop a waste management plan for zero emissions vehicles, including batteries. This plan could also support actions outlined in the *Recycling industry strategic plan*.
- b. Plan for disposal of contaminated waste from decommissioned petrol stations.
- c. Consider an extended producer responsibility (EPR) scheme to manage the end-of-life impacts of the new waste and requiring battery manufacturers to recycle used batteries.
- d. Support effective recycling of zero emissions vehicle waste streams (for example, palladium, platinum, lithium-ion batteries and fuel cells).
- e. Conduct further analysis on the impact of the entry of automated vehicles, including in the event of a high turnover of traditional petrol/diesel vehicles in a short space of time.
- f. Develop effective methods for remanufacturing, re-use and/or recycling to reduce the environmental impacts of manufactured components for zero emissions vehicles. Develop a detailed understanding of battery technologies and when a battery is not fit for use.
- g. Consider the handling of proton-exchange membrane (PEM) fuel cell waste in the Australian context, and develop approaches to handle the PEM fuel cell waste.

Trigger: Need to dispose of significant number of automated and/or zero emissions vehicles.

Initiate: 10 years

Review: 5 years

Re-evaluation criteria: Sales of battery electric vehicles in Victoria as a high proportion of all vehicles/registration of zero emissions vehicles.

Relevant findings

- New waste streams that are not currently in Victorian waste plans could arise from fuel cells, batteries and e-waste associated with automated vehicle components. Quantities of additional material from battery electric vehicles varied from between 107,030 tonnes and 217,860 tonnes depending on the scenario, while the 'Hydrogen Highway' scenario lead to 62,910 tonnes of material related to fuel cells. E-waste is also a concern, with Private Drive forecast to lead to around 79,800 tonnes of e-waste per year from vehicles alone, compared to an estimated 130,000 tonnes of e-waste in Victoria in 2016. (Aurecon environmental and population health assessment)
- The technology choice for hydrogen storage will be important from a recyclability/re-use perspective, particularly if complex technologies and materials are used in place of the more common high-pressure cylinders. The naifon-type membrane frequently used in PEM fuel cell production should be recycled. (Aurecon environmental and population health assessment)

ALIGNMENT TO THE 30-YEAR INFRASTRUCTURE STRATEGY OBJECTIVES

- 1 Prepare for population change
- 2 Foster healthy, safe and inclusive communities
- 3 Reduce disadvantage
- 4 Enable workforce participation
- 5 Lift productivity
- 6 Drive Victoria's changing, globally integrated economy
- 7 Promote sustainable production and consumption
- 8 Protect and enhance natural environments
- 9 Advance climate change mitigation and adaptation
- 10 Build resilience to shocks

For more information on our findings, please read the following technical reports:

Aurecon – Automated vehicle/zero emissions vehicle Environmental & Health Impact Assessment



Recommendation 16

Keep track of trends

Monitoring and coordination

Initiate monitoring and annual reporting of automated and zero emissions vehicles developments, benefits and risks, focusing on uptake, performance, safety, vehicle connectivity, road wear, road structures and public transport usage changes.

Do now

- a. Nominate a lead agency for coordinating monitoring activities across government.
- b. Transport for Victoria to monitor accident statistics in local, national and international areas with early adoption and uptake of automated vehicles.
- c. Transport for Victoria to report on registrations of zero emissions vehicles, vehicles with automated features, ride-sharing services, public transport usage.
- d. VicRoads to monitor the efficiency of automated vehicle fleets on road networks, including vehicle flow factors, in real-world applications and on different road types, including what connectivity and/or centralised routing control is required to achieve efficiencies.
- e. Victoria Police to update road collision reporting to include recording of vehicle automation features, where possible.
- f. VicRoads to survey or audit road infrastructure to evaluate suitability for automated vehicles, for example to identify road quality challenges, or to ensure that pedestrian right of way is clear for vehicles and pedestrians.
- g. VicRoads to monitor evidence of rutting, uneven road wear or other pavement impacts.
- h. Transport for Victoria to monitor quantum of data generated and transmitted by automated vehicles.
- i. Environment Protection Authority Victoria to expand its air quality monitoring network to monitor the impact of zero emissions vehicles, as part of developing the Victorian Air Quality Strategy.
- j. Department of Environment, Land, Water and Planning to monitor the deployment of charging infrastructure by the private sector to determine whether demand is being met.
- k. Establish and maintain contacts with other jurisdictions that are trialling and/or launching automated vehicles to get updates on requirements and progress.

Trigger: Preparations underway for manufacturers to bring highly automated vehicles to Victoria.

Initiate: Now

Review: 1 year

Re-evaluation criteria:
The development of automated and zero emissions vehicles technologies and identification of key issues to monitor.

Relevant findings

There are significant uncertainties related to automated and zero emissions vehicles that need to be monitored to understand the ways in which benefits can be best realised, and risks can be mitigated. Some of the most important uncertainties regarding key assumptions and findings highlighted in our work include:

- 94% of accidents are caused by human error, and automated vehicles will eliminate these causes. (US National Highway Traffic Safety Administration)
- 25% to 75% improvement in network efficiency, primarily as a result of communication and coordinated action between vehicles. (KPMG transport modelling)
- Automated vehicles travelling more uniformly on roads, or with more concentrated loads allowing less time for pavements to recover between vehicles, may increase road wear. (Arup transport engineering)
- The cost of travel in automated and zero emissions vehicles could have a significant impact on public transport use (KPMG transport modelling), and on where people choose to live and work. (SGS land use modelling)
- While the market is generally likely to address increasing needs for cellular coverage, monitoring coverage will help ensure that benefits are achieved and risks are mitigated. (WSP ICT infrastructure assessment)

ALIGNMENT TO THE 30-YEAR INFRASTRUCTURE STRATEGY OBJECTIVES

- 1 ● Prepare for population change
- 2 ● Foster healthy, safe and inclusive communities
- 3 ● Reduce disadvantage
- 4 ● Enable workforce participation
- 5 ● Lift productivity
- 6 ● Drive Victoria's changing, globally integrated economy
- 7 ● Promote sustainable production and consumption
- 8 ● Protect and enhance natural environments
- 9 ● Advance climate change mitigation and adaptation
- 10 ● Build resilience to shocks

For more information on our findings, please read the following technical reports:

WSP – ICT Infrastructure Advice for Automated and Zero Emission Vehicles

SGS Economics & Planning – Automated & Zero Emission Vehicle Land Use Scenarios

Arup – Infrastructure Victoria Automated and Zero Emission Vehicles Transport Engineering Advice



Recommendation 17

Lead and collaborate

Monitoring and coordination

Continue to participate in the development of national and international principles, standards and regulations for automated vehicles.

Examples include the ongoing Australian Government work on cyber security requirements, the National Transport Commission's work on regulations for automated driving systems, and Austroads' work on lines and signage to support the introduction of automated vehicles.

Do now:

- a. Continue to actively participate in the development of, and commit in-principle to complying with, national standards and regulations that support the introduction of automated and zero emissions vehicles in Australia.
- b. Seek to ensure national regulations that are developed are not unduly costly for Victoria to implement, and that other Australian jurisdictions do not adopt significantly different standards from Victoria. Victorian roads have unique characteristics compared to other Australian jurisdictions that need to be considered in the development of national standards. The Victorian Government should identify solutions to these differences without significantly compromising the consistency of national standards.
- c. Participate in international forums identifying standards for automated and/or zero emissions vehicles.
- d. Conduct an annual review of Victoria's compliance with current and emerging cyber security standards.
- e. Ensure security of control systems for critical infrastructure is continually strengthened to meet best-practice standards through regulatory change and contractual agreements, as highlighted in our 30-year infrastructure strategy.
- f. Agree data-sharing requirements and protocols with automated vehicle manufacturers, operators and on-demand vehicle operators.
- g. Participate in local and international knowledge-sharing activities around automated vehicle research and trials.

Trigger: Preparations underway for manufacturers to bring highly automated vehicles to Victoria.

Initiate: Now

Review: 1 year

Re-evaluation criteria: Nationwide principles and standards reflect international best practice, and do not risk a significant degradation of safety standards on Victorian roads.

Relevant findings

We heard that consistency across Australia is important to automated driving system manufacturers and that Australia's approach needs to be aligned with international standards.

- Austroads is conducting detailed trials on line markings and traffic sign requirements for automated vehicles. (Arup transport engineering)
- The Australian Government is conducting a detailed study into cyber security risks and approaches for automated vehicles. It is unlikely that Victoria would be able to address cyber security for automated vehicles independently to the rest of Australia.

- The National Transport Commission is leading work on establishing regulations for automated vehicles. It is unlikely that Victoria would be able to regulate automated vehicles independently to the rest of Australia. (National Transport Commission)

ALIGNMENT TO THE 30-YEAR INFRASTRUCTURE STRATEGY OBJECTIVES

- 1 Prepare for population change
- 2 Foster healthy, safe and inclusive communities
- 3 Reduce disadvantage
- 4 Enable workforce participation
- 5 Lift productivity
- 6 Drive Victoria's changing, globally integrated economy
- 7 Promote sustainable production and consumption
- 8 Protect and enhance natural environments
- 9 Advance climate change mitigation and adaptation
- 10 Build resilience to shocks

For more information on our findings, please read the following technical reports:

Arup – Infrastructure Victoria Automated and Zero Emission Vehicles Transport Engineering Advice

PATHWAYS AND TRIGGERS

TRIGGER FOR ACTION	NO.	RECOMMENDATION
Preparations underway for automated driving systems manufacturers to bring vehicles to Victoria	16	Keep track of trends: Initiate monitoring and annual reporting of automated and zero emissions vehicles developments, benefits and risks, focusing on uptake, performance, safety, vehicle connectivity, road wear, road structures and public transport usage changes.
	17	Lead and collaborate: Continue to participate in the development of national and international principles, standards and regulations for automated vehicles.
	8	Share more data: Expand the availability of open, real-time information on government-owned transport system data and establish principles for data sharing between government and commercial transport service providers.
Identification and assessment/quantification of the potential impacts of automated and zero emissions vehicles	3	Future-proof projects: Develop specific guidance for business cases for transport projects to account for the risks, opportunities and uncertainties posed by automated and zero emissions vehicles.
	4	Plan for transport: Develop a transport plan that includes potential impacts of automated and zero emissions vehicles, to enable priority transport investments and reforms to be identified and to support the development of business cases that address transport needs.
	14	Create planning flexibility: Create flexibility for property owners and local authorities to adapt to future changes due to automated and zero emissions vehicles.
New market models ready to be deployed in Victoria with or without automated vehicles	6	Integrate new transport options: Incorporate new services like on-demand and mobility as a service into the public transport mix, in preparation for automated vehicles.
Significant uncertainties in automated vehicle requirements resolved	1	Update Victoria's roads: Update road maintenance and monitoring to take into account the needs of automated vehicles, including changes to lines and signs, roadworks, and road maintenance throughout Victoria, and provision of reliable and timely data to connected and automated vehicles.
Proportion of automated and/or zero emissions vehicles in fleet increasing significantly	5	Manage before you build: Ensure Victoria's transport planning considers how non-infrastructure solutions, including transport network pricing, can provide a policy response to address the potential impacts of automated and zero emissions vehicles.
	10	Transition to zero emissions: Establish a supportive environment for the Victorian fleet to transition to zero emissions technologies.
	11	Plan for energy changes: Enable the energy sector to respond to the emergence of zero emissions vehicles.
	12	Encourage demand management: Allow for incentives or other mechanisms to shift energy demand from peak periods.
Connected, automated vehicles ready for optimisation	2	Rethink road space: Incorporate automated and zero emissions vehicles into a transparent road space allocation framework in Victoria, building on existing transport system and place-based planning principles.
	7	Boost ICT infrastructure: Promote investment in ICT infrastructure where there is a safety and/or optimisation requirement that the market is unable to satisfy commercially.
	9	Integrate transport management: Develop integrated transport management to enable better real-time coordination of the system across all transport modes, including network management of connected automated vehicles.
	13	Rethink planning values: Re-examine planning values, assumptions and opportunities related to where people may want to live and work in a future with automated vehicles, and how government should constrain or support these preferences.
Need to dispose of significant number of automated and zero emissions vehicles	15	Prepare for new waste: Implement changes to the Statewide waste and resource recovery infrastructure plan and Recycling industry strategic plan to incorporate impacts of the emergence of automated and zero emissions vehicles.

The terms of reference for this advice asked us to consider decision and trigger points for government investment and pathways of potential sequencing, timing and scoping of infrastructure delivery. The decision/trigger points have been linked to individual recommendations in the section above. This section outlines the pathways and timelines for our recommendations, for sequencing and scoping infrastructure delivery. These include timelines for both initiating and reviewing actions for government, reflecting the decision and trigger points outlined in the previous section.

 Initiate  Review

0-1 YEAR		2-5 YEARS				6-10 YEARS				
2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029
	→ 									
	→ 									
	→ 									
	→									
	→									
	→									
	→									
		→								
			→							
			→							
			→							
			→							
							→			
							→			
							→			
							→			
							→			

OUR APPROACH

Given the uncertainties associated with automated and zero emissions vehicles, our work was driven less by problems that need solving, and more by questions that need answering. We don't know how the future will unfold, but through the evidence we've collected, we have sought to identify the ways in which it could.

Methodology in brief

The first phase of the project, which was completed in April 2018, focused on the development of potential future scenarios for automated and zero emissions vehicles. The *Future scenarios report* is available at: infrastructurevictoria.com.au/AVadvice.

The second phase, which was completed in August 2018, was to develop an evidence base through modelling and analysis, in addition to seeking out international examples for comparison.

The final phase, the focus of this report, is to articulate the advice and recommendations for the Victorian Government on the basis of the evidence we have gathered and the feedback from our consultation process. Advice is provided on the basis of alignment to the strategic objectives identified in Infrastructure Victoria's 30-year infrastructure strategy. Recommendations include both decisions and triggers for when they need to be taken.



What's out of scope and why

The focus of the request for advice is on automated and zero emissions road vehicles. As such, a number of related emerging transport technologies have been scoped out of the advice, including airborne or footpath-based vehicles (such as delivery drones) and vehicles operating primarily on private land (for example, agricultural, mining, industrial or construction machinery).

An in-depth consideration of automated or zero emissions trains and trams was also considered out of scope. Trains and trams operate on fixed rails and would require a different strategic and technical analysis to that of road-based motor vehicles. We have, however, considered the potential effects of automated and zero emissions road vehicles on the public transport system.

We have been specifically asked for advice on the infrastructure and land use implications of automated and zero emissions vehicles. Therefore, we have not covered every possible policy issue related to the introduction of these vehicles, such as providing industry support or addressing complex ethical and legal questions related to vehicle accidents. Work on these issues is being undertaken by Australian and state government agencies, such as the National Transport Commission and Austroads.



Chapel Street reimagined under the Fleet Street scenario as part of our Urban Design work

CONSULTATION

Infrastructure Victoria is committed to consultation and creating recommendations through an open, evidence-based and transparent process. The consultation program for this advice included two main phases.

Consultation program

The first phase of consultation ran from November 2017 to March 2018. It started with early engagement, where we identified and met with a range of companies, industry groups, academic institutions and other relevant stakeholders to build the basis of the scenarios and the advice.

We also called for online feedback from 7 February to 7 March 2018 in response to our target outcomes and key areas of focus. We received 25 submissions from a broad range of stakeholders. To complement the online submission process, we also ran three workshops with stakeholders in Melbourne and regional Victoria. These workshops aimed to ensure we heard a wide range of views, allowed stakeholders from different industries to exchange views, and enabled as many people as possible to provide input into development of the research program.

A report that summarises what we heard in the first phase of consultation and our response to new information that was raised is available at: [infrastructurevictoria.com.au/AVadvice](https://www.infrastructurevictoria.com.au/AVadvice).

In December 2017 and May 2018, we also conducted a program of direct international engagement to draw on international comparators, as outlined in the terms of reference.

Through this program we identified and met with jurisdictions that are leaders in the strategic planning and implementation of automated and zero emissions vehicles. We met with government, private sector, industry and community groups in the United Arab Emirates, the Netherlands, Finland, Sweden, Japan, Singapore, and the State of Arizona in the United States. Our discussions with leaders in these jurisdictions helped us to further test and refine our understanding of the issues, evidence and opportunities surrounding automated and zero emissions vehicles. Case studies on these international comparators can be found throughout this report.

We released our *Evidence base report* for consultation in August 2018. This report discussed the findings of the technical research we commissioned in developing the evidence base. The consultation period was open from 6 to 31 August 2018.

As part of the consultation process, we facilitated a day-long workshop and a webinar, open to all interested stakeholders, in which the technical teams involved in developing the evidence base presented their findings.

We also met one-on-one with key stakeholders within government and industry and sought written submissions on our findings.

In our *Evidence base report* we posed five questions for response:

1. Are our key assumptions correct? If not, why?
2. Is our analysis of the findings correct? If not, why?
3. What further research into automated and/or zero emissions vehicles might be required beyond what we have already completed or identified?
4. What are the local or international trends government should be monitoring to help inform future decisions on automated and zero emissions vehicles?
5. What key decisions need to be made about the infrastructure required for automated and zero emissions vehicles?

The written submissions we received from stakeholders are available online at: [yoursay.infrastructurevictoria.com.au/vehicles-advice](https://www.yoursay.infrastructurevictoria.com.au/vehicles-advice).

Consultation snapshot



SUBMISSIONS RECEIVED
ACROSS THE TWO
CONSULTATION PHASES




MET WITH AND HEARD
FROM MORE THAN
130 STAKEHOLDERS



SINCE THE RELEASE
OF THE EVIDENCE
BASE REPORT



OF WHICH WERE
FROM OVERSEAS



WORKSHOP, INFORMATION
SESSION AND WEBINAR
ATTENDEES



DOWNLOADS OF THE
EVIDENCE BASE REPORT
AND TECHNICAL REPORTS

Key themes of feedback on the evidence base

There were several key themes that emerged in the feedback we received on the *Evidence base report*. A summary of these themes, and how they relate to our advice to the Victorian Government, is below.

Assumptions regarding automated vehicle flow capacity improvements

In our *Evidence base report* we outlined our assumptions around the 'flow factor' of automated vehicles. The flow factor refers to the potential for more automated vehicles than non-automated vehicles to travel through a given section of the network during a set period, with a base factor of 1. Transport modelling for this advice was undertaken using the Melbourne Activity Based Model (MABM) with two potential flow factors – 1.75 (or a 75% flow factor improvement) and 1.25 (a 25% flow factor improvement) based on international research. We received some feedback that our assumptions regarding vehicle flow factor are simplified and optimistic – particularly the 75% increase. In assessing the feedback provided, including additional research undertaken locally, we consider that the modelling of a 25% flow factor improvement across all scenarios provides a reasonable counterpoint to this assumption.

Some research suggests that flow capacity may decrease in the short term due to the nature of the interaction between automated and non-automated vehicles. The transitional period of technological development, and other short term issues are not consistent with the 2031 and 2046 timeframes or the definition of automated vehicles in the terms of reference for this advice. However, our advice recognises the considerable uncertainty around the development of automated vehicles, and the potential efficiency improvements they might bring. Our advice and recommendations explicitly state that further monitoring and evaluation of the network efficiency performance of automated vehicle technologies are needed.

We also received feedback from some stakeholders who thought we had modelled changes to speed limits on Victorian roads. For clarity, we did not increase existing speed limits in any of our scenarios. We recognise that doing so would require further consideration of the physical design and limits of our road infrastructure.

Assumed safety benefits of automated vehicles

Our analysis around the potential safety benefits of automated vehicles was based on a 2015 paper by the United States' National Highway Traffic Safety Administration (NHTSA) which found human error to be a main cause in 94% of road accidents. Feedback on this assumption was mixed, noting that it is potentially too optimistic, and that it assumes automated vehicles will not lead to different types of accidents.

As with our assumption regarding automated vehicle flow capacity, our advice notes the uncertainty around the likelihood of this benefit being fully realised. We accept that 94% likely represents the upper bound of the potential safety benefit associated with automated vehicles. There is sufficient evidence to suggest potentially significant safety benefits could be realised by a transition to automated vehicles. To this end, our advice and recommendations reflect that further monitoring and evaluation of the safety performance of automated vehicle technologies is needed, and ongoing road safety initiatives should remain a priority for government.

Roles, responsibilities and funding implications

Stakeholder feedback noted many of the potential infrastructure implications of automated and zero emissions vehicles will fall to local government to respond to, in particular, road maintenance, upgrades to road lines and signage. Simultaneously, the emergence of automated vehicles may lead to reductions in the amount of parking revenue collected by local governments. The potential combination of increases in demands for expenditure and revenue reductions could present localised challenges in responding to the emergence of automated and zero emissions vehicles. Our advice and recommendations include actions for further consideration to address these issues – in particular recommendations 1, 5 and 13.

The scenarios used for the analysis

We received feedback on the rates of uptake of automated and zero emissions vehicles and the timing of our scenarios, particularly with reference to the uncertainty surrounding automated and zero emissions vehicles uptake, and scepticism around people's willingness to share trips in the on-demand vehicle scenarios. Practical barriers to uptake, such as price and consumer attitudes towards automated vehicles and car-sharing were included as reasons for this feedback. We recognise the limitations of the deliberately extreme scenarios used to develop the evidence base for this advice. We developed and modelled extreme scenarios to illustrate the effects of key variables and uncertainties and recognise that a mix of automated, non-automated, privately-owned and on-demand vehicles is a more realistic outcome.

For clarity, none of the scenarios modelled included any change in vehicle occupancy, meaning ride-sharing was not assumed in any scenarios.

Fuel sources for zero emissions vehicles

We received feedback from stakeholders around the risks and opportunities relating to both battery electric and hydrogen fuel cell vehicles. The submissions noted there will likely be a role for both energy sources in future. Our advice reflects this feedback, while noting the practical limitations associated with large-scale hydrogen roll out for transport in the short to medium term.

Our vision for the future

We received feedback that our scenarios and subsequent analysis do not reflect a vision for the future of the transport system and urban environment, or a discussion around preferred outcomes and policy approaches to get there. The terms of reference for this advice asked us to provide advice on the infrastructure required to enable automated and zero emissions vehicles, rather than articulate a preferred future.

Our recommendations do, however, seek to enhance Victoria's ability to maximise the potential benefits of automated and zero emissions vehicles. The extent to which our recommendations support the objectives of Infrastructure Victoria to utilise infrastructure to enable environmental, economic and social benefits is identified alongside each of our recommendations. In addition, our update of *Victoria's 30-year infrastructure strategy* will reflect the findings of this and other research we have done since the strategy was first released as part of the broader infrastructure context.

How consultation on the evidence base influenced our work

The feedback we received on our evidence base highlighted a range of views on the emergence of automated and zero emissions vehicles technologies, reinforced the uncertainty about how these technologies might develop and prompted a debate on the opportunities, challenges and risks associated with them.

This feedback helped us gain an understanding of priority issues and concerns of stakeholders and enabled us to refine our advice and recommendations.

These views were particularly useful in highlighting that further monitoring and research are required as these vehicle technologies develop, particularly with regard to the flow capacity and potential safety benefits of automated vehicles.

The most common theme in the feedback was the considerable uncertainty around automated vehicles in particular, including when and how they will evolve, how people will respond to them, how they will operate on Victorian roads, and how safe they will be. This feedback strongly influenced our advice and recommendations, and prompted us to re-emphasise the uncertainty surrounding these technologies in our findings. In particular, our advice includes a recommendation to government to: *Initiate monitoring and annual reporting of automated and zero emissions vehicles developments, benefits and risks, focusing on uptake, performance, safety, vehicle connectivity, road wear, road structures and public transport usage changes.*

This recommendation is an explicit acknowledgement of this uncertainty, and seeks to ensure that any future actions from government will be based on the most up-to-date evidence of how automated and zero emissions vehicles technologies are evolving. The feedback we received on trends that government should be monitoring has helped to shape the detail of this recommendation. We have also structured our recommendations in line with triggers for action, which reflect different stages of maturity in the development of automated and zero emissions vehicles technologies. We also used the feedback we received from stakeholders on important trends to inform our knowledge about these triggers.

Some stakeholders indicated they would like to have seen more modelling based on more conservative vehicle flow factors in particular, recognising the limitations of MABM as a strategic-level transport model to achieve the same level of detail as microsimulation. This issue is particularly relevant for future infrastructure planning. Any future infrastructure planning process will still need to consider the potential transitional issues associated with automated vehicle technologies as they develop (such as SAE levels 2 and 3) and how automated and non-automated vehicles will interact on the road network.

Consistent feedback on our scenarios emphasised that stakeholders consider them relatively unlikely to occur. In particular, there will likely always be people who want or need to own and drive their own car. We agree. Our scenarios deliberately test extremes to help us isolate the impact of different variables. They are designed to complement rather than compete with each other. The most probable outcome will be some combination of the scenarios presented. In all likelihood, there will be a mix of different vehicle technologies and service offerings on the road in future. In response to these concerns, we tested a more likely mix of scenarios, in which a mix of automated and non-automated, privately owned and on-demand vehicles all operate on Melbourne's roads. This more likely scenario represents a more realistic outcome, and reflects the different needs of different road users. The results of this more likely future are discussed in more detail in the advice section of this report.

The uncertainties about automated and zero emissions vehicles have highlighted to us that significant further research will be needed. We have not been able to address every aspect of automated and zero emissions vehicles, and it is expected that new information will emerge over time. We have outlined our perspective on the necessary next steps at the end of this report, and this includes a need for further research.

We heard from stakeholders that, because this report has focused on the implications of full automation, more research should be done to understand the needs and implications of automated vehicles during the earlier transition stages. We also heard that there is scope for further in-depth research that builds on the foundation we have developed, including the effects of automated vehicles on the transport network, the health and safety impacts of automated vehicles (particularly in regards to their interaction with pedestrians and cyclists), amenity and car parking impacts, community needs and equity impacts.

Summary of changes

Minor changes have been made to the portion of this final report that was released for consultation as the *Evidence base report*. These include the addition of consultation outcomes, details of congestion costing (based on travel time delay changes in different scenarios), details of the potential cost of social exclusion avoided as a result of the availability of automated vehicles, and clarity on TAC premiums. We have also updated the 'next steps' section of the report, and added Appendix B, which summarises the relationship between each of our recommendations and the 30-year infrastructure strategy objectives.



DEVELOPING OUR EVIDENCE BASE

Assumptions

Automated and zero emissions vehicles come with a high degree of uncertainty. To test the implications of our scenarios, we have made a number of assumptions about how these technologies will evolve, when they will emerge, how much they will cost, and how people will respond to them. Many of these assumptions are deliberately conservative, and have been sensitivity tested in our modelling, where possible.

Major assumptions we've made for the purposes of developing our evidence base include:

- **Uptake of automated and zero emissions vehicles is linear in each relevant scenario between 2015 and 2046 (or 2031)**, as this is as accurate (or as flawed) as any other potential assumption, given the low global penetration of these vehicles to date.
 - **Automated vehicles may make vehicle travel more attractive.** Researchers have estimated that people could value time in an automated vehicle at between 34 and 70% as much as time spent in a normal car. To test the potential impact of this, we have modelled two approaches to how people value their time (their marginal utility of travel time) for the purposes of our advice. We modelled a marginal utility of travel time (MUTT) factor of 1, which represents no change from today, and a factor of 0.5, which represents a willingness to travel twice as long in an automated vehicle than a non-automated one.
 - **Fuel, battery and hydrogen efficiency and prices remain constant in real terms between now and 2046.** While likely inaccurate, suitable evidence to predict exactly how these will change is not available.
 - **Victoria will have net zero greenhouse gas emissions in 2050**, as per the Victorian Government's target.
 - **Fares for on-demand fleet vehicles will be approximately 30% of current Uber fares.** While the exact business model for on-demand vehicles is uncertain, we have assumed that due to the lower cost of battery electric vehicles and the removal of the driver, fares would be reduced by an equivalent amount in a competitive market. This is in line with international modelling of shared automated vehicles.
 - **The 'flow factor' for automated vehicles is 1.75.** That is, 1.75 automated vehicles can move through the same point on the road as 1 non-automated vehicle, and so are 75% more efficient.
- This applies to all roads and intersections, as automated vehicles are assumed to be more efficient due to connectedness both from a standing start and while moving. However, we also tested a 'flow factor' of 1.25 in the transport modelling to provide a point of comparison. This assumption is based on analysis by Technische Universität Braunschweig, suggesting the flow capacity factor for automated vehicles is likely to be between 1.5 and 2.0. We chose 1.75 as the mid-point of this range.
- **Automated vehicles will eliminate all of the estimated 94% of vehicle crashes for which human error is the main cause**, and are not expected to introduce any new causes of accidents. This assumption is broadly in line with local research, which estimated around 90% of accidents are due to a 'minor mistake', such as being distracted or fatigued.
- We welcome stakeholder views on these underlying assumptions. Please refer to our consultation questions for more information.

Literature review

While automated and zero emissions vehicles are relatively new technologies, there is a significant body of literature from academia, governments, industry, think-tanks and the media on the uncertainties and implications of these emerging technologies. We reviewed available literature to understand current perspectives and identify areas where further investigation was needed.

During the process of key issue identification, we noted that the introduction of automated and zero emissions vehicles comes with uncertainties that may have implications for Victoria around vehicle technologies, market models and regulatory approaches.

Recognising that these uncertainties may have widespread implications, we focused on issues that are likely to be significantly affected by automated and zero emissions vehicles. Some of these issues relate directly to our technical investigations for the advice, while others cut across many technical areas and scenarios. The 10 focus issues of the literature review included land use planning, safety and ethics, governance, human behaviour and infrastructure. Key areas where further investigation on the introduction of zero emissions and automated vehicles to Victoria is needed have also been identified.

To find out more, read the *Infrastructure Victoria advice on automated and zero emissions vehicles infrastructure literature review* report.

Scenarios

The future could play out in many different ways. Infrastructure planning must embrace and reflect this uncertainty, particularly when considering a rapidly emerging field like automated and zero emissions vehicles. By imagining alternative futures, scenarios can be a powerful tool for testing different variables, preparing for a range of possibilities, determining how government can respond to and influence the path ahead, and identifying decisions and trigger points for action.

Creating our scenarios

The purpose of our advice is to determine how and when land use might change and infrastructure should be deployed in Victoria to support automated and zero emissions vehicles. Therefore, we needed a set of scenarios that would allow us to assess a range of uncertainties and determine the best course of action for the state.

Our scenarios deliberately test extremes to help us isolate and analyse the impact of different variables. They are designed to complement rather than compete with each other. The most probable outcome is likely to be some combination of the scenarios presented, with a mix of different vehicle technologies on the road.

For most of our scenarios, we picked 2046 as the reference year. This year aligns with existing Victorian Government modelling and forecasting approaches, such as the Victorian Integrated Transport Model and the Victoria in Future population forecasts, and is consistent with Infrastructure Victoria's most recent 30-year strategy. It is also consistent with expert predictions that developed countries could see large numbers of these vehicles on the road somewhere between 2020 and 2050.

All of our scenarios are assumed to apply equally to urban, regional and rural areas, including the shared ownership scenarios, though we assume more vehicles are required to serve more dispersed areas. The scenarios also apply across all types of vehicles, with the exception of ownership of buses and heavy freight, where current ownership by public transport operators and commercial freight companies is assumed to continue.

Scenario 1: Electric Avenue

This scenario tests what would happen if all vehicles were powered by electric batteries within 30 years, but none were highly automated. Electric vehicles already have an established and growing market share, so it is useful to isolate this variable to consider how energy infrastructure might need to change to support high uptake of electric vehicles, as well as the broader environmental and health benefits of moving to zero emissions vehicles.

Scenario 2: Private Drive

This scenario introduces vehicle automation and assumes driverless vehicles will be electric, given the synergies between these technologies. The focus of this scenario is a future in which all vehicles are driverless electric vehicles and privately owned. This scenario has different implications for the transport network, land use planning, electricity supply and charging infrastructure.

Scenario 3: Fleet Street

Fleet Street considers a major commercial shift towards driverless electric shared vehicles operated through on-demand services. In this scenario, no one in Victoria owns their own car. Instead, 'mobility services' are provided by companies for a fee, similar to those provided by Uber, Taxify, or Ola in Melbourne today. We have assumed that these companies also service regional and rural Victoria, though we recognise that in reality this could be commercially difficult. As freight vehicles are already owned by companies, the ownership of these vehicles doesn't change, however we have assumed that they would also be driverless and electric.

Scenario 4: Hydrogen Highway

Hydrogen Highway shifts the focus from battery electric to hydrogen power. This scenario describes a freight-led transformation. Freight is already seeing major advances in automation and our research suggests that the roll out of hydrogen fuel cells may begin with heavy vehicles. This scenario will help to identify any specific infrastructure and land use requirements and opportunities related to the use of hydrogen fuel cell vehicles.

Scenario 5: Slow Lane

The Slow Lane scenario portrays a slow and prolonged uptake where on-demand driverless electric vehicles share the road with privately owned non-driverless petrol/diesel vehicles, thus bringing transition issues to the fore. In this scenario, 50% of trips are taken in Fleet Street-style vehicles, while the other 50% of trips are in the traditional vehicles that are on the road today. This scenario assumes this split applies evenly to passenger, commercial and freight vehicles.

Scenario 6: High Speed

In contrast to the Slow Lane scenario, this scenario describes a rapid transport revolution where the adoption of on-demand driverless electric vehicles identified in Fleet Street happens over a significantly shorter timeline, with full take-up of these vehicles in 2031.

Scenario 7: Dead End

This scenario is our base case. It describes a future in 2046 where the new technologies for automating and powering road vehicles stall. This last scenario represents the ‘no change’ pathway and is a useful base case against which we can test the impact of the other scenarios, and identify the opportunity costs of any recommended investments.

Which scenarios didn't make the cut?

We have not included a scenario in which automation flourishes and electrification falters (effectively the opposite of the Electric Avenue scenario), mostly because the infrastructure requirements for petrol or diesel vehicles are not expected to change materially whether vehicles are driverless or not.

We have also not included dedicated land use scenarios, but we have modelled the impact of automated and zero emissions vehicles on the population distribution (e.g. more or less density) for Melbourne.


We avoided creating scenarios that are strongly value laden, for example utopian or dystopian visions of the future, because we want to let the evidence drive our conclusions about what infrastructure will best serve the needs of Victorians and contribute to meeting strategic objectives.

To read our *Future scenarios* report visit: infrastructurevictoria.com.au/AVadvice.

Scenarios at a glance

Scenario	Year	Driving mode	Power source	Ownership/ market model
1. Electric Avenue	2046			
2. Private Drive	2046			
3. Fleet Street	2046			
4. Hydrogen Highway	2046			
5. Slow Lane	2046	 	 	 
6. High Speed	2031			
7. Dead End	2046			

 DRIVERLESS
 DRIVER
 ELECTRIC
 HYDROGEN
 PETROL/
DIESEL
 SHARED/
ON-DEMAND
 PRIVATE
OWNERSHIP



Sturt Street, Ballarat reimagined under the Slow Lane scenario as part of our Urban Design work.

Technical advice

To provide advice on the infrastructure required to support these emerging and interrelated technologies, we initially identified as many lines of enquiry as possible. Casting a wide net helped mitigate the risk that we might miss something important.

We then focused on the key issues to be explored through scenario analysis and other research. These are presented in our *Future scenarios* report at: infrastructurevictoria.com.au/AVadvice.

In line with the key issues we identified in the *Future scenarios* report, we have engaged subject matter experts to develop technical advice across a range of subject areas (summarised below) to inform this report. The findings from these packages are discussed in the following sections and a summary of impacts can be found at Appendix A.



Transport modelling

To understand the impact of automated and zero emissions vehicles on Victoria's transport network in 2031 and 2046, we worked with KPMG to update the Melbourne Activity Based Model (MABM). This transport model differs from traditional transport modelling by focusing on individuals and their response to change. Using MABM we were able to model how people's travel behaviour might change in each of the seven scenarios, and what the flow-on effect of these changes would be on the performance of the transport network.

To find out more about how the model works and to review the detailed results of the modelling, read the KPMG *Automated and Zero Emission Vehicle Infrastructure Advice – 2046 Reference Scenario and AZEVIA Model Development* and *Automated And Zero Emission Vehicle Infrastructure Advice Transport Modelling* reports.



Population and land use

We modelled land use changes to understand how people's choices of where to live and work in Melbourne and Victoria could change as a result of the emergence of automated and zero emissions vehicles. The modelling predicts how people and businesses may move as changes to accessibility and travel are brought about by automated and zero emissions vehicles.

To find out more about how the model works and to review the detailed results of the modelling, read the SGS Economics & Planning *Automated & Zero Emission Vehicle Land Use Scenarios* report.



Energy network

To allow us to understand the likely impacts of automated and zero emissions vehicles on electricity generation, transmission and distribution, we commissioned the development of a model for the Victorian energy network in 2046. The model provides insights into the gap between supply and demand, areas of the network likely to come under stress and opportunities to improve the resilience of the energy network through greater usage of distributed generation and storage.

To find out more about how the model works and to see the detailed results of the modelling, read the *KPMG Automated and Zero Emission Vehicle Infrastructure Advice Energy Impacts Modelling* report.



ICT infrastructure

To consider the requirements for information and communications technology (ICT) infrastructure, we commissioned work on the ICT and data requirements of automated and zero emissions vehicles, as well as the known pipeline of ICT investment, drawing on local and international information.

To find out more about the results of this work, read the *WSP ICT Infrastructure Advice for Automated and Zero Emission Vehicles* report.



Environment and population health

We commissioned specialist technical advice on the impact of automated and zero emissions vehicles on vehicle emissions and air quality, active transport and the flow-on impacts on population health. Using the detailed results from the transport modelling, including number of trips, number of vehicles on the road, types of vehicles and speed, this work measures the changes to these in each of our scenarios.

To find out more about the results of the modelling, read the *Aurecon AV/ZEV Environmental & Health Impact Assessment* report.



Socioeconomic impacts

We set out to understand the social and economic impacts of automated and zero emissions vehicles on Victorians, focusing on how these impacts might differ for people in different income groups and locations. This modelling demonstrates how automated and zero emissions vehicles may affect Victorians' ability to access public transport, education, health care and activity centres, and also provides insights into the impact on jobs, as well as on the Victorian economy overall.

To learn more about the modelling approach and the results, read the *Deloitte Access Economics Automated and Zero Emissions Vehicles Infrastructure Advice Socio-economic impact analysis* report.



Financial analysis

We undertook financial modelling to identify the nature and scope of potential impacts of automated and zero emissions vehicles on government, and on how they could change the way we value infrastructure projects. This work also assessed the consumer cost of owning these vehicles compared to a traditional vehicle, and to using a shared fleet vehicle.

To review the results of this modelling, read the KPMG *Vehicles Advice – financial analysis* report.



International market analysis

We commissioned research on trends in emerging technologies and standards in international jurisdictions to better understand the risks and opportunities these technologies present for Victoria, and what might need to happen to enable these technologies to be introduced here.

For more details on the findings of this work, read the L.E.K and Arup *Infrastructure Victoria AV/ZEV International Scan* report.



Transport engineering

To understand how automated and zero emissions vehicles will affect Victorian roads, we commissioned research on what road and road corridor construction or design changes will be required, if any. We also sought to understand the impact of automated and zero emissions vehicles on car parking and opportunities to repurpose unused parking space for alternative uses.

For more information on the methodology and outcomes of this research, read the Arup *Infrastructure Victoria Automated and Zero Emission Vehicles Transport Engineering Advice* report.



Urban design

We commissioned urban designers to illustrate the impacts of future vehicles on streets, precincts, neighbourhoods and freeways across Victoria. Building on evidence and research gathered from a number of sources, case studies for key locations across Victoria were developed with specific reference to two of our scenarios: Fleet Street and Slow Lane.

The intention for this work was not to depict the most likely or preferred future state, but rather to show a mix of possible futures and what they could look like.

To find out more about this work and see how automated and zero emissions vehicles could change the design of Victorian streets and precincts, see Urban Circus and Ethos Urban *Automated and Zero Emission Vehicles – how they might reshape our streets* report.



*A suburban street in Yarraville
reimagined under our Slow Lane
scenario as part of our Urban
Design work*

WHAT THE EVIDENCE TELLS US

The Terms of Reference for this advice asked us to frame our analysis through potential future scenarios (detailed in our *Future scenarios* report).

We have used these scenarios as an analytical tool to isolate and test the impacts of automated and zero emissions vehicles technologies. The scenarios are not intended to represent likely outcomes, but instead provide an opportunity to test the most extreme impacts of automated and zero emissions vehicles. The most likely future could be a combination of some or all scenarios.

Much of the technical analysis we commissioned to form our evidence base was also done on a scenario-by-scenario basis. Most of this analysis is forward looking, and so focuses heavily on fledgling technologies for which limited evidence currently exists. Therefore, the scenario definitions and underlying assumptions are substitutes for real-world observations.



Base case - Victoria in 2046

In our *Future scenarios* report, we described a 'Dead End' scenario in 2046. This is the future in which new technologies for automating and powering vehicles stall. In this scenario, automated and zero emissions vehicles don't 'take off' in any meaningful way. Current technological trends around vehicle safety and fuel efficiency continue, but the anticipated benefits of automated and zero emissions vehicles do not materialise. In other words, vehicles are still powered by fossil fuels and are still privately owned and driven by people. If this scenario is realised, there is a risk of over-investment in infrastructure to support automated and zero emissions vehicles.

This presents the 'no change' pathway and is useful for identifying the opportunity costs for any recommended investments. In much of our modelling work this scenario is also the 'base case' for Victoria in 2046, and provides a useful reference point for us to isolate the impacts of each scenario.

Where do Victorians want to live and work?

Even without automated and zero emissions vehicles, Victoria will look very different in 2046. The Victoria in Future forecast projects that there will be 64% more people living in Melbourne compared to 2015. Melbourne's population alone is forecast to grow at 1.6% a year between 2015 and 2046 to a total of 7.4 million people, while Victoria's population is forecast to reach 9.4 million.


Over the next 15 years, 42.6% of Melbourne's population growth is forecast to occur within predefined 'New Growth Areas'. This is likely to decrease over time, falling to 29.8% of growth over the period 2031 to 2046. At the same time, infill development will provide opportunities for significant population growth within the existing urban footprint. Approximately 9.7% of Melbourne's population growth will occur in the inner city, with half of that growth occurring within the City of Melbourne over the next 15 years.

However, jobs are not projected to follow the same pattern as population growth. Jobs growth is forecast to be slightly faster than population growth, at an average of 1.7% a year between 2015 and 2046.

The types of jobs Victorians do are also projected to change, but mostly in line with changes already underway. Between now and 2046, the economy is projected to continue moving away from traditional manufacturing-based sectors to those based on services – health, education, professional and retail.

This transition has major implications for the location of new jobs, as these types of service-based industries tend to congregate around major hubs and population growth areas. Much like today, more than 10% of all jobs in Greater Melbourne will likely be in Melbourne's CBD in 2046, predominantly in knowledge-intensive industries. This means that, with more people living in outer metropolitan areas, people would increasingly need to travel to inner areas to work. However, as Melbourne increases in size, more significant employment hubs are likely to be established outside the central core.

While the forecasts show population growth across regional Victoria, most of this is concentrated in major centres, such as Geelong, Ballarat and Bendigo. Regional Victoria's economy is projected to become more diversified, with more services-based employment, strong growth in knowledge-intensive industries, and a falling share of jobs in services such as hospitality, retail and industrial sectors.



Key findings

- Victorian population of 9.4 million
- Assumes 25% more road kilometres built and an extended public transport network
- 37% more car trips than today
- 81% of trips made by car, 19% by public transport
- 27 million tonnes of CO₂ equivalent from vehicle emissions

An expanded transport network

How well does Melbourne’s transport network operate in 2046? To find out, we worked with KPMG to update MABM to include forecasts for Melbourne’s population and the transport network in 2046. After updating the model, KPMG then worked with the Technische Universität Braunschweig on functionality that allows us to simulate automated vehicles in MABM. With the updated model, we then tested each of our scenarios against the base case.

The strategic infrastructure assumed to be in place in 2046 reflects the reference case that is used by Transport for Victoria. While it is not government policy, it is used consistently as a projection of the future to enable business cases to be tested on a common basis. Some minor modifications have been included based on the recommendations in Infrastructure Victoria’s 30-year strategy, such as the Doncaster Bus Rapid Transit project and expected updates to the next iteration of the Victorian Integrated Transport Model. Figure 5 shows the difference between Melbourne’s road network and the capacity of the roads in MABM in 2015 (in black and grey) and 2046 (in red and yellow).

This transport network represents a 25% increase in road lane kilometres between 2015 and 2046. Similarly the passenger capacity of Melbourne’s public transport network is assumed to increase by around 50% overall. The number of bus services alone are assumed to nearly double, increasing from nearly 22,000 services in 2015 to nearly 43,000 services in 2046 – a 96% increase.

Figure 5: Change in road network 2015 – 2046



Source: KPMG

The 2046 transport network in action

The modelling shows that there will be more trips on the transport network overall, although a lower percentage of trips will be made by car in 2046 compared to today (81% in 2046 compared to 90% now). In 2046, the modelling shows around 3.5 million extra car trips on an average work day in Melbourne (a 37% increase from 2015). This growth in vehicle use would likely have a significant environmental impact in 2046. Modelling undertaken by Aurecon projects that Victoria's vehicle fleet will generate 27 million tonnes of CO₂ equivalent in vehicle exhaust emissions in 2046, which is equal to approximately 25% of Victoria's greenhouse gas emissions in 2015.

Along with a growing population and its associated travel needs, it's not surprising that the pressure on Melbourne's road network is projected to increase over time. The modelling shows that this will lead to increased congestion on the road network at peak times, even after accounting for new road and public transport projects. Congestion is forecast to be worse at peak times, when the effects of a geographically uneven population and employment growth are most acutely felt. The morning peak period shows the most congestion and delays, caused by a greater number of people commuting for work. This finding is in line with our recent research on transport demand and opportunities to manage congestion on Victoria's roads, detailed in our report *Five-year focus: Immediate actions to tackle congestion*.¹⁵

The cost of congestion

Using data from MABM and travel costs from the Australian Transport Assessment and Planning (ATAP) guidance, we estimated that increased congestion leading to longer delays could cost road users around \$8.1 billion in today's terms, compared to \$5.6 billion in 2015. This estimate refers to travel time savings from avoided delays only. It does not take into account changes to vehicle operating costs as a result of reduced delays.

Congestion impacts are quantified using travel time delay for all road users, which refers to the additional time that people spend travelling, compared to how long it would take people to travel when roads are not congested. The value of time used in this estimate is from the ATAP guidance for non-business trips (\$16.38 per hour in 2018) and business trips (\$53.14 per hour in 2018). Our analysis assumes that 18% of trips are for business, which is derived from the June 2016 ABS survey of motor vehicle use, and consistent with the assumption used in the North East Link business case. Daily values were then annualised and divided by half, in line with the approach discussed in the Bureau of Infrastructure, Transport and Regional Economics papers on Urban Traffic and Congestion Cost trends, which explain that the value of total delay avoided is about double the value of the economically desirable level of congestion.¹⁶

¹⁵ Infrastructure Victoria (2018) *Five Year Focus: Immediate actions to tackle congestion*. Available at: <http://infrastructurevictoria.com.au/research>. Accessed 21 June 2018.

¹⁶ Bureau of Infrastructure, Transport and Regional Economics (2015) *Traffic and congestion cost trends for Australian capital cities*


As road congestion increases, people look for different ways to get to where they want to go. Public transport is projected to be a more popular choice for people commuting for work and study. In 2046, train, tram and bus trips are all higher than in 2015 in every region at all times, both overall and as a proportion of trips, dramatically outpacing population growth. Train, tram and bus trips are projected to increase by 4.2%, 2.7% and 4.1% per year respectively. As a result, public transport trips would account for 19% of all trips in 2046, compared to just 10% in 2015. Figure 6 shows the total change in public transport trips.

Compared to 2015, in every scenario all parts of the train network are more crowded in the morning peak period heading to the city. For example, under the base case scenario, trains running through Clifton Hill train station (Mernda, Hurstbridge, Wollert) are projected to be 13% more full than they are today.

For car travel, only journeys to school are projected to become more common, growing from 55% today to 64% in 2046. This is most likely due to an increasingly dispersed population and the fact that schools are less likely to be clustered around public transport hubs than universities and employment centres.

Our modelling shows that, on average, people will travel further and for longer to get to jobs, education and health care in 2046 than they do today. This is important for the rest of the scenarios, as better access to these locations generally improves the quality of life for Victorians. The outcomes for each scenario are presented and discussed in more detail throughout this document.

Figure 6: Public transport use: 2015 – 2046



Source: KPMG Transport modelling (MABM)

Victoria's energy network in 2046


We appointed a separate team at KPMG to model the impacts of automated and zero emissions vehicles on Victoria's energy network. To understand how things might change, we needed a picture of what Victoria's energy network might look like in 2046, without automated and zero emissions vehicles. To do this, KPMG took the Australian Energy Market Operator's (AEMO) existing *2018 Forecasting insights*, which extend until 2037, and extrapolated these to 2046 using AEMO's methodology. However, unlike the AEMO forecasts, KPMG's base case model does not include any energy consumption from battery electric vehicles, to be consistent with the assumption that they don't exist in our base case scenario.

For the purposes of this advice, KPMG's forecasts assume all new energy generation is renewable. This is broadly in line with AEMO's forecasts, which do not include any additional coal generation, and reflects the intent of the Victorian Government's goal of reaching net zero emissions in 2050. This is also consistent with our definition that zero emissions vehicles emit no emissions from the tailpipe or charging or fuel source, and therefore that the additional electricity demand generated by battery electric vehicles will come from zero emissions sources.

It is important to note that the emergence of zero emissions vehicles alone is not likely to be the sole catalyst to decarbonisation of the national energy market. The future energy generation mix will be determined by a number of factors, including national energy policy, national and state emissions targets, and cost. Some fossil fuel generation is likely to realistically remain in the mix for Victoria's energy grid in 2046. Therefore, while it will not be possible to say for sure that battery electric vehicles are powered by zero emissions electricity, our approach seeks to demonstrate what would be required for their marginal impact on demand to justifiably be described as zero emissions.

Figure 7 shows the projected change in maximum demand and capacity between now and 2046.

Figure 7: Victorian energy profile (base case 2046)




Source: KPMG energy modelling

What this figure shows us is that ‘baseline’ maximum demand is not forecast to change very much between now and 2046, most likely due to improvements in energy efficiency over time offsetting population growth. Even so, with the retirement of the Yallourn power station in 2032, an additional 800 megawatts (MW) of additional capacity is required to meet maximum demand in the base case. On the basis that we assume this gap to be filled by renewable sources, KPMG forecasts that it will be filled with a combination of pumped hydro, solar, wind and battery storage. For the purposes of this analysis, Snowy Hydro 2.0 has not been included, as it is not included as ‘committed’ in AEMO’s assumptions. If included, it could add up to 1,000MW of renewable, scheduled (dispatchable) generation for Victoria.

All this means that Victoria’s emissions from electricity generation can be expected to be much lower in 2046 than today. As Figure 8 shows, overall emissions are projected to fall from over 42 million tonnes of CO₂ equivalent in 2018 to around 30 million tonnes in 2046. This is due entirely to the retirement of the Yallourn power station and its assumed replacement by renewable sources.

Figure 8: Victorian emissions profile (base case 2046)



Source: KPMG energy modelling

The future is digital

WSP's analysis found that, even in the base case scenario, data use will increase dramatically between now and 2046. Over the next three years alone, average data speeds are predicted to increase from 18.8 megabytes per second to 43.6 megabytes per second, while the average amount of monthly personal data use is estimated to triple, going from 42.5 gigabytes to 125.8 gigabytes. It's reasonable to assume data use and transfer speeds will increase further over time, but hard to say with any certainty what they will look like in 2046.

For mobile coverage, WSP's analysis suggests that by 2031 there will be more than 7,000 mobile towers in Victoria covering over 87,500 kilometres of Victorian roads, based on assumed degree of completion of the Mobile Black Spot Program by this point. This does not assume that any new towers will be built after 2031 or include any towers that telecommunications companies plan to build due to growth in demand due to a lack of sound evidence on the pipeline of investment, so we expect this is a conservative estimate of the network of mobile coverage for both 2031 and 2046. WSP suggests that all mobile towers in Victoria will have 5G cellular technology or better by 2046 regardless of automated vehicle uptake, with 3G mobile towers likely to be phased out between 2022 and 2030, and 4G mobile towers likely to start phasing out from 2030.

Even without automated vehicles, Victoria's roads are also likely to become increasingly connected over time. In Victoria, there are currently around 4,600 roadside infrastructure sites, including traffic signals, overhead lane control signs, variable speed limit signs, ramp metering signals and roundabout signals, most of which are already 'connected' using telecommunication links to central operators for reporting and control purposes. With planned infrastructure and existing signal growth, WSP estimates there would be 6,626 such roadside infrastructure sites by 2046.

What does the story of Victoria in 2046 tell us?

Throughout this report, we discuss the potential impacts of each scenario on areas such as the transport network, energy networks, land use and the environment. These impacts (such as more trips, higher energy demand or lower CO₂ emissions) will almost always be discussed with reference to the base case. Having a clear picture of the state of our infrastructure in 2046 also gives us a starting point for comparison of the change in infrastructure needed in our scenarios. Infrastructure responses discussed in each scenario show what is needed beyond the base case. This helps us to isolate the infrastructure needs of each scenario and to identify and compare the opportunity cost of specific investments.

The base case is also important because it helps to frame our expectations of the future. The modelling suggests that even with considerable investment in the capacity of Victoria's road and rail networks over the coming years, the performance of Victoria's transport network is likely to come under pressure. Victoria's growing and expanding population will also place more pressure on supporting infrastructure in areas that are already feeling the effects of high population growth. This raises questions about what else could be done to improve journeys and whether automated and zero emissions vehicles might add to the problem or provide a solution. The base case allows us to compare the relative merits of different government responses and develop a picture of things government could (or should) do, regardless of what the future holds.

Electric Avenue

All vehicles are privately owned, electric and non-automated.

Battery electric vehicles are already familiar to many Victorians. They are already on our roads, some charging stations already exist and the opportunities they provide for distributed generation and storage are being widely discussed. In this scenario, non-automated battery electric vehicles are everywhere and there are no petrol, diesel or automated vehicles on the road.

Battery electric vehicles present both opportunities and challenges, particularly when it comes to the resilience of Victoria's energy sector. A significant roll out of battery electric vehicles could mean that a lot of charging infrastructure is needed. It is likely to put a lot of extra pressure on our energy generation, transmission and distribution networks if everyone installs a charger and plugs in when they get home from work.

On the other hand, battery electric vehicles could change the quality of our environment, with life expectancy improvements as a result.


How have other countries introduced battery electric vehicles?

Battery electric vehicles are by far the most developed of the technologies considered in this advice, but remain below 2 to 3% penetration in almost all markets, with the exception of Norway. With a 29% market share, Norway has achieved the highest electric car market share globally, and is targeting 100% of car sales to be zero emissions vehicles by 2025.

It is unlikely that Norway would be as advanced as it is in battery electric vehicle uptake without government intervention. Norway has some of the largest incentives in the world to encourage zero emissions vehicles uptake. Key incentives employed include reduced taxes for consumers on toll roads, reduced import taxes for manufacturers and reduced company tax. Norway also has a large number of charging stations, allowing long distance electric vehicle trips. All of these incentives come at a significant cost, however, with government funding per trip spent on battery electric vehicles exceeding that for public transport. For more information, read the *L.E.K. Infrastructure Victoria AV/ZEV International Scan* report.

A charging station is also available every 50 kilometres on all main roads in the country. In addition, the European Union has invested 10 million Euros for a network of 180 charging stations, allowing electric vehicle owners to travel from Norway to Italy. While charging infrastructure may seem to be a contributing factor to driving electric vehicle uptake, analysis of trends in international markets by L.E.K. and Arup found that around 80% of battery electric vehicle owners charge their vehicles at home. They also looked at the correlation between charging infrastructure roll out and battery electric vehicle uptake in 12 countries and found that it appears to have had little effect in encouraging early adoption of battery electric vehicles.

There is evidence, however, that public charging infrastructure does have its place where there are practical or market limitations. For example, low population densities in rural and remote areas might mean it is not commercially viable for private operators to provide charging infrastructure. This could discourage battery electric vehicle uptake in these areas, or prevent people from taking long trips.




Key findings

- Assumes driving an electric car costs less, leading to slightly more congestion
- \$706 million of economic benefits per year from 3,632 more years of healthy life due to emissions reductions
- Energy network upgrades could cost \$6.4 billion to \$8.8 billion

Data from the transport modelling shows that the average daily distance driven would be around 43 kilometres in this scenario. With many electric vehicle models currently claiming around 300 kilometres range on a full charge, this means that, for most people, battery range is unlikely to be an issue for day to day use.

Figure 9: Battery electric vehicle international take-up



Source: L.E.K.

What do Victoria's planning regulations say about electric vehicle chargers?

Evidence suggests that people are most likely to charge their electric vehicles at home, particularly if private car ownership and human drivers remain the norm.

Cities such as London, Beijing and San Francisco have introduced building and parking regulations for electric vehicles. London, for example, requires new residential developments to have a charge point for electric vehicles in 20% of parking spaces.

Victoria does not have equivalent development standards, although precedent for similar requirements does exist in Victoria, with car parking to dwelling ratios as an example. Currently, the only intervention by the planning system is the requirement for a permit for publicly visible chargers on sites with heritage overlays.

In addition, planning in Victoria only governs new uses and developments. As such, it has little or no impact on existing housing stock. Since many inner Melbourne dwellings do not have off-street car parking, it is unlikely that amending the planning scheme to require a charger-to-parking ratio alone would ensure equitable and comprehensive coverage of electric vehicle charging points on private properties.

When do we expect to see battery electric vehicles take off in Victoria?


Both Victoria and Australia are lagging in the adoption of battery electric vehicle technology when compared to other countries.

As noted in the Parliament of Victoria's report on the *Inquiry into Electric Vehicles*,¹⁷ 668 fully battery electric vehicles were purchased in Australia in 2016, which made up 0.1% of Australian new car sales.¹⁸ The Electric Vehicle Council also reported that "Victorians have purchased the highest number of battery electric vehicles over the last six years compared to other states, with 1,017 vehicles (excluding Teslas) purchased from 2011 to 2016".¹⁹

According to Bloomberg, Australian battery electric vehicle sales are forecast to steadily rise over the next few years, from 2,400 in 2018 to 27,000 by 2022, or more than 2% of all new car sales.²⁰ Bloomberg predicts that the purchase price of battery electric vehicles will be competitive without subsidies by 2024 and the same as traditional cars by 2029, leading to 28% of all new car sales being electric by 2030. Further, 33% of all cars in the world are forecast to be electric by 2040.²¹ A recent report by the CSIRO also projects that electric vehicle sales will account for over 40% of new sales in 2040.²² This is consistent with the findings in L.E.K's technical report.

Bloomberg further predicts that the bus fleet will become fully electric more quickly than passenger vehicles, due to savings in total costs as shown in Figure 10.

Figure 10: Cost comparison for e-buses and diesel buses, with different annual distance travelled



Source: Bloomberg New Energy Finance. Note: Diesel price at \$0.66/litre (\$2.5/gallon), electricity price at \$0.10/kWh, annual kilometres traveled - variable. Bus route length will not always correspond with city size.

¹⁷ Parliament of Victoria (May 2018) *Inquiry into battery electric vehicles*. Available at https://www.parliament.vic.gov.au/file_uploads/EIC_58-13_Text_WEB_1MNYcV8K.pdf. Accessed 20 June 2018.

¹⁸ Electric Vehicle Council and ClimateWorks Australia, *The state of battery electric vehicles in Australia*, 2017, p5


¹⁹ Ibid. The report noted that Tesla does not release its sales figures to the public.

²⁰ Wiggins, J. (2018), *Charging bases key to spark electric car sales*, Australian Financial Review, 19 June.

²¹ Battery electric vehicle outlook 2018. <https://about.bnef.com/electric-vehicle-outlook/#toc-download>. Accessed 20 June 2018.

²² Graham, P., Reedman, L., Gargett, D., and Cosgrove, D. (2017), *Australian road revenue and expenditure: scenarios to 2050*. CSIRO.

Figure 11: Battery electric and plug-in hybrid vehicles as a proportion of the Australian vehicle fleet



Source: CEFC

Recent analysis undertaken by Energeia for the Clean Energy Finance Corporation is even more optimistic about the potential of electric vehicles. Energeia estimates that, with only 'moderate' intervention, battery electric and plug-in hybrid vehicles will account for 100% of new vehicle sales in Australia by 2040 and 95% of vehicles on the road by 2050, as shown in Figure 11. This analysis assumes an uncoordinated mix of policy support across several layers of government, including potential federal policy changes to luxury car tax, fringe benefits tax and vehicle emissions standards, but no long-term decarbonisation target.²³

Overall, there is consistency across sources that battery electric vehicles as a proportion of the total number of vehicles will increase significantly in the coming decade, with a turning point sometime between 2025 and 2030 when the vehicles are projected to reach cost parity with traditional petrol and diesel vehicles.

However, these forecasts must be tempered with the reality of the models available for sale in Victoria today. The question of when most Victorians will be able to take up electric vehicles is largely dependent on when models at a comparable price to current petrol vehicles will be available locally. According to DriveZero, there are 11 different models of battery electric vehicles in Australia in 2018 out of over 400 vehicle models in total, and many of these models are luxury brands, like BMW and Tesla.^{24,25} Manufacturers may be reluctant to bring zero emissions vehicle models to Australia without further encouragement of their uptake, and without a range of options a wide take-up by consumers is highly unlikely. These forecasts therefore depend heavily on the resolution of this 'chicken and egg' dilemma, with manufacturers and consumers each relying on the other for these forecasts to become reality.

²³ Australian Electric Vehicle Market Study, prepared by Energeia for ARENA and CEFC, May 2018.

²⁴ Car Advice (n.d.), *Best Car*, Available at: <https://www.caradvice.com.au/top-5/>. Accessed July 3, 2018.

²⁵ Drive Zero (April 19, 2018) *A full list of Electric Cars (EVs and PHEVs) available or coming to Australia*. Available at: <https://www.drivezero.com.au/electric-vehicles-available-in-australia-list/>. Accessed July 3, 2018.

The price of travel

Battery electric vehicles are likely to make using a car much cheaper. In developing our transport modelling work, KPMG estimated that instead of it costing nearly 18 cents per kilometre (\$17.60 per 100 kilometres) to drive a petrol vehicle, on average it could cost as little as 5 cents (\$5.00 per 100 kilometres) to run a battery electric vehicle in 2046. If it is cheaper to drive an electric rather than a fossil-fuelled vehicle, people may take a longer route to work if it means avoiding congestion. Our modelling suggests that this would lead to a slight (2%) increase in travel speeds in the outer suburbs as people avoid congested areas. However, congestion would be slightly worse in the inner areas, with travel speeds falling by 3%.

Because some people are willing to avoid congestion, the transport modelling shows that average travel speeds are marginally faster (less than 1 kilometre per hour) than in the base case, despite the distance travelled on Melbourne's roads being 1% higher (or around 1.8 million kilometres) than in the base case.

The proportion of public transport trips as a share of all trips is projected to increase by less than one percentage point compared to the base case. Trains and buses are forecast to have minor (less than 1%) growth in patronage, while tram patronage is projected to remain approximately unchanged. We expect this is because roads are viewed as being slightly more congested making trains, trams and buses a slightly more attractive option for getting to work.

Electricity and accessibility

As it is projected to cost less to drive a battery electric vehicle, schools, hospitals and jobs are a little easier to access than in the base case. When we talk about 'access to services' (in this section and throughout the report), we are referring to the 'price' people have to pay to get to where they want to go, be it schools, work or health care.

This price is calculated using a combination of the monetary and non-monetary costs of travelling, such as time, parking costs and out-of-pocket costs (e.g. fuel). A lower price means better access, while a higher price reduces it. Each scenario changes these costs in a variety of ways. The Electric Avenue scenario reduces the out-of-pocket costs aspect of using a car by lowering fuel costs, resulting in better access to services across Victoria on a population-weighted basis of between 5% for primary schools to 9% for train and tram stations. The accessibility improvements of this scenario are not as large as those seen in other scenarios, which we'll discuss later in this report.

Vehicles: 1, emissions: 0

As the name suggests, the emergence of zero emissions vehicles would eliminate all vehicle exhaust emissions in Victoria to the tune of around 27 million tonnes of carbon dioxide (CO₂) equivalent in 2046. This represents a significant benefit to all Victorians through improved air quality, which would reduce the incidence and severity of health issues caused by high vehicle exhaust concentrations and, subsequently, reduce health care costs. According to the OECD, air pollution from road transport cost the Australian economy close to \$6 billion in health costs in 2010.²⁶ In all full zero emissions vehicles uptake scenarios (Electric Avenue, Private Drive, Fleet Street and Hydrogen Highway) vehicle exhaust emissions are completely removed.

The magnitude of the vehicle emissions reduction would equate to approximately 25% of Victoria's greenhouse gas emissions in 2015,²⁷ which is equal to the amount of emission reduction required to meet Victoria's 2020 emissions reduction target.

While this is a great news story for carbon emissions, it isn't the whole picture. Like all vehicles, battery electric vehicles will still generate some non-exhaust emissions – often referred to as 'particulate matter' – from things such as tyre wear, road wear and braking. In Electric Avenue, more frequent and longer trips mean that vehicles would generate more particulate matter from these sources than in the base case. However, this is more than balanced out by the fact that battery electric vehicle motors don't emit harmful particulate matter in the way traditional petrol and diesel engines currently do, resulting in a decline in particulate matter emissions from over 2.8 million kilograms per year in the base case to around 1.6 million kilograms per year.

Emissions in context

The analysis of the health benefits of zero emissions shows that a very large reduction in the health impacts from vehicle emissions is possible in all scenarios where the entire vehicle fleet is zero emissions (Electric Avenue, Private Drive, Fleet Street, Hydrogen Highway and High Speed). In these scenarios, the health impact of vehicle use is projected to fall by 70–75% as compared to the base case. Since some non-exhaust emissions remain, the modelling shows that the magnitude of the health benefits will vary according by scenario (mostly due to fleet size and overall road use) and by population group.

It will be a major challenge for zero emissions vehicles to ever truly be 100% zero emissions. Victorians will need to be aware of the environmental footprint of manufacturing, whether the manufacturing takes place in Victoria or elsewhere. Considering the trends in global environment policy, the environmental impacts of manufacture may be 'internalised' in the price of imports. While exhaust emissions are eliminated in zero emissions vehicles, manufacturing components for battery electric vehicles and hydrogen fuel cell vehicles (FCVs) are likely to be a significant contributor to global emissions, in the same way manufacturing traditional vehicles are today. In all scenarios, zero emissions vehicles would contribute to global emissions, with the environmental impacts due to battery production greatest in the full private ownership scenarios (Electric Avenue and Private Drive), due to the size of the vehicle fleet. In these scenarios, vehicle manufacturing could contribute the equivalent of more than 1% of Victoria's CO₂ equivalent emissions in 2015.

²⁶ The Cost of Air Pollution – Health Impacts of Road Transport (OECD 2014).

²⁷ Victoria was estimated to have produced a total 119Mt CO₂e in 2015.
Source: https://www.climatechange.vic.gov.au/__data/assets/pdf_file/0021/55254/DELWPClimateChange_Framework.pdf.

Electric cars are good for your health

The benefits of battery electric vehicles to population health can be illustrated by estimating how many years of healthy life lost from death or illness are avoided (or the years of healthy life that are gained) from a given intervention. This measure is called avoided 'disability-adjusted life years' (DALYs).²⁸ DALYs measure the total burden of illness experienced by a population. A life year lost due to an external health risk (e.g. pollution) represents one DALY. In this case, the intervention is the emissions reductions resulting from the emergence of zero emissions vehicles.

In the case of Electric Avenue, the ubiquity of battery electric vehicles results in 3,632 avoided DALYs in 2046 (3,464 of which are in metropolitan Melbourne) as compared to the base case. Taking the widely used 'Value of a Statistical Life Year' framework, the avoided DALYs represent an annual economic benefit valued at \$706 million in 2046 alone.²⁹ These benefits would be realised annually for every year the effects of vehicle exhaust emissions are removed.

The health benefits of reduced emissions are forecast to be greatest in urban areas with high density populations. This finding is consistent with results of previous studies by EPA Victoria and the Commonwealth Department of Infrastructure and Transport,³⁰ and is unsurprising given that the sources and effects of emissions are spread across a greater number of people in a smaller area.

Aurecon also found that, while the health benefits vary by location and population density, they are felt evenly among different socioeconomic status (SES) groups. Aurecon grouped locations into high, medium and low SES categories using the Australian Bureau of Statistics' Socio-Economic Indexes for Areas and found that each SES category benefits from a reduction in DALYs (or avoided DALYs) of between 66 and 68%.

For more information of the methodology underpinning this analysis, see the Aurecon report *AV/ZEV Environmental & Health Impact Assessment*.

Gridlock – electric cars and the Victorian energy market

One of the most significant impacts of zero emissions vehicles is expected to be on the energy grid. By their very nature, battery electric vehicles will lead to greater demand for electricity. We expect battery electric vehicles to place considerable pressure on Victoria's energy grid compared with the base case – particularly when we require the energy source to be zero emissions to the greatest extent possible.

²⁸ <https://www.aihw.gov.au/reports-statistics/health-conditions-disability-deaths/burden-of-disease/overview>.

²⁹ Access Economics (2008). *The Health of Nations: The Value of a Statistical Life*. Canberra: Australian Safety and Compensation Council.

³⁰ EPA Victoria *Future air quality in Victoria – Final report Publication 1535 July 2013 Department of Infrastructure and Transport (2010). Final regulation impact statement for review of euro 5 / 6 light vehicle emissions standards.*

Electricity explainer - maximum demand vs total consumption

When talking about electricity demand from zero emissions vehicles in this report, we talk about it in two ways: total consumption and maximum demand.

When we refer to 'total consumption' we mean the amount of energy consumed over time, which, in the case of this report, will be in the year 2046 (with the exception of High Speed, which will be in 2031) and is always shown in gigawatt hours (GWh). This is how much generation is required for overall consumption for a day.

When we refer to 'maximum demand' we mean the amount of electricity required at any one point in time. For the purposes of our advice, this means how much electricity the grid must be able to provide to meet the battery charging needs of the vehicle fleet at a point in time. This will always be referred in megawatts (MW).

When we talk about generation requirements to meet battery electric vehicle demand, we assume all new generation will be from renewable sources and will generate zero emissions, consistent with our definition of zero emissions from both the source and the tailpipe.

In the Electric Avenue scenario, Victoria's vehicle fleet is made up entirely of battery electric vehicles, with more than 3.5 million in Melbourne alone. The results of the transport modelling show that these 3.5 million vehicles travel nearly 169 million kilometres a day – an average of nearly 48 kilometres each.

To determine the overall energy usage of the residential and commercial vehicle fleet in this scenario, these results were combined with an assumed rate of energy use of 20 kilowatt hours per 100 kilometres.³¹ Freight vehicles have been given a higher energy usage weighting of 112 kilowatt hours (kWh) per 100 kilometres based on the average efficiency of a number of example freight vehicles (since no electric heavy freight vehicles are commercially available). Taking the number of kilometres driven by the energy usage of different vehicle types, KPMG estimates that this vehicle fleet would add 22,000GWh to energy consumption in 2046 (Victoria's total electricity demand in 2018 is around 43,000GWh). In today's terms the generation, transmission and distribution investment required to meet this additional demand is forecast to be around \$6.4 billion compared to the base case. This significant investment required from the private sector would most likely be ultimately be recovered from consumers through electricity bills.

However, calculating the overall impact on Victoria's energy grid is more nuanced than simply looking at the extra electricity demand generated by the vehicle fleet annually. The impact of battery electric vehicles on Victoria's energy market also depends on how, when and where vehicles are charged, and how these factors relate to existing energy demand peaks (maximum demand).

As part of the modelling work to understand the effect of battery electric vehicles on Victoria's energy network, KPMG developed a variety of load profiles to reflect different vehicle usage patterns, charging patterns and pricing structures and how they will contribute to maximum demand.


³¹ KPMG used this energy use figure because it provided a vehicle operating cost of electric vehicles for transport modelling purposes. 20kWh/100km equates to 5c/km, which was chosen because it is significantly lower than the base case (17.6c/km), but not so low that it pushes the bounds of what is reasonable with a model. Extremely low vehicle operating costs could have unpredictable influences on people's routing behaviour.

The profiles reflect different charging locations and ownership models, specifically residential (at home), commercial (at work), out of home (roadside/charging stations) and shared (fleet) charging. The profiles also include sensitivities for incentivised and non-incentivised charging. Incentivised charging occurs when a price signal encourages vehicle owners to charge outside peak periods or a central network operator remotely controls charging times. A non-incentivised charging profile assumes no financial incentive or central control.

The shape of the load profiles helps us understand the degree to which battery electric vehicle charging coincides with peak demand in the energy network. Although the overall energy consumption of vehicles remains constant regardless of the load profile in each scenario, their contribution to maximum demand can change dramatically. This could have significant implications for Victoria's energy network. For example, a non-incentivised load profile would reflect users plugging their cars in at night as soon as they get home, leading to demand peaking in the early evening to an even greater extent than in the base case.


Figure 12 shows an example load profile for non-incentivised charging in Electric Avenue.

Figure 12: Non-incentivised Electric Avenue load profile



Source: KPMG energy modelling

Figure 13: Incentivised Electric Avenue load profile



Source: KPMG energy modelling

As non-incentivised charging aligns with existing demand peaks, it is forecast to place significantly more pressure on the grid, further increasing the need for additional generation capacity to meet peak demand. KPMG estimates this requirement could be over 6,200MW.

To mitigate the impacts on the energy network, incentives could be introduced to shift some of the charging away from peak times, reducing the overall contribution of battery electric vehicle charging to peak energy demand. For example, reducing the cost of energy during off-peak times could encourage battery electric vehicle owners to delay charging their vehicles and reduce the overall impact on energy demand, as in Figure 13.

The implication of an incentivised charging profile is that the additional amount of energy generation capacity required to meet maximum demand is significantly less than when no incentives are provided. This means that the additional generation capacity requirement could be reduced to around 3,300MW. This represents a significant reduction in the amount of additional network investment required, with the savings estimated at around \$2.4 billion in today's terms. The use of incentives is a departure from current pricing approaches, but could represent a significant opportunity to mitigate the impact of battery electric vehicles on peak electricity demand.

A fleet of battery electric vehicles could also, in the right circumstances, act as a fleet of mobile batteries that charge during peak renewable generation periods and feed energy back into the network at times of high demand, enhancing the overall resilience of the Victorian energy grid. However, vehicle-to-grid (V2G) technology will also require additional investment in new charging technologies, such as a bi-directional charger, smart inverters and new metering systems. V2G technologies are also likely to create new challenges concerning policy and regulatory arrangements, such as rules around minimum power 'export' requirements and tariff structures. In addition, there is evidence that V2G technologies may reduce the lifetime of batteries used in vehicles, so this may not be the most effective use of their storage capacity.

More detailed information on approaches to optimising battery electric vehicle charging, including system architecture and communications requirements can be found in the KPMG *Automated and Zero Emission Vehicle Infrastructure Advice Energy Impacts Modelling* report.

Charge!

The emergence of battery electric vehicles could represent a paradigm shift for drivers in how they keep their vehicles fuelled. Drivers currently drive to a petrol station to refuel their car, with a refill taking a matter of minutes. Battery electric vehicles generally take much longer to charge than filling a tank with petrol. However, drivers may have many opportunities to 'top up' their car, whether at work, at home, at the local shopping centre or along the road, which could potentially deliver time savings. But for all of these opportunities to actually materialise, a lot of new charging infrastructure will be needed.

Figure 14 sets out the current classification of charging infrastructure. Because these definitions vary by source, a range of power draw for each classification is included. It is important to note that faster chargers place a greater load on the energy network. For example, KPMG's analysis suggests that a charging unit of 240kW is the equivalent of approximately 80 homes being added to the network.

Figure 14: Vehicle charging indicative power draw

Type	Indicative power draw	Charging speed	Cost	Use case
Slow	1.9kW to 3kW	●	●	Home
Fast	7kW to 22kW	●	●	Home or destination
Rapid	50kW to 120kW	●	●	Service or shared fleet
Ultra	120kW to 1MW	●	●	Service or shared fleet

Source: KPMG energy modelling

A highly charged discussion about battery swapping

PowerSwap, a Swedish company that has received support from the Swedish energy agency and the European Commission, aims to make charging much simpler for drivers and eliminate charging time and range issues through its battery swap system. PowerSwap told us its developing automated system aims to locate a car's battery, take the empty battery out and send it for charging and replace it with a fully charged one, all within about three minutes.

Battery swapping has the potential to avoid 'range anxiety' and concerns relating to long charge times for batteries. But this approach isn't without its challenges – batteries would need to be standardised across car makes

and models. Batteries and battery charging technologies and design are likely to be treated in much the same way as vehicle manufacturers currently treat engine design – as core intellectual property and a source of competitive advantage. For example, the images shown show the different battery designs of the Tesla Model S and the Nissan Leaf.

On top of this, battery swap technology also has technical challenges relating to vehicle design and safety standards. Since the evidence does not suggest that a clear trend towards adoption of battery swapping technology has begun, battery swapping has not been considered as a core part of this advice.

Figure 15: Tesla battery



Figure 16: Nissan Leaf battery



Slow chargers are typically connected to household mains power and take six to 12 hours to fully recharge a battery electric vehicle. Fast chargers could charge most current battery electric vehicles in one to five hours, depending on the power draw. These are more likely to be seen at shopping centres or movie theatres, although some vehicle owners might install them at home.

Rapid charging infrastructure is a broad category, and includes some proprietary infrastructure (e.g. Tesla Superchargers) and competing charging standards. Rapid chargers can use either alternating current (AC), which can deliver 80% charge to a typical battery electric vehicle in less than an hour, or direct current (DC), which can deliver 80% in 30 minutes. Rapid chargers are the most likely solution for roadside charging stations or shared vehicle fleets. Due to the cost, it is unlikely that a vehicle owner would install their own rapid charger at home.

Ultra chargers could potentially reduce charging time to around five to 10 minutes. A 100kWh battery electric vehicle with a range of nearly 500 kilometres could charge in eight minutes with a 750kW charger.³² Ultra charging is likely to be attractive to owners of vehicle fleets undertaking regular, heavy mileage, such as freight operators.

Residential charging

KPMG's modelling predicts that 90% of charging for privately owned vehicles will happen at home, as this is most convenient for drivers. On arriving at home, a driver plugs their car in to charge, ready for the next trip.

According to the 2016 Census, there are 1.8 vehicles per dwelling in Victoria across a total of 2.1 million dwellings. It is still very unclear what type of residential chargers households will choose, but KPMG has estimated an even split of fast and slow chargers for the purposes of its analysis. This proportion of fast and slow chargers would result in over one million fast charging units being installed in residential properties. Adding a 9.5kW fast charger to a local grid is the equivalent of more than three new homes being connected to the local network. The actual impact of each additional charging unit on the local network is heavily dependent on the proximity of the charger to the local transformer. One local study found that one charger located at a relatively weak point in the network could have the same impact as 45 charging loads located close to a local transformer.³³ This could have significant implications on the ability of local networks to support the uptake of battery electric vehicles.

³² <https://www.engineering.com/ElectronicsDesign/ElectronicsDesignArticles/ArticleID/16172/The-Tipping-Point-for-Electric-Vehicle-Charging.aspx>.

³³ de Hoog, J. et al (2014), The importance of spatial distribution when analysing the impact of electric vehicles on voltage stability in distribution networks. DOI 10.1007/s12667-014-0122-8.

Out of home charging

The remaining 10% of charging is predicted to occur 'out of home' using ultra chargers. These types of chargers would be able to charge the daily requirement for cars in the Electric Avenue and Private Drive scenarios in less than five minutes (9.25kWh and 10.4kWh respectively). The amount of out of home charging infrastructure required depends on how many cars are trying to use it at once.

It is reasonable to assume that the ratio of charging stations to vehicles wouldn't need to be as high as the current petrol station to vehicle ratio, as many vehicles would be charged at home. However, in Electric Avenue, 10% of the vehicle fleet is approximately 341,500 cars. The charging profile for out of home charging assumes that just over 28,000 of these cars would charge between 7.00am and 9.00am. KPMG estimates the minimum amount of chargers needed to charge these vehicles with zero wait time, assuming demand is evenly spread, would be around 1,100. The maximum number of chargers needed for all cars to charge simultaneously would be just over 28,000. The most likely number is somewhere in between.

Arup's work suggests that other charging solutions, such as in-road charging-in-motion systems, are not likely to have a high benefit-to-cost ratio in the Australian context in the near future. However, there are some cases that may have value, such as the coupling of inductive charging with on-street parking to avoid cables and trip hazards, and heavy vehicle 'top-up' systems such as overhead pantograph-based fast charging.

What is the role of government in providing advice about charging infrastructure?

People are uncertain about installing battery electric vehicle charging infrastructure in different development contexts. During our consultation, uncertainty was expressed by developers about appropriate installation in new developments, consumers on retrofitting existing buildings for chargers, and local government about charging infrastructure on council land.

We reviewed the currently available guidance on charging infrastructure installation in Victoria and found that the majority of information available online is from commercial interests, such as charger providers and vehicle manufacturers. There is also a practice note from the Queensland Government for government, landowners and developers, which outlines many important factors related to the installation of battery electric vehicle charging infrastructure, such as safety, charger types and regulation.

Therefore, more information on factors affecting charger installation in the Victorian context may be needed to guide the installation of battery electric vehicle charging infrastructure.

Freight charging

Charging requirements for heavy vehicles are likely to be very different than for light vehicles. Freight operators are likely to require ultra chargers at freight depots or key delivery points. Freight vehicles are likely to require more frequent and faster charging due to the commercial imperatives of vehicle use and the expected size of heavy duty battery packs.


For example, the battery packs required to support interstate or other long-haul freight trips would need to be in excess of 3,000kWh, for approximately 1,500 kilometres of range.³⁴ A battery pack of this size would require over eight hours of charging with 350kW 'ultra charging' to fully recharge. Beyond this, vehicles themselves may limit the potential of charging. For example, the metal plates between a vehicle and a charging plug are at risk of being damaged when high currents are delivered. It is likely that batteries and charging infrastructure will evolve over time, improving the charging capacity of vehicles.

Localised impacts

KPMG's analysis looked at the three major elements of the energy supply chain – generation, transmission and distribution. Figure 17 represents a stylised version of the energy supply chain.³⁵

To understand the local impacts of battery electric vehicles, we asked KPMG to identify areas of the distribution network that may require upgrades to cope with the extra demand generated by battery electric vehicles.

Figure 17: Components of the energy supply chain



Source: Solar Choice

³⁴ de Hoog, J. et al (2014), The importance of spatial distribution when analysing the impact of electric vehicles on voltage stability in distribution networks. DOI 10.1007/s12667-014-0122-8.


³⁵ Sripad, S. and Viawanathan, V., 2017. Performance Metrics Required of Next Generation Batteries to Make a Practical Electric Semi Truck. ACS Publications. pp. 1670.

There are 228 zone substations across Victoria, which can be broadly mapped to locations across Victoria. Using transport modelling data for the origin and destination of vehicle trips, KPMG was able to develop a picture of where each vehicle 'lives' and is likely to charge. Using this information, KPMG has estimated how many vehicles will be charging in each zone substation area and identified potential 'pinch points' in the network. It should be noted that there are some limitations to this approach, as exact data on each zone substation's coverage area is not available.

Based on this approach and noting the limitations of the analysis, KPMG estimates that around 114 zone substations would exceed their rated capacity with non-incentivised charging in an Electric Avenue future (see Figure 18), while with incentivised charging this number is reduced to 86. Regardless of incentives, the modelling shows the bulk of the pressure would be felt in the western and outer metropolitan regions of Melbourne, where high population growth and a greater reliance on cars could further exacerbate the pressure on the network.

For more information on the load profiles, spatial analysis and the methodology underpinning them, see the KPMG 'Automated and Zero Emission Vehicle Infrastructure Advice Energy Impacts Modelling' report.

Figure 18: Projected capacity and maximum demand of zone substations – Electric Avenue (non-incentivised)



Source: KPMG energy modelling

Employment impacts of flicking the switch

Much of the discussion around automated and zero emissions vehicles includes the potential changes to jobs associated with automated vehicles. However, the emergence of battery electric vehicles is where the employment impacts of new vehicle technologies may begin to be felt.

Battery electric vehicles have fewer parts in their design and operation compared to petrol and diesel vehicles. Research undertaken by Deloitte Access Economics on the employment impacts of automated and zero emissions vehicles suggests a 25% reduction in ongoing maintenance requirements for battery electric vehicles in a workforce forecast to employ 16,300 people in 2046, which may lead to some job losses. In addition, nearly 11,000 jobs in the fuelling sector may also be affected, as the evidence suggests battery electric vehicles will mostly be charged at home. Overall, however, new employment opportunities are likely to emerge alongside battery electric vehicles that may offset these potential employment impacts.

The budget impacts of going electric

Electric Avenue would also present a challenge to governments due to the shift in spending away from petrol and diesel towards electricity, reducing the amount of fuel excise revenue collected by the Australian Government.

Revenue collected from the fuel excise is not explicitly allocated to road funding or distributed directly back to the states that it was collected from. For the purposes of this advice we asked KPMG to estimate the amount of fuel excise that could be lost in Victoria. Assuming a distribution of fuel excise based on Victoria's share of total population, KPMG forecasts that the value of foregone fuel excise in Victoria would be approximately \$6.5 billion in 2046.

Reduced fuel excise revenue is not the only direct financial cost. Zero emissions vehicles currently receive a registration discount in Victoria compared to traditional vehicles. If this policy was to remain in place with a 100% electric fleet, it would cost the Victorian Government around \$1.7 billion in foregone revenue in 2046 compared to the base case.

It is important to note that, while we have not quantified the direct government health expenditure savings resulting from eliminating vehicle exhaust emissions, separate analysis of the health impacts of zero emissions vehicles by Aurecon found the health benefit to Victorians is estimated to be valued at around \$700 million in 2046.

An electric future?

Electric Avenue shows us that, even without automation, a fleet of battery electric vehicles may deliver a range of positive outcomes for Victorians. Completely eliminating vehicle exhaust emissions would deliver real benefits such as cleaner air and improved health outcomes. Governments and the community would see the benefits in the form of health expenditure savings, better environmental outcomes and achieving emissions reduction targets. Likewise, if battery electric vehicles substantially reduce the cost of driving, it would be cheaper to access education and jobs. This is good news for everyone, but especially for Victorians on lower incomes.

This scenario also illustrates some major challenges that lie ahead if zero emissions vehicles are to become a reality. While cheaper car travel may seem like a good outcome, the impact on the performance of the transport network due to the cheaper operation costs of a car may actually offset some of the accessibility benefits of battery electric vehicles. In this case, the government may need to look more to initiatives that tackle congestion.

Based on the assumption that the additional electricity generation capacity requirements for battery electric vehicles comes from zero emissions sources, significant extra demand for electricity will mean a lot more investment is likely to be required in zero emissions generation and storage technologies. Some of the impact of additional energy demand could be managed through smart charging mechanisms sending the right price signals to consumers.

KPMG also found that current regulatory schemes could also hinder the ability of electricity distribution businesses to respond to growth in battery electric vehicles by financially discouraging them from incurring additional costs to upgrade their network without prior approval. Under current regulatory settings, electricity distributors can cover the costs of the additional infrastructure requirements, but are required to submit infrastructure investment plans for prior approval. If additional infrastructure is required in between approval periods, this planning cycle may prevent distributors from being able to respond quickly to changes in patterns of demand.

A fleet of electric cars is predicted to result in a change to the waste streams entering the Victorian waste and resource recovery system. Vehicle batteries in particular will present a new type of waste to be managed. Lithium-ion battery waste could present a challenge to governments if battery recycling is not managed and promoted well. In this scenario, the amount of battery electric vehicle waste generated by vehicles in Victoria alone would more than double current projections for nationwide lithium-ion battery waste.³⁶

Further research by the CSIRO recently found that lithium-ion battery waste is currently growing at a rate of over 20% each year. Battery electric vehicles are likely to further accelerate this growth. The majority of lithium-ion battery waste in Australia ends up in landfill, with only 2% of Australia's annual 3,300 tonnes of lithium-ion battery waste being recycled. This represents both a significant challenge, in the form of the environmental and human health impacts of lithium-ion waste, and a lost opportunity in the form of potential to recycle battery components for other uses. If recycled, 95% of the components can be turned into new batteries or used in other industries.³⁷

³⁶ Randell, P. (2016), Waste lithium-ion battery projections. Victoria: Randell Environmental Consulting.

³⁷ Lithium battery recycling in Australia Current status and opportunities for developing a new industry A CSIRO Report, Sarah King, Naomi J. Boxall, Anand I. Bhatt April 2018.



Monash Freeway reimagined under the Fleet Street scenario as part of our Urban Design work

Case study: The Netherlands – charging forward on battery electric vehicles

The Netherlands is making a push towards a zero emissions future, with electric buses, commercial chargers and hydrogen all making up different pieces of the puzzle.

Zero emissions vehicles are being prioritised as a way to meet the Netherlands' air quality and Paris Agreement targets. The Dutch Government initially set attractive incentives to drive sales of battery electric vehicles, but when targets were met two years ahead of schedule, those incentives were wound back. Today, roughly 2% of Dutch cars (about 125,000) are battery electric or plug-in hybrids.

To support this fleet, a significant network of tens of thousands of public, semi-public and private charging stations has been installed across the Netherlands. Government's role in installing these chargers has varied, with some governments seeing battery electric vehicle charging as a revenue opportunity. Some Dutch city and local governments have installed on-street charging stations where there are high levels of public street parking, and private operators have then bid to operate them. Government sets the cost per kilowatt hour, creating a potentially lucrative revenue stream from car owners. Battery electric vehicle charging accounts that 'roam' across countries like mobile phones could become the norm in years ahead.

In the Netherlands, bus fleets are increasingly being required to go electric for amenity, health and environmental reasons. These modern buses provide a quiet and comfortable ride, with no diesel exhaust emissions. Dutch bus operator Connexxion told us the strain on the electricity grid from electric bus charging is an emerging issue, as charging depots require huge amounts of electrical power to run. The bus fleet at Schiphol Airport now includes 100 electric buses, the largest zero emissions bus fleet in Europe. It has also rapidly become one of the top 10 power users in the Netherlands. This can pose challenges during power outages, especially given the proximity of other priority users, like the airport itself.

The Netherlands is also looking at a diverse range of fuel technologies, including hydrogen, to build resilience. A technology-neutral 'green deal' approach is in place to make all buses zero emissions by 2025, and eight hydrogen fuel cell buses are already running across the country. This is compared to 180 battery electric buses, with a national target for 680 by the end of 2019. Gothenburg in Sweden appears to be following suit, recently ordering 30 all-electric Volvo buses to be rolled out in mid-2019. While these numbers are eclipsed by Shenzhen in China, where the city's fleet of more than 16,000 buses has been converted to electric, the Netherlands is leading Europe and taking a zero emissions approach to transport. Another option being considered is a project to import hydrogen generated from solar arrays in Dubai.

The Netherlands shows how progress can be made with supportive policies, commitments to charging infrastructure and zero emissions public transport.



Private Drive

All vehicles are privately owned, electric and automated.

Automated vehicles are a fledgling technology. Concrete evidence on when they will emerge, how they will be used and the benefits they can bring is still limited. What is clear is that automated vehicles have the potential to radically change the way people travel, where people choose to live and work, and how neighbourhoods and streets are designed.


In Private Drive, we've assumed that all vehicles in 2046 are automated and electric, but they're still privately owned.

When will automated vehicles be commercially available in Victoria?


While battery electric vehicles are already on our roads, when automated vehicles will be commercially available is a big question. Announcements of agreements between traditional automobile companies, major technology companies and brand new start-ups are occurring nearly every day, and a range of promises and projections have been made, as shown in Figure 19.

On the basis of the discussions and research that we've undertaken over the last few months, we believe that automated vehicles are likely to emerge in stages. Early applications of level 4 technologies are likely to be on fixed routes that can be clearly mapped, with the vehicle moving on an 'invisible tram track'. This is already happening in trials at a number of universities in Victoria, such as the Autonobus at LaTrobe University. We observed similar automated shuttle technologies in Rotterdam, Helsinki and Singapore. Further commercial applications of this technology are likely to appear within five years in well-defined public transport and shuttle opportunities, though likely with limited scale.

Figure 19: Vehicle manufacturers' plans for vehicle automation



Source: Bloomberg New Energy Finance's analysis of company announcements, logos from company webpages and seeklogo.net. This figure predates recent announcements from General Motors about plans to launch an automated ride-sharing service in 2019. Automotive News (12 January 2018) 'GM ride-hailing fleet would ditch steering wheel, pedals in 2019.' <http://www.autonews.com/article/20180112/MOBILITY/180119919/gm-seeks-waiver-autonomous-cars-without-steering-wheels-pedals-in>. Accessed 20 September 2018



Key findings

- Automated vehicles likely to be designed to work on current roads
- 86% of trips by car, 14% by public transport
- More people in Victoria can access services more easily
- Gross State Product \$14.9 billion (2%) higher in 2046
- Net jobs growth resulting from automated vehicles of around 11,000
- 3,250 avoided DALYs annually, worth \$632 million per year

The next stage is less certain, but many major companies are forming plans for automated taxi fleets to be deployed in limited areas. Waymo, Google's self-driving car company, is currently testing and planning to open an automated taxi service in Chandler, a suburb of Phoenix in the US state of Arizona by the end of 2018. The vehicles are likely to be limited to a specific area, with this grid extending over time. Testing has been conducted by Waymo in a 10-kilometre by 10-kilometre grid in Chandler. It is reasonable to assume that a similar type of service could appear in Victoria sometime between 2020 and 2025, depending on market conditions and the interest of automated vehicle manufacturers to customise software to the particular road conditions in Victoria. This technology will likely take some time to fully develop and add specific routes or services outside of a dedicated area.

Private cars with automated features are also being aggressively developed by a number of companies. While many cars have automated features at some level (e.g. cruise control), others are starting to offer vehicles with advanced level 2 capabilities. Tesla is one such example, with a system marketed as 'Autopilot'. However, early data has suggested that some people are driving these vehicles as if they were capable of level 3 operation. In the UK, for example, a motorist was recorded riding in the passenger seat of his vehicle while the Tesla Autopilot system was engaged.³⁸

It is not clear whether manufacturers will provide vehicles with level 3 automation for private purchase or whether private vehicle sales will jump directly from level 2 to level 4. While many trials have used a retrofitting approach to fit out their vehicles, the extent to which kits will be made available to retrofit existing vehicles is also unclear.

Levels of automation – why not level 3?

While the focus of this advice is on highly automated vehicles (SAE levels 4 and 5), level 3 automated vehicles have some additional risks that warrant discussion. Level 3 is often referred to as 'conditional automation', where the vehicle can drive itself in certain areas for part of a journey, but expects the human driver to intervene on request.

Our research suggests that when travelling at level 3 for longer periods, maintaining vigilance over an automated driving system becomes a secondary task and alerts may not draw the attention of drivers away from other activities like emailing or watching videos. Studies from the US National Highway Traffic Safety Administration studies have shown that when operating a vehicle with level 3 automation, the best-case driver response time is 1.08 seconds, but can be as high as 2.5 seconds.³⁹ Others have found that 20 seconds is required for a driver to recover from distractions and focus on the road.⁴⁰ One study in particular found that alerts could result in fatal outcomes as drivers may not have the appropriate context and awareness to take the right action.⁴¹

Given the risks, it is unsurprising that some vehicle manufacturers have publicly stated their intent to move directly from level 2 automated systems to level 4 systems to avoid issues when vehicles suddenly hand control back to a human driver.

³⁸ BBC News (2018), Tesla driver banned for M1 autopilot seat-switch, 28 April. Available at: <https://www.bbc.com/news/uk-england-beds-bucks-herts-43934504>. Accessed 18 June 2018.

³⁹ NHTSA, 2015, *Human Factors Evaluation of Level 2 and Level 3 Automated Driving Concepts*.

⁴⁰ Van der Heiden, R.M.A et al, *Priming Drivers before Handover in Semi-Autonomous Cars 2017*.

⁴¹ Van der Heiden, R.M.A et al, *Priming Drivers before Handover in Semi-Autonomous Cars 2017*.

How quickly will automated vehicles take off?

While shared or private vehicles may be present on our roads in the next few years, their future market share is anyone's guess. Figure 20 shows the adoption curves for a number of well-known technologies in the US,⁴² from the telephone, electricity and automobiles to mobile phones, computers and the internet. While the rate of adoption for more recent technologies appears to have increased, there is no guarantee of how long the introduction period will be before automated driving technology is adopted.


That said, if the safety and convenience benefits of highly automated vehicles are realised, it is not difficult to imagine that they may attract a lot of followers very quickly. In particular, if fleet-based services lead the introduction of automated vehicles, we could see a significant shift in the market through the import of vehicles for commercial launches, as compared to individuals choosing to purchase a new automated car upon retirement of their existing vehicles.

Technical advice on socioeconomic impacts for these vehicle technologies has suggested that take-up is likely to be uneven, with early adoption concentrated in the highest income brackets (groups 4 and 5 in Figure 21 with annual incomes greater than \$78,000), followed sometime later by those earning \$33,800–\$77,999, and finally by those earning less than \$33,799 (groups 1 and 2). For more information on the specifics of this analysis, please see the Deloitte Access Economics report *Automated and Zero Emissions Vehicles Infrastructure Advice Socio-economic impact analysis*.

While this chart shows 100% adoption in 2046 (as per our scenarios), this is an assumption rather than a projection. Reality is likely to be much messier than the smooth curves shown above. Adoption will also depend heavily on the market models available; for example, on-demand automated buses would have a very different uptake profile to privately owned automated vehicles.

Nevertheless, vehicles with automated capabilities are likely to be offered for private sale in Victoria in the not-too-distant future. Given current targets by global manufacturers, Victorians could have access to vehicles with highly automated (level 4) capabilities within 10 years.⁴³

Figure 20: Technology uptake trends



Source: Nicholas Felton


⁴² Cox, M. and Alm, R. (February 10, 2008) You Are What You Spend. New York Times. <https://www.nytimes.com/2008/02/10/opinion/10cox.html>. Accessed 11 July 2018.

⁴³ McCowen, D. (1 March 2017) Australian Government: *Fully self-driving cars decades away*. Drive.com.au. Available at: <https://www.drive.com.au/motor-news/australian-government-fully-selfdriving-cars-decades-away-20170301-gunyh6>. Accessed 11 July 2018.

But having access to these vehicles doesn't answer the question of how soon we might see a significant number of them on our roads. Opinions are divergent on this question, especially since widespread adoption will be driven largely by consumers' willingness to take up the technology, and there are equally divergent opinions on how comfortable people will be with using automated vehicles.

However, Insurance Australia Group Limited estimated in April 2018 that 48% of vehicles in Australia will be mainly automated (level 4 or 5) by 2040.⁴⁴ While it is impossible for us to state with certainty that this is a likely outcome, it does seem to be a reasonable projection given current market information.

Figure 21: Automated and zero emissions uptake curves in Victoria by income group



Source: Deloitte Access Economics

⁴⁴ Harrington, D. (11 April 2018) IAG Investor Day: *Future of Motor Insurance*. <https://www.iag.com.au/sites/default/files/Documents/Announcements/IAG-2018-Investor-Day-5-Zone-Future-of-motor-insurance.pdf>, accessed 20 June 2018.

A fully automated road network

Automated vehicles are assumed to operate much more efficiently than human-driven vehicles, especially when they are connected to each other. Our research has assumed an efficiency improvement of 75% on our road network for automated vehicles.

In the Private Drive scenario, where 100% of vehicles are automated, the efficiency improvements (or 'flow factor') of automated vehicles mean that 75% more vehicles can move through part of the network at a given point in time compared to the base case.

We would expect that this efficiency improvement would lead to dramatic improvements in the level of congestion on Victoria's roads in 2046, and this is what we see in our transport modelling results. Overall network congestion is reduced by 31% on average compared to the base case, despite an 8% increase in the number of trips taken. We estimate that the value of time lost to delays in this scenario will fall from \$8.1 billion in the base case to \$6.2 billion.⁴⁵ All of these factors combine to make driving to and from work a more attractive option than in the base case, particularly when the occupant of the vehicle is no longer required to focus on the task of driving.

With driving becoming a more attractive option, both in relative and absolute terms, private cars become even more ubiquitous. Our transport modelling illustrates that in the Private Drive scenario, the number of cars in use would be 7% higher than in the base case, while at the same time public transport use declines across all modes. Public transport trips as a share of motorised trips fall from 19% in the base case to 14% in Private Drive. Buses are forecast to see the most significant fall in use (32%), but tram (28%) and train (22%) use also declines significantly in this scenario compared to the base case.

However, there are still nearly 3.7 million public transport trips in Private Drive. This is a significant increase compared to 2015, with 1.7 million public transport trips accounting for 10% of all motorised trips.

The full MABM results can be found in KPMG's report, *Automated And Zero Emission Vehicle Infrastructure Advice Transport Modelling*.

⁴⁵ Infrastructure Victoria analysis based on MABM outputs and ATAP guidelines on value of travel time.

Robot road

The network-wide benefits of automated vehicles mask some potentially significant challenges.

Since automated vehicles don't need a driver, they have the ability to return home to avoid parking costs, to recharge themselves after dropping their occupant off at work or at school, or possibly to conduct courier-like tasks. All of these empty vehicles are projected to increase traffic in the inner areas of Melbourne, where most of the jobs are but fewer people live. We call this phenomenon 'empty running'.


MABM shows that empty running could cause large increases in congestion in the inner areas of Melbourne (and large reductions in parking revenue for inner urban areas). Because of this, the network-wide efficiency gains are not realised in the Melbourne CBD and surrounds. In fact, traffic speeds in this area are projected to fall by 29% compared to the base case because of empty running, meaning people in cars and buses could be delayed around five and a half minutes extra per kilometre on average. Figure 22 shows a snapshot of the increased vehicle use in the inner areas and empty running during the morning peak period.

MABM also showed some increases in congestion on local and arterial roads during the inter-peak period (between 9am-3pm) from empty running. This is likely driven by automated vehicles running empty in the morning after dropping their owners at work and returning in the afternoon to pick them up, all the while using local and arterial roads to avoid tolls.

Melbourne's parking levies play an important role in managing congestion in busy inner-urban areas by sending a price signal for drivers in the CBD and surrounds, but with vehicles able to return home to avoid this charge, this demand management function is reduced. An area-based cordon charge could be introduced to replace this effect of the parking levy and mitigate some of the impacts of empty running.

We asked KPMG to test the impact of an area-based charge by applying a charge of \$5.00 to drive in inner urban areas, within about 5km of the CBD, during peak times (7-9am and 3-6pm) and \$2.50 at all other times. The modelling showed network delays in the inner city falling by 6 seconds per kilometre as a result of this charge. This suggests that an area-based charge may be an effective way to counteract the congestion caused by empty running.

Figure 22: Change in speed from the base case – Private Drive



Source: KPMG Transport modelling (MABM)

Automated vehicles and population dispersion

The impacts of quicker, more convenient journeys to work and a greater number of cars on inner city and inner suburban streets are expected to work in concert to affect the distribution of people and jobs in Melbourne. Automated vehicles have the potential to fuel population dispersion by reducing the inconvenience of long commutes. But they also offer new possibilities to increase the density and appeal of cities by making them more convenient, safe and efficient.


Modelling of land use in Victoria shows that the increased congestion from empty trips in inner urban areas would most likely significantly reduce the amenity of these locations, making them a relatively less appealing place to live. At the same time, the general shift in preference towards car travel makes access to major roads especially important for businesses and households.

SGS predicts that the combination of faster commuting times and more congestion in inner urban areas would cause people to move from inner urban areas to the middle ring suburbs with good arterial roads and access to freeways, as shown in the map below.

Some jobs are forecast to follow this pattern of movement, with Sunbury, Maroondah and Frankston projected to experience some of the biggest spikes in jobs growth in this scenario. However, jobs in knowledge-intensive industries like financial services are still likely to cluster in the CBD, leading to additional commuting trips to the CBD from these suburbs.

To understand the impact of a more dispersed or consolidated city on the transport network, we ran two alternative land use outcomes for the Private Drive scenario in MABM based on those created by Infrastructure Australia for their *Future Cities: Planning for our growing population* report. MABM showed that these different patterns of land use do not materially change the traffic modelling results of the Private Drive scenario. This result gives us confidence that the results of our modelling will hold no matter how Melbourne grows.

Figure 23: Dwelling change from the base case – Private Drive (empty running)



Source: SGS Economics & Planning


Automatic for the regions

SGS’s modelling also predicts consolidation of population and jobs in major regional centres, most notably Geelong and the surrounding areas to the west, Barwon-West and the Surf Coast. The table below shows the predicted growth in dwellings in these areas in the Private Drive scenario, with a number of different assumptions, including removing ‘empty running’, and a different value of travel time (low marginal utility of travel time (MUTT), as described in the assumptions section). Low MUTT is intended to reflect the possibility that people will be prepared to accept more time in an automated vehicle, because they are free to focus on tasks other than driving.

In all versions of Private Drive, Geelong and its surrounds are forecast to grow considerably. Geelong’s population is forecast to be 275,000 in 2046. Assuming an average household size of 1.9, adding up to 12,000 additional households to the base population could represent a population increase of around 8% in this scenario.

These changes are likely to be driven by access to jobs. As automated vehicles are likely to make commuting more appealing, Geelong becomes more accessible from the Barwon-West and Surf Coast areas. Geelong itself is already well-connected to Melbourne. Baw Baw could grow thanks to its proximity to job centres in Melbourne’s south east. Heathcote, Castlemaine and Kyneton could also see some growth as these towns are located between the jobs in Melbourne, Ballarat and Bendigo. Bendigo is projected to see very little change in Private Drive compared to the base case. This is likely the result of Bendigo’s distance from Melbourne when compared to Geelong and Ballarat, meaning automated vehicles are unlikely to provide significantly greater access to jobs in Melbourne.

Figure 24: Change in dwellings – regional Victoria



Source: SGS Economics & Planning

Automated is accessible

The lower cost of battery electric vehicles (as outlined previously in *Electric Avenue*) and the convenience of automated driving could also dramatically improve accessibility for all Victorians. Deloitte Access Economics' analysis of the impacts on access to services of automated and zero emissions vehicles predicts that Private Drive will deliver the greatest accessibility benefits of all the scenarios.

Access to schools, hospitals, public transport and activity centres is projected to be considerably better due to the combination of increased convenience and low out-of-pocket costs. However, even though automated vehicles improve access to services in all areas across all demographic groups, there are still pockets of people in the most remote areas of Victoria with relatively poor access to schools, hospitals, public transport and jobs. These are predominately larger rural regions that are characterised by being further away from areas of dense population and that already experience low levels of accessibility to services, such as East Gippsland.

Safer, healthier, but with more complex waste

In addition to running more efficiently, automated vehicles are widely assumed to deliver improved safety outcomes. A widely cited study in the US found that in 94% of crashes, human error is the primary causative factor.⁴⁶ This finding has been used as an assumption across all of our work, meaning that our analysis assumes a 94% reduction in road accidents per kilometre travelled. This evidence is supported by local research, which estimates that around 90% of accidents are due to a 'minor mistake', such as being distracted or fatigued.⁴⁷ Compared to the base case (and assuming no other road safety improvements between now and 2046), a 94% reduction would mean up to 17,900 road accidents could be avoided across Victoria in 2046 as a result of automated vehicles.⁴⁸ This assumption is yet to be proven through verifiable results from a commercial deployment of automated vehicles. However, we consider it a reasonable assumption to make for the purposes of this analysis, acknowledging it may be a 'best case' reduction in accidents.

A fleet comprised of automated, zero emissions vehicles could also substantially reduce emissions of pollutants harmful to human health, resulting in health benefits for all Victorians. Using the DALYs approach discussed in *Electric Avenue*, the benefits of this scenario are projected to be as high as 3,250 avoided DALYs annually, worth \$632 million per year in 2046.

However, automated vehicles will further complicate the waste challenges raised by the transition to battery electric vehicles as discussed in *Electric Avenue*. For the purposes of this analysis, a typical automated vehicle is estimated to generate an extra 10kg of e-waste in 2046. This includes on-board computers, additional wiring, sensors and radars – roughly 79,800 tonnes of e-waste per year overall. To put this into perspective, Victoria's total estimated e-waste in 2016 was 130,000 tonnes.

⁴⁶ National Highway Traffic Safety Administration (2015), *Human Factors Evaluation of Level 2 and Level 3 Automated Driving Concepts*.

⁴⁷ Australian Financial Review (April 2015), 'Insurance companies warned about threat of driverless cars'. Available at: <https://www.afr.com/technology/insurance-companies-warned-about-threat-of-driverless-cars-20150416-1mm6fw>. Accessed 8 July 2018

⁴⁸ Calculated using VicRoads crash statistics from the 2016-17 financial year, applied to the 2046 population.

Case study: Singapore – curbing growing pains with automation

With a population of five million people living and working on an island of just 700 square kilometres, Singapore is facing some unique urban mobility challenges that it is hoping to solve with automated vehicles.

In addition to its land constraints (roads already take up 12% of Singapore's land area), a shortage of drivers, an ageing workforce and increasing and more diverse travel demands are driving Singapore to look to increase active and public transport, as well as introducing automated vehicles.



The transition is backed by a coordinated, government-led approach, with relevant public agencies and private organisations combining to achieve the vision of a 'car-lite Singapore', with urban mobility delivered as efficiently as possible.

Automated trains are already a feature of the island nation's public transport backbone, Mass Rapid Transit, and on-demand and fixed route automated bus trials are underway at Gardens by the Bay and Nanyang Technological University. Grab, South East Asia's Uber equivalent, told us it has plans to run automated taxi services in some areas alongside its traditional ride-sharing and taxi services by 2020.

Singapore already combats congestion through peak and off-peak road user pricing and a heavily regulated vehicle licensing scheme. While land constraints are causing some headaches, Singapore's small land mass combined with a clear government mandate creates ideal conditions for testing and rolling out new systems and technologies.

Victoria can learn from countries like Singapore and Japan, where an ageing population and driver shortages are creating opportunities to allow automated vehicles to play an important role in connecting their regional and rural citizens.

In Japan, automated buses are viewed as a potential solution to unprofitable rural bus services that may be the only connection to larger towns and community services for elderly residents. Softbank Drive, the automated driving arm of technology giant Softbank Corporation, told us that more than 80% of Japanese bus companies are currently struggling to make a profit, requiring about \$11 million of government support in 2016. This may be one reason why the reaction to automated bus services has been especially positive in rural areas, where residents may be underserved by existing local routes compared to Tokyo, where the public transport network already runs like clockwork.

But while in Singapore and Japan the government's approach to implementing automated vehicles may look like a modern well-oiled machine, it's clear that even with strong government intervention and an ideal testbed location, rolling out automation is no simple task. Both countries' automated bus trials are currently running on magnetic sensors to help guide vehicles, and one industry figure told us "if you really want to go to the 'Wild West' on public roads, there's still a long way to go".


More productive, but in different sectors

Overall, our research suggests that the impact of automated vehicles could deliver a range of benefits to Victoria. Computable General Equilibrium (CGE) modelling undertaken by Deloitte Access Economics on our behalf suggests that a Private Drive scenario would drive productivity improvements in the Victorian economy, leading to an increase in Gross State Product (GSP) of 2% in 2046 – a \$14.9 billion improvement over the base case (see Figure 25). These productivity improvements reflect the economy’s ability to produce greater outputs from the same set of inputs. It can reflect better methods of production, higher quality inputs or technological advancements.

Automated vehicles could fundamentally reshape specific sectors, ultimately eliminating the need for some jobs. In the base case, up to 188,000 people are forecast to be working in industries that could be affected by the emergence of automated vehicles, 75,000 of which fall into the freight, taxi/hire car and road public transport sectors. In Private Drive, we assume that all trucks, cars and buses are automated. The modelling shows a fully automated vehicle fleet would lead to the loss of around 72,000 jobs in these industries. While this is a large number, it only makes up a very small proportion of Victoria’s total workforce and is likely to be offset by productivity gains and jobs growth economy-wide. Deloitte Access Economics’ modelling shows that these initial job losses would most likely be offset by employment growth of around 83,000 jobs in other industries as the overall economy adjusts to the productivity benefits of automated vehicles. Figure 26 shows the projected employment impact on the most affected industries.


It is important to note that these GSP and employment changes represent the impact of automated and zero emissions vehicles at a point in time. Higher GSP is an annual benefit, which will lead to further jobs and income growth over time. Conversely, the initial negative employment shock from automated and zero emissions vehicles is a one-time occurrence. The offsetting employment growth will further contribute to the strength of the Victorian economy over time.

Figure 25: Change in Victorian GSP, Private Drive



Source: Deloitte Access Economics

Figure 26: Employment impacts – key industries 2046




Source: Deloitte Access Economics

Automated vehicles and electricity demand

The Private Drive scenario is forecast to have the largest impact on peak electricity demand in Victoria. Of all the scenarios, Private Drive has the highest number of vehicles travelling the most kilometres. Energy network modelling undertaken by KPMG shows that the vehicle fleet would generate an additional 24,000GWh of demand in 2046. This is equivalent to the combined capacity of approximately 30 wind farms at 140MW each, and 81 solar farms at 75MW each.


The charging profiles for this scenario are projected to be largely the same as in Electric Avenue, since both scenarios reflect 100% private ownership, but overall electricity demand is slightly higher in Private Drive. The total consumption is the same regardless of load profile, but the contribution to maximum demand differs considerably. With incentivised charging, the vehicle fleet is forecast to add slightly more than 3,500MW to maximum demand during peak hours (see Figure 27). Without incentivised charging, this would increase to over 6,700MW of electricity demand during the peak (Figure 28).

Figure 27: Load profile – incentivised




Source: KPMG energy modelling

Figure 28: Load profile – non-incentivised



Source: KPMG energy modelling

Figure 29: Projected capacity and maximum demand – Private Drive (incentivised)



Source: KPMG energy modelling

Private Drive is predicted to place even more pressure on local distribution networks than Electric Avenue. Figure 29 illustrates the zone substations KPMG projects to exceed their projected capacity with an incentivised profile, which is the best-case assumption for Private Drive.

As the map shows, a number of zone substations would exceed their rated capacity in this scenario – 89 in total. As with Electric Avenue, the majority of affected substations are located in the outer west and regional areas. Where no incentives are in place, this number increases to 120 in broadly the same pattern.

Automation and Victorian roads

Automated vehicles are not likely to require wholesale changes to road network design to operate in Victoria. Arup’s analysis of the effect of automated vehicles on road design found that the design, operation and maintenance of road assets, such as pavement and structures (like bridges) are influenced by a number of factors, primarily expected maximum axle weights and the configurations of heavy freight vehicles. At present, there is no evidence that automation will lead to significant increases in the weight of heavy vehicles beyond levels currently permitted on Victorian roads.

However, to enable early take-up across the broadest range of automated vehicles, some physical infrastructure and maintenance regimes may need to change. We heard from numerous stakeholders that early introduction of vehicles with high levels of automation is likely to be heavily dependent on roads being of good quality with clear lines and signs, and no pot holes.

Victoria could also undertake changes proactively. For example, in-vehicle Traffic Sign Recognition (TSR) systems would benefit from reductions in text-based signs on roads, such as time-based 40km/h speed zones, with varying time limitations. For automated vehicles to respond appropriately, machine-readable stickers or other digital solutions are likely to be required. Alternatively, this information may be able to be provided digitally to automated vehicles if reliable information could be provided from a single authoritative source (such as VicRoads). Any changes to signs would need to be planned carefully due to the number and complexity of existing signs in use throughout the state.

Austrroads and Standards Australia are working to develop a consistent and uniform approach to line marking in Australia, as well as investigating technologies to prolong the life of line markings. This research is expected to be concluded in 2019. At present, the quality of line markings on Victorian roads is not subject to a routine survey process. This lack of current data and future specifications makes it impossible to estimate the total budget required for upgrading lines at present.

Are there any roads in Victoria that are unsuitable for automated vehicle use?

According to VicRoads, there are approximately 150,000 kilometres of roads open for general traffic and a further 50,000 kilometres of other minor roads and tracks in parks and forests.⁴⁹ The Australian Bureau of Infrastructure, Transport and Regional Economics (BITRE) estimated that in 2015, 63,132 kilometres out of a total 145,736 kilometres in Victoria are unpaved, or about 43%.⁵⁰ Will automated vehicles be able to travel on these roads?

Internationally, the deployment of automated vehicles has tended to focus on urban areas, though there are a few notable exceptions. In our discussions with the Japanese Government, for example, they highlighted that improving access and connection for rural residents is one of the primary objectives of their automated vehicle trials. New South Wales is also conducting regional trials of automated vehicles.

What we've found through our discussions with stakeholders is that the technology in automated vehicles is likely to be able to cope with unsealed roads – eventually. Three main factors will determine how quickly this happens.

First, automated vehicles are currently being designed to 'read' our roads using sensors that, for now, rely heavily on visual feedback from existing lines and signs. Unsealed roads without line markings are therefore likely to pose a challenge for these technologies. However, we also heard from some manufacturers that their vehicles are operating on roads without lines now, though they may be slightly less accurate in their positioning on the road without this data.

Second, automated vehicles are currently being designed to address the most pressing priorities for operation, which, from a business point of view, means those that are most commercially viable. Commercial viability in the car industry generally means high density locations. However, deployments in some major cities in North America and Europe will need to be able to operate in snowy conditions, which will require vehicles to rely on similar sources of information that they would need to operate on unsealed roads. This commercially lucrative market may therefore act as a training bed for the vehicles to develop the required skills for unsealed road navigation.

Third, operating automated vehicles on unsealed roads is likely to require detailed mapping of these routes, possibly with a driver behind the wheel before they can be operate autonomously. While possible, this is likely to take time.

Therefore, while unsealed roads are not likely to be a barrier to uptake of automated vehicles in the long term, it may take some time to get there.

⁴⁹ Victoria's road network. Available at: <https://www.vicroads.vic.gov.au/traffic-and-road-use/road-network-and-performance/types-of-roads/victorias-road-network>. Accessed 21 June 2018.

⁵⁰ Growth in the Australian Road System https://bitre.gov.au/publications/2017/files/is_092.pdf.

Automated vehicles – driving data usage

We expect automated vehicles to collect and transmit data as they travel to help them understand the world around them and communicate with other vehicles on the road. Analysis undertaken by WSP estimates that automated vehicles will send and receive approximately 20 megabytes per driving hour – half of which is data communicated by the vehicle (sent), while the other half is received by the vehicle. Freight vehicles are likely to have similar ICT requirements to passenger vehicles. The projected data use of automated vehicles in 2046 is around 0.4% of what WSP forecasts personal data usage to reach in the next three years. In this context, automated vehicles are not likely to require additional investment in data capacity.

Based on the number of vehicles on the network in this scenario, WSP predicts that additional data generated by the vehicle fleet will be around 184 terabytes a day. It estimates that around 3,300 terabytes of this vehicle data per year will need to be stored by fleet operators in case it is needed to assist with legal queries. WSP estimates that stored data could be held for a month before it is compressed and transferred elsewhere for long-term storage.

How does an automated vehicle know where it is?


There's a lot of confusion about the various types of technologies that may be required to support automated vehicles on Victorian roads. Our research suggests that automated vehicles will be designed to operate on roads without having to be connected to each other, to infrastructure or to a remote or cellular network. Instead, in-vehicle systems are used to 'read' our current infrastructure, including lines, signs and traffic lights with a variety of sensors, including cameras, radar and LIDAR. The vehicle then determines the correct behaviour around these objects using an on-board computer to bring together and interpret the various inputs.

However, there is a potential advantage in mobile connectivity for automated vehicles in providing another source of information for the vehicle to improve its understanding of its surroundings and realising the potential efficiency gains of automation. For example, in addition to reading a traffic light, the traffic light could send a signal to an automated vehicle to let it know that it is about to change, or a signal could help the vehicle to confirm that it should continue travelling along its current path if there is a break in the lines on the road, like at an exit ramp from the freeway.

WSP has found that, to achieve a minimum level of connectivity, automated vehicles are likely to require the complementary technologies of cellular data coverage and the ability to communicate with roadside infrastructure at critical intersections on all roads with high rates of traffic or where they are desired to operate at full functionality. The existing roadside infrastructure is likely to be able to support the minimum connectivity required for automated vehicles in 2046 either by design or through retrofitting. However, the preferred technology for short-range vehicle-to-vehicle and vehicle-to-infrastructure communication in the longer term is still unclear.

Metropolitan Melbourne and regional Victorian towns and cities are likely to already have sufficient cellular data coverage for automated vehicles to operate, but in some rural areas coverage is patchy. Mobile network coverage would need to be extended to support the operation of automated vehicles in rural areas. WSP's analysis identifies a minimum of 134 additional mobile towers in rural and regional areas to provide a minimum level of coverage, outlined in Figure 30.

Figure 30: Minimum mobile coverage requirements for automated vehicles



Source: WSP

To fully realise the benefits of automated vehicles across Victoria, WSP suggests that the cellular data network would need to be extended to all sealed roads. This is projected to increase the number of towers required 15-fold to 2,098 towers covering an additional 14,731 kilometres of road network at an estimated cost of about \$1.1–\$1.7 billion. The Victorian Mobile Black Spot Project and Australian Mobile Black Spot Program, which invest in telecommunications infrastructure to improve mobile coverage along major regional transport routes and in regional communities, thereby have the potential to also support the operation of automated vehicles in rural and regional Victoria.

We have not included unsealed roads in the assessment of ICT infrastructure or cellular data requirements because it is still unclear whether vehicles might be able to operate on unsealed roads using a combination of other systems or satellite positioning. For example, improved positioning systems for automated vehicles could help navigation on roads without line markings, as improved satellite precision (within 1–10 centimetres) would allow automated vehicles to use a remote signal as a primary input to establish their location on a road. However, vehicles would still need to use sensors to identify and navigate around objects near the vehicle, like cars parked on the road, trees or animals. Further, the potential cost required to install mobile towers on all unsealed roads means that this would be unlikely to happen solely for the purposes of enabling automated vehicles.

In the long term, if automated vehicles completely replace conventional vehicles, developments in positioning technology could evolve to be a primary source of positioning data, reducing the need for in-vehicle positioning capabilities. For example, Satellite Based Augmentation Systems, currently being trialled by the Australian Government for other purposes, may provide this function, where available. Improvements in positioning technologies may make it possible to remove some visual infrastructure in favour of more flexible, demand-responsive traffic management that communicates directly with connected vehicles. Speeds, lane directions and road network prices could be updated to respond to the immediate needs of the transport network and communicated directly to the vehicles or their occupants to make decisions about how best to move around.

Coverage, reliability, safety, redundancy and cyber security issues would need to be resolved for this to eventuate. This would include things like the roll out of ubiquitous mobile coverage with 'safety' level reliability, roadside infrastructure where mobile data or positioning coverage is typically inadequate (such as in tunnels and dense urban areas), or using overlapping systems to increase redundancy in communications. However, the timeframe for full deployment of automated vehicles is far enough in the future that we expect that these issues can be addressed incrementally.

For more information on the technical ICT infrastructure requirements, see WSP's *ICT Infrastructure Advice for Automated and Zero Emission Vehicles* report.


Talking cars will require roadside infrastructure that listens

The technology that enables cars to 'talk' to road infrastructure, other vehicles and even other road users is often referred to as 'vehicle-to-everything' or V2X. For example, a communications unit installed along the side of the road could help provide improved location services to vehicles, control traffic signalling and optimise traffic flow. Roadworks sites are an example where V2X technologies will likely be essential, at least in the medium term. Roadworks are one of the highest risk work and transport environments. At present, Victoria has a system to register and manage roadworks that is linked to mapping systems, but it does not always reflect road conditions on a given day. A V2X infrastructure response would be able to provide information to automated vehicles encountering roadworks, allowing them to respond appropriately.

Figure 31 illustrates the relationship between 'vehicle-to-infrastructure' or V2I roadside units, mobile towers, vehicles and the cloud. Vehicles can communicate with roadside infrastructure directly, and with each other via mobile networks. The V2I infrastructure can provide essential information on things such as road conditions and traffic flows, while vehicles communicating with each other provide an additional layer of safety. Other road users, such as pedestrians and cyclists, may 'opt in' to the connected network for efficiency purposes, but it is essential that safety should be guaranteed regardless of whether they decide to use this technology. Options could include embedding transmitting devices in bicycle helmets or using mobile phones to indicate their position.

WSP's analysis suggests that by 2046 there would be a minimum of around 1,280 sites where V2X infrastructure would be critical to network function, and up to 6,626 sites to fully optimise the network. The ICT infrastructure requirements for the Private Drive scenario reflect the highest level required from a maximum data use perspective, as this scenario represents the largest fully automated vehicle fleet of all the scenarios. WSP found that the overall ICT infrastructure requirements don't vary significantly from scenario to scenario, with variations only in the amount of data generated by the vehicle fleet.

Figure 31: Connected automated and roadside infrastructure



Source: WSP

Ground control to automated vehicle


Existing road network control systems will need to be supported in the short to medium future. Both WSP and Arup have found that, for the efficiency and flow gains of automated vehicles to be fully realised, vehicles will need to be connected to the transport system. This includes not only an optimum level of ICT infrastructure, but also some form of proactive overall fleet routing control and optimisation. This is likely to require a centralised traffic management centre that provides network monitoring, could monitor vehicle routing and provide critical updates on unexpected changes in traffic conditions and natural disasters, for example in the event of a road accident, new pothole, flooding or a tree falling across the road. In some circumstances, road operations may get worse without connectivity, for example if automated vehicles allow more conservative headways or are unable to use complex intersections and road layouts. Figure 32 illustrates what a future network management system might look like.

A centralised network management approach would require new ICT infrastructure to collect, integrate and manage the different control and reporting systems. WSP's analysis suggests that doing so would require a high level of coordination between public and private organisations in sharing data. New technologies based on the principles of open data and using application programming interfaces (APIs) are needed, and likely to be able to address the technological requirements to do so.

The policy settings to encourage this data sharing need to be carefully considered and recognise that data sharing should be a two-way street. To fully realise the benefits of automated vehicles, vehicles and fleet operators will need up-to-date information on the traffic network, while network operators will require access to vehicle data for network management and optimal routing purposes. Data privacy and security will be a key consideration in any future open data arrangements.

Cyber security is another concern for automated vehicles. The Commonwealth Department of Infrastructure, Regional Development and Cities is responsible for the development of a national cyber security strategy. While this strategy will have implications for Victoria, as it is not directly related to the infrastructure requirements for automated and zero emissions vehicles, we consider it outside of the scope of our work.

Figure 32: Connected transport system design



Source: WSP

Automated vehicles and your neighbourhood

Automated vehicles have the potential to radically reshape the way we design our cities and neighbourhoods. A fully automated vehicle fleet connected digitally to infrastructure could ultimately require less or no visual infrastructure, such as road signs, line markings and traffic lights.

The ability of automated vehicles to drop their occupant off at their school or workplace and then return home (or travel somewhere with no parking costs) could also free up much of the car parking space currently provided in space-constrained urban areas like inner Melbourne, suburban town centres and regional centres. This presents opportunities to repurpose unused space for other uses. However, residential parking would still be needed in the Private Drive scenario. Streetscapes may need to change, where existing on-street parking is changed to kerbside access for pick-up and drop-off. Chargers on the footpath could actually reduce pedestrian space if not well planned.

We examine these opportunities in more detail in our discussion of the Fleet Street scenario.

So what do we know about private automated vehicles?

Private Drive shows the benefits of a fully automated vehicle fleet, and the effect is dramatic. If the potential improvements in the flow of automated vehicles are actually translated into on-road gains, the modelling shows that the capacity and efficiency of Victoria's road network would be greatly improved, particularly Victoria's freeways. The appeal of automated cars is forecast to pull a large number of people off public transport and into cars relative to the base case. This may or may not be a bad thing if automated and zero emissions vehicles deliver significant environmental benefits and provide improved mobility for people. This would lead to travel time savings for commuters, and could present an opportunity for government to delay or avoid some major road capital investments.

Further, traffic accidents could be almost entirely eliminated and access to services could be improved across Victoria. In this scenario, all of these benefits would be added to the already significant environmental and population health benefits we described in the Electric Avenue scenario.

What if automated vehicles are not zero emissions?

While we expect to see automated and zero emissions vehicles progress in tandem, there is a possibility that some automated vehicles could be petrol or diesel fuelled. As the focus of our advice is on zero emissions vehicles, we have not undertaken an in-depth consideration of this scenario. However, if automated vehicles were still petrol fuelled, the projected increases in travel resulting from automation could lead to a significant increase in vehicle emissions. Based on the assumed operating cost of a traditional petrol vehicle, we would expect a 14% increase in kilometres driven over the base case, leading to a similar increase in vehicle emissions. This would have flow-on effects for a number of environmental and population health measures, including:

- additional DALYs from airborne emissions
- challenges in meeting emissions targets
- continued reliance on fossil fuels.

Automated vehicles could also provide significant productivity improvements that could deliver ongoing economic dividends to Victoria through more jobs and higher economic growth.

Unfortunately, these benefits would not be evenly felt, and automated vehicles could lead to some unexpected and potentially unwanted outcomes.

The ability of automated vehicles to drop off an occupant and return home to charge or go elsewhere to avoid parking fees – commonly referred to as 'empty running' – is predicted to cause large amounts of congestion in the inner areas of Melbourne, as outlined earlier. The extra congestion resulting from this empty running may contribute further to emerging patterns of land use, in which the population of Melbourne becomes more dispersed due to people being prepared to accept longer commutes. From greater population dispersion in Melbourne to significant changes in the distribution of people and jobs in a number of regional Victorian centres, the changes in travel behaviour brought about by automated vehicles in this scenario would likely place strained infrastructure under greater pressure.

Case study: Arizona, US – government and private sector driving AV progress

The state of Arizona in the US has implemented a strategy to attract automated vehicle companies to the state, and the experience has lessons – good and bad – for other governments.

When the incumbent Governor Doug Ducey took office in 2015, automated vehicle technology was identified as a key economic growth priority for the state. Compared to other US states, Arizona decided to partner with automated vehicle companies rather than regulate them. A number of companies leapt at the opportunity, and Waymo (formerly the Google self-driving car project) was among them.



In 2015, Arizona decided to legally define ‘driver’ as human or computer, whereas in other states like California, a back-up driver is always required. In the race to develop automated vehicles, being able to test on public roads is a major advantage, which has driven investment in Arizona. In other jurisdictions, automated vehicle trials are predominantly running on short, pre-programmed routes with safety personnel in abundance, whereas Waymo is testing vehicles in automated modes on public roads without back-up drivers.

Looking to the future, a fully automated vehicle fleet has some obvious challenges to overcome. How will an automated vehicle refuel or charge? Who will maintain the cars? To address these issues, Waymo signed a deal in 2017 with rental car company Avis in Phoenix to service and store its automated vehicles. This deal shows the potential for new industries to spring up as the share of automated vehicles grows – and Arizona has a foot firmly in the door of this growing market.

The perception of automated vehicles in Arizona is notably different than in other jurisdictions. One government representative told us he felt his children would be safer in an automated vehicle than in one he was driving, when he can be distracted by emails, his children or the behaviour of other drivers. In his view, automated vehicles are safer because they are always 100% focused on the task at hand. The general community reaction to automated vehicles in Chandler has also been a bit of an anti-climax – they are seen as ‘boring’ drivers, with one person we met with telling us it’s “like driving behind my Grandma”.

No changes to infrastructure have been needed to operate automated vehicles in Chandler. Instead, the first step for Waymo when launching in a new city is to compile hyper-detailed 3D maps of the operating area before moving to testing and simulation. While Waymo told us that smart infrastructure would be used if it were available and better lane markings would assist with navigation, the company is assuming no changes will be made to accommodate its vehicles.

However, several high profile accidents in the first half of 2018 have caused some trials to stall, and had an impact on community confidence. In March 2018, a woman was struck and killed by a self-driving Uber while crossing a road in Tempe, Arizona. A Tesla operating in Autopilot mode crashed in the same month, killing its driver. Following the Tempe accident, Uber suspended its automated car fleet across the US and Canada, and shut down its program in Arizona. The government also hasn’t been immune to criticism in these incidents; US non-profit group Consumer Watchdog labelled Arizona “the wild west of robot car testing”.


Arizona’s approach to relaxing regulation and partnering with the private sector to support the automated vehicle industry has shown the rapid progress that can be made. The accidents in the first half of 2018, however, highlight some challenges on the road to progress.

Fleet Street

A shared fleet of electric and automated vehicles.

On-demand vehicle services are an emerging market model where fleets of vehicles owned by companies are used by individuals on short trips for a fee. On-demand vehicle services are becoming an increasingly popular alternative to vehicle ownership, particularly for trips in urban areas. In this scenario, nobody owns their own car, and instead are required to use on-demand automated vehicles that effectively function like taxis, with a similar fare structure. While people might share the trip with a friend or partner, we have not assumed they would share with strangers, and have not tested carpooling in the transport modelling. However, we separately surveyed Victorian motorists to find out how they might use an automated car in the future, including the potential to ride-share. The results of this survey are discussed later in this report.

A 100% shared automated vehicle fleet represents the most radical departure from our base case scenario.



The Fleet Street Fleet

On-demand automated vehicles are expected to have the most dramatic impact on Victoria out of all the scenarios we considered. International evidence suggests that, in a shared fleet scenario, all of Melbourne's transport demand could be met with a much smaller vehicle fleet, and our transport modelling supported this.

In the Fleet Street scenario, the transport modelling shows the vehicle fleet shrinking from 3.5 million to 260,000 – a 93% decrease. Individual vehicles go from being in use only 4.8% of the day to 36% of the day. This seemingly dramatically reduced vehicle fleet could meet Melbourne's travel needs because not everybody travels at the same time. A rule of thumb is that the maximum number of trips occurring in any five-minute interval is only about 5% of all daily travel.

How busy is Fleet Street?

In this scenario, the total amount of kilometres travelled by car is forecast to fall. KPMG's modelling shows a 15% reduction in the amount of vehicle kilometres travelled over the course of an average day, as people switch from cars to public transport due to the higher perceived cost of using on-demand vehicles. Congestion is significantly lower and peak time delays are almost entirely eliminated. Average network delays are reduced by 91% while morning peak delays are reduced by 93% compared to the base case. The associated value of time lost to delays could fall significantly as a result of reduced congestion. We estimate that the cost of road delays in Fleet Street could be 88% less than in the base case, at \$900 million.⁵¹ However, the number of automated vehicles 'empty running' from one trip to the next keeps traffic volumes high – especially in the inner city. A much smaller vehicle fleet does lead to some additional delays in waiting for a vehicle to arrive. MABM shows that the median wait time across the day is less than two minutes, although this is forecast to increase to just over three minutes during the morning peak.

Key findings

- 93% smaller vehicle fleet
- 72% of trips by car, 28% public transport
- Demand for some public transport services at peak time is 41% over capacity
- Subscription fare reduces public transport share to 18%
- Fleet trips cheaper than private ownership for consumer
- 3,781 DALYS avoided valued at \$735 million in 2046

⁵¹ Infrastructure Victoria analysis based on MABM outputs and ATAP guidelines on value of travel time.

Like in the Private Drive scenario, the effective capacity of Victoria's roads is assumed to significantly increase in Fleet Street, meaning the same road network would operate more efficiently. This could deliver ongoing benefits to Victorians through reduced congestion and faster trips. Governments may also be able to avoid some infrastructure investment and road maintenance costs.

We tested this hypothesis by running the Fleet Street scenario in MABM without any additional road infrastructure that is not already under construction in 2018. This showed that, even without additional investment in the road network, congestion is still lower than the base case. Peak time delays, while worse than with the additional roads, would still be 82% lower than the base case. We chose to test this hypothesis in the Fleet Street scenario because it is the scenario in which the network performs the best, providing us with an opportunity to test possible responses to an unexpected future. It is important to note that this analysis does not necessarily suggest that new major roads are not needed, as the Fleet Street scenario entails very significant change. There may be infrastructure requirements for new roads during the transition period to such a future in which transport demand is increasing and automated vehicles are yet to emerge.

Public transport coming under increasing pressure


Public transport demand is likely to be much higher in the Fleet Street scenario. In this scenario, public transport accounts for 28% of motorised trips compared to 19% in the base case. This is because public transport is perceived as relatively more cost-effective than shared automated vehicles.

Even with an expanded public transport network in the 2046 base case, this places significant pressure on the capacity of our public transport networks – particularly buses. The Fleet Street scenario has more use of public transport for a broad range of everyday activities, and these diverse trips are better served by buses and trams. In this scenario, the number of individual bus trips is forecast to almost double to 2.9 million per day (Figure 33).

It's not just the buses that are affected by increased public transport use. What looks like a relatively small increase in train use presents particular challenges for specific parts of the rail network at key times of day. In this scenario, the Clifton Hill, Caulfield and Metro (Parkville) rail groups are all projected to be over capacity during the morning peak period. Figure 34 shows the capacity of the rail network and the projected demand in the Fleet Street scenario. A blue line indicates there is additional capacity in that part of the network and a red line means a line is at or over capacity.

Often, higher public transport usage means more people walking as part of their commute, usually to get to or from their closest public transport option (or both). The modelling for Fleet Street shows this scenario is no exception. There is a 38% increase in walking trips overall, which equates to people walking an extra 400 metres per day. This may not seem like much, but any increase in 'active transport' is generally considered positive because of the health benefits associated with a more active population.

Figure 33: Fleet Street – change in public transport use from base case



Source: KPMG Transport modelling (MABM)

Figure 34: Fleet Street train volume capacity ratio – morning peak period



Source: KPMG Transport modelling (MABM)

On-demand vehicles – a fare outcome

At first glance, the decline in car use and the increasing reliance on public transport seems counterintuitive, given the cost savings associated with no longer owning a vehicle. However, this is a function of how people typically make decisions about travel choices. MABM models this observed behaviour by allowing agents to make travel decisions based on a range of factors, including price.

Although we expect the average annual cost of owning a car, including purchase price, maintenance costs and registration fees, to be much higher than using on-demand automated vehicles, much of this cost is ‘sunk’, and not considered by individual agents in the model when they make travel decisions. On the other hand, fares for using on-demand automated vehicles build in these sunk costs in addition to fuel costs, and are incurred every time a trip is made, just like taxi services do now. The result is that each individual trip is perceived to be more expensive in Fleet Street than in Private Drive.

In this scenario, we also asked KPMG to test a ‘subscription-style’ pricing model to better understand the potential for on-demand vehicle use under different business models. The subscription model assumes a user has paid an upfront cost for an on-demand vehicle ‘membership’ (either monthly or annually) and then a much smaller per-trip cost. The table below shows the differences in vehicle operating or use cost between Private Drive, Fleet Street and Fleet Street (subscription).

Figure 35: Vehicle operating and use costs – Private Drive and Fleet Street

	Private Drive	Fleet Street	Fleet Street (subscription)
Fuel cost/km	\$0.05	-	-
Flagfall	-	\$2.00	\$0.50
Fare (\$/km)	-	\$0.22	\$0.05
Fare (\$/min)	-	\$0.07	-

Using the costs shown in Figure 35, a 5 kilometre trip taking 20 minutes in Private Drive has a perceived cost of \$0.25. The same trip in Fleet Street would have a perceived cost of \$4.50 using the base fare or \$0.75 under the subscription fare.

The modelling confirms that the subscription fare would make people much more likely to use on-demand automated vehicles in comparison to the original Fleet Street fare structure. The number of daily on-demand vehicle trips increased from just over 11 million with the original fares to over 13 million with subscription fares, as the lower perceived cost of use entices people to use fleet cars. The size of the fleet is also forecast to increase to meet this increased demand, as Figure 36 shows.

The shared vehicle fleet could offer a door-to-door service on a relatively congestion-free road network, so these extra car trips come mostly at the expense of public transport use. Public transport as a share of motorised trips falls from 28% under the original fare structure to 18% with the subscription fare – which is even lower than the base case at 19%.

We also asked KPMG to test a different model for buses in the Fleet Street scenario, known as demand-responsive transport (DRT), where smaller on-demand buses replaced the traditional bus fleet. This scenario showed that the amount of distance travelled by buses increased by nearly 9% due to DRT vehicles travelling further to pick up passengers. Not having to walk to a bus stop meant that the amount of walking done by Victorians fell by 1.5%. Overall, accessibility improved for residents of outer areas under this model, with non-driving adults the largest beneficiaries. This is due to the greater convenience and faster travel times of DRT vehicles, which make fewer stops and travel on more flexible routes than traditional buses.

Figure 36: Number of vehicles (thousands)




Source: KPMG Transport modelling (MABM)

Why use on-demand transport?

Analysis of the financial impacts of automated and zero emissions vehicles undertaken by a different KPMG team compared the costs of private vehicle ownership and on-demand automated vehicle use. KPMG found that, for the average Victorian who travels 15,000 kilometres a year, it would be around 40% cheaper in 2046 to use a fleet-style service than to own their own vehicle. Figure 37 expands on this, showing the results of KPMG’s analysis of lifetime vehicle ownership costs, assuming 15,000 kilometres of travel per year, compared to using an on-demand automated vehicle for the same amount of travel.

Figure 37: Private and fleet vehicle cost comparison



Source: KPMG financial modelling


This analysis included all fixed and variable costs of vehicle ownership, including purchase price, fuel, insurance and registration fees, in 2046 dollars. As Figure 37 illustrates, even the upper bound of cost for the on-demand vehicle service is likely to be less than the lower bound (cheapest) cost for private vehicle usage, assuming a flagfall fare of \$2.00, a per-kilometre cost of \$0.22 and a per-minute cost of \$0.07.

KPMG's analysis also found it would be cheaper to use a fleet service for anyone travelling up to 43,000 kilometres a year, or 118 kilometres a day, beyond which private ownership is cheaper. This is because the cost per kilometre of using an on-demand vehicle increases faster than for a private vehicle. While private vehicles have high fixed costs, their variable costs are much lower and the fixed costs of ownership fall on a per-kilometre basis as distance travelled increases.

On-demand vehicles and where Victorians live and work


Changing transport patterns also tend to lead to changes in land use. SGS's modelling shows similar land use patterns in Fleet Street as in Private Drive, but with some subtle differences. In Fleet Street, the higher cost of using an on-demand vehicle leads to greater public transport use and encourages people to cluster in areas that are accessible by public transport and roads. Figures 38 and 39 show changes in households and jobs for Melbourne in the Fleet Street scenario, as compared to the base case.

Figure 38: Employment change from base case – Fleet Street



Source: SGS Economics & Planning

Figure 39: Dwelling change from base case – Fleet Street




Source: SGS Economics & Planning

A smaller automated vehicle fleet reduces congestion (except in the inner urban areas) and makes people generally more willing to accept longer commutes, resulting in higher rates of growth in the outer north and south east. However, the increasing perceived cost of car travel makes public transport relatively more attractive, meaning growth in these areas is less concentrated around major roads and more around public transport. The areas that are projected to see the most uplift under Fleet Street are in the outer west (Wyndham and Brimbank) and from the outer north (Whittlesea-Wallan) and east (Casey-North and Banyule). The number of households in inner Melbourne is forecast to fall by 5.8% in this scenario compared to the base case, likely as a result of the congestion impact of high traffic volumes in inner urban areas.

In regional Victoria, the Fleet Street scenario produces similar results to Private Drive, but with some important differences. Geelong sees the most growth in households and jobs, but there are drops in its surrounds in Barwon-West and Baw Baw. The Kyneton corridor, which saw significant uplift under Private Drive, is likely to see a reduction in dwelling and employment growth under Fleet Street. Bendigo increases slightly from the base case. Mildura is the only other area predicted to grow, as shown in Figure 40.

The regional results are a contrast to Greater Melbourne, where the largest shifts were seen in the Fleet Street scenarios. This difference is potentially due to efficiency savings of on-demand vehicles being limited in regional areas. This would result in more cars on the road, in addition to the empty running vehicles that are moving between pick-ups.

Figure 40: Regional SA3 dwelling change from the base case – Fleet Street




Source: SGS Economics & Planning

A more accessible fleet?

The higher perceived cost of using on-demand fleet vehicles means that Victorians' access to services would likely be very different. Modelling by Deloitte Access Economics predicts that in the Fleet Street scenario access to services would be much worse than the base case for Victorians on lower incomes and regional Victorians. However, as discussed previously, subscription pricing represents one potential model of addressing this challenge. A subscription-based fare structure is forecast to significantly improve accessibility outcomes for all Victorians in the Fleet Street scenario compared to the base case. Figures 41 and 42 show the improvements in access to train stations between the base case scenario and Fleet Street scenario with subscription pricing in 2046, with the areas in blue representing 'catchment areas' (that is, the distance people are willing to travel) for train and tram stations. (Train stations are represented as blue dots on the maps and the tram network is shown in red.)


However, these maps also show that, even with a fully on-demand fleet, large parts of regional Victoria will still lack easy access to trains and trams. Most regional centres have access to the regional rail network, while areas without access to trains would be likely to be served by buses in this extreme scenario.

Figure 41: Access to train stations – base case



Source: Deloitte Access Economics

Figure 42: Access to train stations – Fleet Street



Source: Deloitte Access Economics

Access to public transport is particularly important for lower income groups, those living significant distances from urban areas and those without a driver's licence. Large increases in access to public transport mean that these groups have the most to gain from the introduction of automated and zero emissions vehicles, since they are the groups most likely to lack access to public transport in the base case, and access to public transport can greatly improve people's ability to access jobs. On the other hand, there is a risk that this scenario may lead to gaps in coverage or discriminatory pricing in areas where there is limited demand, such as in low density outer suburbs and regional and rural Victoria.

Non-drivers in automated vehicles

Both KPMG's transport modelling and Deloitte Access Economics' socioeconomic analysis found that automated vehicles are likely to make it easier, cheaper and more appealing for people to use their cars. Automated vehicles could also improve accessibility for people who couldn't previously use a car at all such as older children, the elderly and people with a mobility impairment. We call this potential outcome 'expanded markets'. Modelling the impact of expanded markets was important because we think it is entirely possible that automated vehicles will lead to people using cars who weren't doing so before. While this is a good thing when it comes to overcoming accessibility barriers, it could lead to greater pressure on our road network.

We tested the impact of expanded markets on the transport networks in MABM by allowing a proportion of unlicensed drivers to access automated vehicles as 'drivers' under the Private Drive scenario. What the modelling showed was that, when the model allowed these groups of people to use automated vehicles, the overall vehicle fleet grew by 7%, the number of kilometres driven increased by 2%, and congestion was slightly worse than in the Private Drive scenario.

The model also showed that the trips taken by these drivers were relatively short. The average distance travelled each day per vehicle across all private vehicles fell from 44.2 to 42.5 kilometres, likely because the model can't show us how people change their travel plans when given the opportunity to use automated vehicles. It is possible that, over time, the accessibility benefits of automated vehicles would lead to this portion of the population using vehicles more to access education, jobs or recreational activities – bringing their pattern of use closer to the average.

The potential for new or longer trips, often called induced demand, has not been tested in our transport modelling. The forecast improvement in the performance of the road network, convenience of travel and accessibility benefits brought on by automated vehicles may well lead to additional changes in people's travel behaviours that have not been captured in MABM.

Work by John Stanley and David Hensher in 2011⁵² estimated the value of an extra return trip to a person at risk of social exclusion in Melbourne, who might not otherwise be able to take a trip, to be \$23.75 in 2010 dollars (around \$29 in 2018). The risk of social exclusion is identified by the existence of barriers which make it difficult or impossible for people to participate fully in society. While low income and unemployment are considered important barriers, other examples include poor health, limited education, age, and poor mobility.

In 2046, around 8.9% of Melbourne's population is estimated to be old enough to drive, but not hold a valid driver's licence⁵³. Not all of these people are likely to meet the criteria for being at risk of social exclusion discussed above, but for those that are at risk, automated vehicles could provide significant benefits. If even half of the 8.9% per cent of those old enough to drive but without a licence were at risk of social exclusion, and automated vehicles made one extra trip per day possible for this group of people, those trips could be worth around \$3.5 billion (in today's terms). The risk of social exclusion can extend beyond this group, including to younger Victorians and other population groups, so this estimate is likely to be conservative. Added to this, mitigating the risk of social exclusion can also deliver flow on benefits by reducing the risk of poverty and associated negative outcomes.

⁵² Stanley, JK. & Hensher, D. (2011), *Economic Modelling*

⁵³ KPMG, based on data from the Victorian Integrated Survey of Travel and Activity (VISTA).

On-demand vehicles and the future shape of neighbourhoods

Taking over three million vehicles out of circulation would have an unprecedented impact on the way our towns, cities, neighbourhoods and streets are designed. For example, since no one would own their own car, car parking could be greatly reduced, freeing up large amounts of space in dedicated parking buildings and kerbside parking for other uses. According to analysis by Arup, the amount of car parking that could be repurposed in urban areas could be as high as 97%. Fleets of on-demand vehicles could be parked at depots in areas where the cost of land is relatively low when not in use, rather than high-value land in inner urban areas.

Parking at or near destinations would need to be replaced with appropriate pick-up and drop-off areas. Arup's work on road engineering notes that this will likely lead to a new focus on kerbside access issues to ensure there are no equity impacts. For example, this could include providing drop-off points close to key locations to ensure mobility impaired people can access education, employment or other opportunities.

We also assume automated vehicles will require less road space since they are capable of driving closer to each other. Streets would also be safer for other road users, as automated vehicles are predicted to reduce accidents. Streets that currently allocate significant amounts of space for parking, have multiple lanes for traffic and that prioritise car access could be reimagined in the Fleet Street scenario.

Take, for example, Sturt Street in Ballarat as shown in Figure 43, which has been redesigned by Urban Circus as part of our urban design technical analysis. This image represents a vision for what could be achieved in the Fleet Street scenario. In this concept, a petrol station is eliminated and a significant amount of street space has been reclaimed for pedestrian, cycling and recreational uses. Since automated vehicles may not need street signs, line markings or traffic lights to operate safely, the amount of visual clutter in the area has also been reduced.

Current-day Sturt Street is an example that could be replicated across a number of regional Victorian towns, with wide streets and significant amounts of parking. To see more examples across Victoria, see the Urban Circus and Ethos Urban *'Automated and Zero Emission Vehicles – how they might reshape our streets'* report.

Smaller fleet, less waste?

Many of the waste management issues that arise from the emergence of automated and zero emissions vehicles are lessened in Fleet Street due to the dramatic reduction in the number of cars in circulation. As discussed earlier, the vehicle fleet is projected to be much smaller in the Fleet Street scenario, with nearly 3.3 million fewer vehicles needed to meet Victoria's transport needs. This could reduce vehicle waste by up to four million tonnes in 2046 – equating to roughly 3.3 million tonnes of waste no longer needing to be recycled, and around 700,000 tonnes of landfill avoided. A smaller vehicle fleet also means fewer vehicles being manufactured. This could also deliver significant financial and environmental benefits, albeit outside of Victoria.

This analysis does not take into consideration the potential that higher vehicle use may reduce the lifespan of vehicles. It also does not consider the challenges associated with disposing of 3.3 million vehicles. The waste management implications of a smaller vehicle fleet are outlined in more detail in the High Speed scenario discussion.



Figure 43: Sturt Street Ballarat – Fleet Street concept



New waste streams

The environmental ‘side-effects’ of automated and zero emissions vehicles extend beyond their manufacture. Victoria’s waste and resource recovery system handled approximately 13 million tonnes of material in 2015–16. Demand on the system is forecast to grow in line with population growth, and by 2046 is projected to reach approximately 20 million tonnes. Car bodies contribute to 4% of all metals recovered for reprocessing in Victoria.

The volume of e-waste is growing three times faster than general municipal waste in Australia. The Victorian Government has committed \$16.5 million to augment collection infrastructure to allow the safe disposal of e-waste by Victorians. However, analysis on the environmental and population health impacts of automated and zero emissions vehicles by Aurecon and ERM has found that the volumes of lithium battery waste and other e-waste from these vehicles are likely to accelerate growth beyond current projections and management plans. There also appears to be a gap in these projections and plans with respect to handling waste from the disposal of hydrogen vehicles.

On the positive side, Aurecon notes that used batteries that are deemed ‘unfit for service’ for battery electric vehicles still contain a majority of their original capacity, and so could be reused in other residential or industrial applications.

This implication is that the new types of waste – or greater amounts of existing types of waste – are likely to exceed the capacity of existing and/or planned waste infrastructure, which could lead to issues such as illegal dumping, stockpiling or illegal exporting without a permit. Sustainability Victoria has noted that these are already issues of concern for e-waste.

Significant increases in illegal dumping or stockpiling waste could present a challenge to environmental regulators, which would need to closely monitor the waste industry given the risks that these types of waste carry. Equally, if the volume of waste continues to be underestimated, there is also the potential to miss opportunities to develop local industries that could process the waste in a more economically and socially viable manner.

Smaller fleet, healthier population

Fleet Street is forecast to deliver considerable population health benefits due to the elimination of all vehicle exhaust emissions and the relatively low particulate matter emissions resulting from a smaller vehicle fleet. Over 3,700 DALYs could be avoided in this scenario in 2046 alone, with a value of \$735 million. As with most scenarios, the benefits are felt most in areas of higher population density, as shown in Figure 44 and Figure 45.

What these maps show is that the benefits are concentrated around population centres. This is almost entirely due to the fact that there are both more people to realise the benefits of emissions reductions and more vehicles that are no longer generating exhaust emissions.

Figure 44: Estimated avoided DALYs – Melbourne (Fleet Street scenario)





Figure 45: Estimated avoided DALYs – rest of Victoria (Fleet Street scenario)




Electricity, on-demand

Like our earlier scenarios, the vehicles in Fleet Street are electric, but the way that the vehicles interact with the electricity network is likely to be very different in the Fleet Street scenario than in the private ownership scenarios (Electric Avenue and Private Drive). Although the vehicle fleet is much smaller, the energy needs of the fleet are still significant due to the much higher utilisation of each vehicle in the fleet throughout the day. The on-demand fleet vehicles are projected to travel, on average, 568 kilometres per day and consume approximately 21,800GWh of electricity per year, a 50% increase over the base case. Since the average vehicle travel per day is beyond the projected range of around 300km, it is likely that most vehicles will need to charge at some point during the day. The projected charging profile for the on-demand fleet, (in blue) as shown in Figure 46, reflects the timing of trips in the transport model. The bulk of charging for on-demand vehicles in this scenario can be done at off-peak times, when many of the vehicles will not be in use.

Battery electric freight (in grey) is forecast to contribute a similarly large amount to overall electricity consumption as the on-demand vehicle fleet, due to its increased proportion of the overall fleet (since freight vehicles are already 'shared' and the quantity of goods to be moved is assumed not to change, their total number is the same as the base case).

Figure 46: Fleet Street vehicle charging profile



Source: KPMG energy modelling

This load profile reflects the expectation that passenger vehicles are most heavily in use during peak commuting periods, which also mostly aligns with peak energy demand, especially during the evening. Conversely, the fleet is relatively less utilised during the day when renewable generation is typically highest and late at night (when household demand is at its lowest). As a result, KPMG's modelling shows that, despite still contributing a relatively significant amount to total consumption, this scenario should have a much lower impact on maximum demand – requiring just over 1,400MW of additional generation capacity at the peak.

But how will they charge?

Our research suggests that on-demand fleet vehicle operators are likely to charge their vehicles at a depot when not in use. KPMG has assumed on-demand vehicles will use 'fast' chargers (between 7–22kW) for depot charging.

Fleet operators will have to weigh up customer demand characteristics and locations, access to customers, cost of electricity, network charges and number of vehicles in deciding their charging strategy. For example, an operator may decide to have more vehicles in order to have some redundancy in the fleet and flexibility for when the fleet is charged. Or alternatively, the operator could invest in on-site battery storage to help manage electricity costs.

As the shared depot will be classified as a large load, the fleet operator would likely be liable for all the network connection costs under the current energy sector rules. This would include any costs needed to augment or reinforce the network upstream of the connection to support the depot charging. The magnitude of cost could be quite substantial depending on the existing capacity at the connection point and the number of vehicles assigned to the depot.

Further, shared depots may want to connect into medium to high voltage lines (such as 66kV) instead of distribution feeders for reliability and speed of charging reasons. The distribution network may want to encourage the operator to locate depots close to such lines for network security and cost reasons and could seek to prevent depots connecting at low voltages. However, the location of these high voltage lines could be further away from the customer base.

On-demand vehicles and government finances

Of all the scenarios we developed, Fleet Street will have the most significant financial impact on governments (local, state and federal). This is not surprising, given that this scenario is the most different from the base case. For example, automated fleet vehicles no longer require people to hold driver's licences, on-demand vehicles don't park and battery electric vehicles don't generate fuel excise revenue. Our financial modelling shows that the combination of these, and other contributing factors such as changes in Transport Accident Commission (TAC) premiums (and related payments), drives an estimated net financial reduction across all three levels of government of over \$12.7 billion in 2046. This assumes no change to current government policies, such as changes to vehicle registration fees for fleet operators, or transport network pricing.

Automation, safety and the TAC scheme

One element of KPMG's modelling of the financial impact of automated and zero emissions vehicles is TAC premiums and payments. Victorians pay a TAC premium as part of their vehicle registration fee. These premiums support the TAC scheme, which provides payments for treatment and benefits for people injured in road transport accidents in Victoria.

For the purposes of this analysis, KPMG have applied a simplified premium setting process, through which TAC premiums are assumed to be tied to the number of individuals injured on Victoria's roads. In reality, TAC premiums are set through a more complex formula that reflects the need to sustainably fund the TAC scheme. Changes in KPMG's simplified estimate of TAC revenue from the base case reflect both changes in the amount of vehicle travel in each scenario, the number of automated vehicles on the road, and the assumption that automated vehicles will reduce the number of accidents by 94% (which is likely to be a best case assumption).

TAC expenditure is modelled by KPMG using the same simplified approach, with the level of expenditure projected to decline broadly in line with decreases in the number of vehicle accidents. However, TAC expenditure includes the cost of medical care and benefits for people lodging a claim in a given year, in addition to ongoing payments to people injured in previous years who require ongoing care. In practice this could be expected to lead to a lag in any changes to TAC expenditure.

In reality, TAC premiums are set through a more complex formula that reflects the need to sustainably fund the TAC scheme. For example, many benefits paid out by the TAC are linked to average weekly earnings, rather than the consumer price index (CPI). KPMG's approach uses CPI as an input to its premium setting process, meaning KPMG's analysis of the TAC impacts may be understated.

A new value proposition?

Regardless of the scenario, automated and zero emissions vehicles are likely to have a big impact on the way governments plan and deliver infrastructure projects. Automated and zero emissions vehicles could unlock major economic, social and environmental benefits for Victorians, if well managed. Alternatively, there is a risk that these benefits might not materialise if we don't plan appropriately for their arrival. We've already discussed a number of changes to the way vehicles could be used in our scenario discussions, and the flow-on impacts of these changes, including:

- vehicle automation and the lower operating costs of battery electric vehicles leading to people being more willing to take longer car trips and use less public transport
- traffic flow improvements from automated vehicles significantly increasing the capacity of the existing road network and reducing congestion
- the ability of automated vehicles to return home after dropping their occupant at their destination (or empty running) leading to significant increases in congestion in the inner areas
- the potential for people who could not previously use cars (children, the elderly or people with mobility impairments) to induce even more car trips
- the price associated with on-demand vehicle use leading people to use more public transport.

These changes, or any combination of them, could significantly shift the value proposition of future infrastructure investments and require changes to the way governments evaluate infrastructure projects. Key components of the economic analysis of infrastructure projects, such as productivity benefits and value of travel time savings, would need to be rethought with the emergence of automated vehicles, while environmental impacts will also change, with certain parameters (such as greenhouse gas emissions) significantly reduced or entirely eliminated as zero emissions vehicles become ubiquitous.

Why is this scenario important?

The Fleet Street scenario is the most different to today. As with Electric Avenue and Private Drive, emissions are eliminated and the safety and vehicle efficiency benefits of Private Drive are also realised. Unlike these scenarios, however, a Fleet Street-style vehicle fleet is projected to be much smaller (though possibly somewhat larger than we've modelled if there are multiple companies providing competing services), leading to the expectation that the impact on Victoria's electricity network will be lower. Fleet Street also provides an opportunity to free up unused car parking space for other uses.

While this scenario could deliver significant benefits, it is not without its costs and there are some issues that could benefit from further consideration.

The projected productivity improvements and overall employment growth more than offset the potential loss of up to 72,000 jobs in transport-related industries. However, it is worth noting that some of these workers may not have easily transferrable skills and might need some help transitioning into new roles.

There are also concerns about fair access to shared automated vehicles across Victoria. Commercial models of shared automated vehicles could favour the denser parts of Victoria like Melbourne and the inner areas of regional centres, leaving the outer and rural areas with long wait times and more expensive journeys. While it is unlikely that such an extreme scenario will occur, equity impacts for different populations will need to be front of mind for the introduction of any fleet-based automated vehicle services.

Dropping off and picking up people at the beginning and end of trips will also require a different solution and scale to how taxis and ride-sharing (such as Uber or Ola) vehicles currently operate. Even today, taxis can dominate whole city blocks. Imagine the chaos on Collins Street if every car trip was made in a taxi-style service without carefully designed pick-up and drop-off locations.

Depending on the fare structure for on-demand vehicles, growth in public transport demand in this scenario could also place significant pressure on public transport capacity, particularly at peak times on key routes. As discussed above, some train routes in our analysis showed 'crush loads' of up to 140% of capacity, which could significantly affect people's satisfaction with travel by public transport.

Our Fleet Street modelling showed that on-demand vehicle use could be perceived as more costly to use due to the taxi or Uber-like fare structure. However, a Mobility as a Service (MaaS) platform could be used for innovative (and possibly more appealing) payment models, like subscription services. MaaS allows users to plan, book and pay for different modes of transport (bus, train, light rail and on-demand vehicles) within a single platform – often in the form of smartphone app.


Mobility as a service, data as an enabler

The evidence suggests that open data and application programming interfaces (APIs) that support third party providers and integrators are a key requirement to enabling MaaS and related services. Mobile-based payments, timetables and services, ticketing and validation, mobile device integration with physical barriers, and allowing third parties to execute transactions on behalf of the end user could also be enabled by greater data sharing. Where these systems are not supported by open data and APIs, there may be challenges to the emergence of new market models such as MaaS. This may, in turn, hinder the implementation of automated on-demand vehicles that are likely to leverage off MaaS systems.

The changes that need to be made to implement on-demand transport and MaaS without automation are also likely preconditions for the emergence of the on-demand automated vehicle scenarios (and have merit in their own right). Through our engagement with international jurisdictions, we heard that an optimal routing system, multiple booking channels, standardised payment system (through one platform or integrated APIs) and integration with the mainstream public transport system are key ingredients for success of on-demand transport.

Figure 47 is a summary of the key attributes of a MaaS system and reflects the preconditions that would be needed to be met to implement an optimised MaaS model.


Figure 47: Mobility as a service ecosystem



Source: L.E.K

Government can enable MaaS by implementing or requiring data sharing arrangements, brokering agreements between stakeholders (particularly involvement of large public transport providers) and possibly incentivising certain travel choices.

Practically, the rise of an on-demand business model would require a real behavioural shift from today. Although on-demand and car sharing services are becoming more prominent, it is still hard to imagine a world in which no one owns their own car. In fact, the need for work-related vehicles and the fact that people enjoy treating their vehicles as a personal space mean that a fully shared on-demand fleet may never actually happen. To better understand people's attitudes to on-demand vehicles, we surveyed Victorian motorists on how they might use an automated car in the future. The results are discussed later in this report (see page 187).



Case study: Sweden and Finland – sharing, pricing and on-demand promise better transport for all

Nordic neighbours Sweden and Finland are known for being socially progressive, safe and stylish, but they are also shining examples of innovative transport and urban planning.

Considerable government policy and private sector innovation is currently taking place to implement on-demand transport and mobility services. One private company making inroads is MaaS Global, a Finnish start-up looking to provide mobility across all modes of transport – including public transport, taxis, car rental, bicycles and ferries – on a subscription basis via its Whim app. In Finland, Whim currently has 36,000 registered users and 5,000 subscribers, and has spread to the UK. Soon, it will be in Singapore and other European cities.

So what is required to enable such a service? According to MaaS Global, commercial arrangements between suppliers, open application program interfaces (or APIs), open data rules and mobile-compatible ticketing systems are all key. In our discussions, it was suggested that governments and cities can assist by setting appropriate regulations around data and brokering agreements between public transport operators and private sector players.

The infrastructure and regulatory changes to enable on-demand transport and mobility services are also positive steps towards realising a shared, automated future – including appropriate 4G or 5G mobile coverage, efficient routing systems, open data and consistent standards across borders.

While moving towards more shared transport could mean fewer cars on the roads, road pricing in Sweden


has been used to address growing traffic congestion. According to the City of Stockholm's Transport Planning Department, a seven-month congestion charge pilot that commenced in 2006 became permanent following a referendum of city residents. The charge led to a permanent 20% reduction in inner city traffic. Another benefit is 10–14% less vehicle emissions in the inner city, with 'environmentally friendly' cars exempt from the charge. However, when the high uptake of battery electric vehicles meant they were creating further congestion, this exemption was abolished.

With automated vehicles on the horizon, both road transport authorities and businesses throughout Sweden and Finland told us that defining the 'operational design domain' (i.e. where and when the vehicle can operate) is crucial. Sensible4, an automated shuttle operator in Finland, expects different applications and requirements to emerge such as taxis, last mile services and personal vehicles. A northern European issue is also rain and snow – light detection and ranging (LIDAR) technologies were

not developed for that environment, and there's work to do to ensure safety and reliability in all conditions using positioning and connectivity services. If these applications can be addressed, this technology could also be used for other applications, like unsealed roads.

The challenges are clear, but so are the benefits – the Swedish Transport Administration told us that lane departure warnings have been found to reduce head-on and single-vehicle injury crashes by 50%. The administration's main goals over the next 10 years are to double public transport use, be carbon neutral and increase active transport. The City of Gothenburg is looking to reclaim road space for other users and sees the potential in dynamic traffic signalling at different times of day, and reclaiming carparks for other users.

Sweden and Finland's approach to implementing automated and zero emissions vehicles has positive societal outcomes at its core, with careful planning key. In this way, automated vehicles can bring good mobility and urban planning outcomes along for the ride.





A suburban street in Yarraville reimagined under the Fleet Street scenario as part of our Urban Design work

Hydrogen Highway

All vehicles are privately owned, hydrogen fuelled and automated.

In many ways, the Hydrogen Highway scenario is similar to Private Drive, in that all vehicles are automated and privately owned, but with a different set of energy challenges associated with the production and distribution of hydrogen fuel.

Hydrogen fuel cell vehicles could emerge due to the potential range benefits that these vehicles provide over battery electric vehicles, particularly for heavy freight. However, a significant take-up of hydrogen vehicles would require a very different approach to infrastructure than that required for battery electric vehicles.

Hydrogen, hydro-when?

Hydrogen fuel cell vehicles (FCVs) are still a fledgling market. While there are hydrogen passenger vehicles for sale in some markets, the latest estimates put total uptake at less than 7,000 vehicles worldwide. Such a small market means there is little evidence around FCV uptake rates and ways to encourage uptake. Beyond Japan's target of 800,000 FCVs by 2030, we have not found any other FCV uptake targets.


In Victoria, there are currently a handful of FCVs, which are owned by vehicle manufacturers and are used for demonstration purposes. However, several companies are planning to launch light passenger vehicles for purchase in Victoria within the next one to two years.

International jurisdictions focusing on hydrogen – most notably Japan, the Netherlands and Dubai – appear to be doing so for reasons other than the benefits from reduced vehicle emissions. FCVs are seen as good energy security and diversity drivers, which is an important energy policy consideration in these jurisdictions.

Although hydrogen generation is currently a relatively expensive process, both heavy freight and buses lend themselves to a potential model of industrial-scale hydrogen generation and use. Current battery technologies are generally considered too heavy to be a truly commercially viable solution for payload-sensitive uses such as trucks and buses. This could make FCV technology a more feasible option, according to many vehicle manufacturers.

As such, we expect that the conversion of freight vehicles could act as the catalyst for the Hydrogen Highway scenario due to the range-to-weight efficiencies of heavy FCVs compared to battery electric heavy vehicles. Through our research, it seems likely that hydrogen would have to be taken up by a commercial heavy vehicle operator (either freight or buses) in order to provide the impetus and possibly the funding to develop a network of hydrogen fuelling stations.

However, this could also happen on a smaller scale. The Moreland City Council, for example, has announced a plan to generate hydrogen from solar-generated electrolysis to fuel a fleet of FCV rubbish trucks.



Key findings

- Hydrogen is estimated to be more suitable for heavy vehicles
- Could need energy network upgrades of up to \$14.5 billion
- Hydrogen production likely to be very energy intensive
- Public transport accounts for 14% of all trips
- Congestion mostly eliminated, but travel speeds lower in inner areas due to empty running

How quickly could hydrogen FCVs achieve price parity?


While FCVs are not currently available for purchase in Australia, the Toyota Mirai currently retails in the US for around A\$60,000.⁵⁴ It is estimated that the Hyundai Nexo will be marketed in Australia for around \$80,000.⁵⁵ However, analysis published in the *Energy Policy* journal suggested “that in 2030, FCEVs could achieve lifecycle cost parity with conventional gasoline vehicles”, with “powertrain lifecycle costs of FCEVs [likely to] range from \$7,360 to \$22,580, whereas those for BEVs range from \$6,460 to \$11,420” in their 2030 projections.⁵⁶

From a consumer perspective, KPMG’s financial analysis has estimated that the total lifecycle cost of ownership for an automated hydrogen vehicle in 2046 is likely to be more than an equivalent automated battery electric vehicle, but less than a traditional petrol or diesel vehicle, as shown in Figure 48.

Depending on the availability of hydrogen fuelling stations, some vehicle users, particularly those with heavier vehicles (such as tradespeople), might be happier to pay a slightly higher cost premium for the convenience of hydrogen efficiency and refuelling.

It should be noted that the cost savings associated with hydrogen vehicles in this analysis are driven entirely by assumed savings associated with vehicle automation and current Victorian Government policy that provides subsidised vehicle registration fees for zero emissions vehicles. When compared to battery electric vehicles, hydrogen FCVs are still likely to be more costly.

Figure 48: Cumulative cost comparison between fuel sources (2046 AUD)



Source: KPMG financial modelling

⁵⁴ Blackburn, R., Herald Sun (26 October 2017) Toyota to bring hydrogen fuel-cell car to Australia. Available at <https://www.news.com.au/technology/innovation/motoring/hitech/toyota-to-bring-hydrogen-fuelcell-car-to-australia/news-story/a10ead64fda1a413f4146b26b8f8e4ef>. Accessed 21 June 2018.

⁵⁵ Drive.com.au (17 August 2017), Hyundai reveals Australia’s first fuel cell vehicle. <https://www.drive.com.au/motor-news/hyundai-reveals-australia-s-first-fuel-cell-vehicle-64939>. Accessed 21 June 2018.

⁵⁶ Offer, G. J., Howey, D., Contestabile, M., Clague R., and Brandon, N.P., (2010), *Comparative analysis of battery electric, hydrogen fuel cell and hybrid vehicles in a future sustainable road transport system*. *Energy Policy*, 38(1): 24-29.

Highways on hydrogen

In this scenario, we see transport network outcomes similar to Private Drive but on a slightly reduced scale, as the cost of operating vehicles is higher. Compared to Private Drive, where all automated vehicles are electric and cost \$0.05 per kilometre, automated hydrogen vehicles are assumed to cost the same to operate as traditional vehicles at \$0.176 per kilometre.

When compared to the base case, congestion is improved across the network due to the efficiency impacts of automated vehicles. Figure 49 illustrates the impact of automated vehicles on the flow of traffic across Melbourne during the morning peak period, where green indicates an improvement in vehicle flow in the number of vehicles per hour, and red a decrease, with thickness showing the magnitude of change.

This map shows that there are more vehicles travelling per hour across most of the network than in the base case. This increase in flow, coupled with an increase in average speed across the network of 8 kilometres per hour compared to the base case, indicates a significant reduction in network-wide congestion.

Like Private Drive, the road network efficiency improvements of automation are forecast to make public transport less attractive relative to driving, with the transport modelling predicting it will account for just 14% of motorised trips, compared to 19% in the base case.

As in Private Drive, automated vehicles would be able to return home (or to another location) to avoid parking costs. In our transport modelling this leads to greater congestion in inner Melbourne, and actually reduces average travel speeds in inner city areas by 12%. Conversely, average speeds in the middle and outer suburbs increase by 37–38%.

This scenario will also have financial impacts to government, as is the case in the other automated scenarios. Parking revenue, registration fees, licence fees and fuel excise revenue will all decline in this scenario, leading to an estimated overall net cost to government of over \$12.5 billion, assuming no changes to current policies.

Figure 49: Change in flow: Hydrogen Highway vs base case (morning peak period)



Source: KPMG Transport modelling (MABM)

Victorians' access to services is greatly improved over the base case. Travel time savings and avoided parking costs improves accessibility to hospitals, schools, public transport and activity centres by 20–30% over the base case across the state. The impact of this is that, as the cost of travel is lower than in the base case, people are willing to travel much further to access key services.

Hydrogen, hydrogen everywhere

There are some differences in the outcomes we expect to see from this scenario compared to the automated and battery electric scenarios. Unlike battery electric vehicles, which the evidence suggests will mostly charge at home, hydrogen FCV fuelling stations would look very similar to the petrol stations of today. No kerbside charging is required, and existing petrol stations would probably remain to serve hydrogen fuel.

The impact of hydrogen FCVs on the energy network comes down to ensuring enough hydrogen is produced over a given period to meet demand. KPMG's energy analysis found that nearly 800 million kilograms of hydrogen would be needed per year to fuel all trips in Victoria using hydrogen FCVs in 2046. For context, the US currently consumes 7.3 million kilograms of hydrogen per year in total (mostly for applications other than vehicles).⁵⁷

For the purposes of our advice, KPMG has examined three different primary methods of producing this required volume of hydrogen:


- **Electrolysis** – an electrical current is passed through a water solution, creating a chemical reaction and producing hydrogen and oxygen. The electrolyser can be powered through the energy grid or through a local renewable source, such as solar panels.
- **Coal 'gasification'** – coal is used to produce 'syngas', consisting of hydrogen, carbon monoxide and CO₂, from which the hydrogen is captured.
- **Natural gas reforming** – currently the cheapest form of hydrogen production. Natural gas is heated to high temperatures, breaking down the gas to produce hydrogen.

Electrolysis is the cleanest source of hydrogen as it does not generate any CO₂ emissions from production. However, it is the most expensive and energy-intensive method of production and can generate emissions through increased energy usage. Alternatively, coal gasification and natural gas reforming are much more cost-effective, but both generate significant amounts of CO₂ emissions in the process of producing hydrogen. This means some form of carbon abatement, such as carbon capture and storage (CCS), would be needed to make hydrogen from these sources a 'zero emissions' fuel.

The Victorian Government has established the CarbonNet Project to investigate the potential for establishing a commercial CCS network, with potential applications for hydrogen production from the Latrobe Valley's abundant brown coal reserves. The viability of CCS at the scale required for this scenario is currently unclear. The high cost of CCS and large deposits required for long-term storage are significant challenges that would need to be overcome for coal gasification or natural gas reforming to represent a viable zero emissions source of hydrogen. Figure 50 represents an overview of the potential hydrogen supply chain under these three approaches.

⁵⁷ <http://www.eclitd.com.au/why-should-investors-care-about-hydrogen/>.

Figure 50: Hydrogen supply chain concept



Source: KPMG energy modelling

Analysis conducted by KPMG has estimated the annual resource requirements for each of the different processes and applied it to the estimated hydrogen demand in 2046, as outlined below.

Resource	Electrolysis	Coal gasification	Natural gas reforming
Electricity (gigawatt hours)	63,600GWh	2,700GWh	1,700GWh
Water (litres)	19.04 billion	14.25 billion	23.2 billion
Brown coal (tonnes)	0	14.3 million	0
Natural gas (terajoules)	0	0	207,700tJ

Source: Adapted from KPMG energy modelling analysis

While at first glance the water use for hydrogen seems significant, it should be noted that this is only 2–4% of the current total potable water consumption for the Melbourne region of around 516 billion litres per year.

Since hydrogen can be generated and stored for future use, its generation does not affect peak demand in the same way electricity usage does in the battery electric vehicle scenarios, essentially making it the same as the base case in terms of maximum demand.

However, the nearly 64,000GWh of electricity required to meet the hydrogen demand using electrolysis is the equivalent of nearly one and a half times total forecast energy consumption from all Victorian households and businesses in 2046. This means electricity generation capacity would have to nearly grow by 147% on top of the base case for 2046. The generation, distribution and transmission infrastructure cost of meeting this demand would be over \$14.5 billion in net present value. More detail of KPMG’s energy modelling approach is in the *Automated and Zero Emission Vehicle Infrastructure Advice Energy Impacts Modelling* report.

Freight-led hydrogen

Hydrogen FCVs are likely to emerge as a result of their potential range-to-weight benefits over battery electric vehicles, particularly for heavy freight. Automated freight presents a range of considerations about the impacts of automated vehicles (on top of the employment impacts, discussed in Private Drive), particularly on the way roads are designed, built and maintained.

As we've highlighted previously, evidence suggests that automated vehicles that are connected to vehicles around them have the potential to travel much closer together. This potential gives rise to the concept of automated freight 'platooning', in which a number of freight vehicles form a 'road train', travelling in close formation behind a lead vehicle to achieve greater efficiencies in moving freight. The concept of having a single driver in a lead truck with automated trucks following is already being tested in some countries. In a fully automated future, even a single driver might not be required.

However, Arup's advice on the transport engineering impacts of automated vehicles has found that the benefits of platooning in an automated, zero emissions future might not actually be significant, particularly given some of the alternative technologies currently being developed in the logistics industry. The main benefits of platooning are lower fuel consumption, CO₂ emissions reductions, improved safety, optimisation of the transport network and the potential to reduce labour. In an automated, zero emissions future, many of these benefits could be realised by default, potentially rendering platooning redundant.

If platooning did eventuate, there are concerns about concentrated road wear or 'rutting' due to vehicles travelling on exactly the same paths on the road, or 'uniform lane positioning', and about the effect on pavement strengths and bridge loading. Arup's work suggests that the effect of these features may not be significant. A future in which freight vehicles are platooning is not likely to generate additional demands on road strength compared to current conditions. However, this assumption will need to be monitored as knowledge of automated freight platooning evolves. For more detail on Arup's findings, see the *Infrastructure Victoria Automated and Zero Emission Vehicles Transport Engineering Advice* report.

How will automated and zero emissions vehicles change the way freight is moved?

While the modelling assumed a freight task proportionally similar to today, it is hard to estimate what, if any, induced freight demand may arise through automated or zero emissions freight movement. However, there is the potential that improved efficiency of automated road freight may lead to a shift away from rail freight to road freight as a more cost-effective alternative. This could have commercial impacts on the rail freight sector in addition to increasing the number of freight vehicles on Victorian roads. While automation is already present in many ports, freight vehicles on the road network are likely to be subject to similar rules and regulations as today. The evidence suggests that we are unlikely to see changes in freight vehicle types, at least from a pavement and axle loading perspective, but that automated freight may replace human driven freight over time.

There are additional challenges represented by automated delivery of freight. Distribution hubs and warehouses may experience some changes in their loading and offloading needs. First and last mile delivery, such as 'white van' deliveries, may require specific kerbside access or make use of pick-up and drop-off areas.

While the impact of uniform lane positioning has the potential to be much greater than today, we heard that existing automated freight projects operating on private land in Western Australia have found that programming vehicles to travel on slightly varied paths from the vehicle ahead of them could address this challenge without the need to modify infrastructure. However, if lower freight costs lead to an increased relative demand and freight volumes grow, road asset maintenance costs will likely rise as well. We are not currently in a position to quantify these costs.


As we mentioned in our summary of the Private Drive scenario results, WSP's analysis suggests that freight vehicles will have similar ICT requirements to private vehicles. Platooning is not predicted to change this. If platooning were to emerge, then fine vehicle positioning with LIDAR and vehicle-to-vehicle communications would be sufficient to enable it. Additional ICT infrastructure may be needed if government or other roads operators wanted to impose conditions on the road network, such as specifying segments of the road network where platooning is permitted.

Seen, but not heard

Zero emissions vehicles, including hydrogen FCVs, are also likely to generate much less noise than traditional petrol or diesel vehicles, particularly at lower speeds. Aurecon and ERM's analysis of environmental and population health impacts found that zero emissions vehicle technologies could reduce traffic noise at low speeds in dense urban areas, or where high quantities of low speed and start-stop driving are common. This benefit would apply to high density areas where there are a number of traffic lights and intersections with high levels of engine braking and acceleration. Figure 51 illustrates the difference in sound pressure level (SPL) – measured in decibels between a hydrogen FCV (HV) and two comparable generic traditional internal combustion engine vehicles (ICEV1 and ICEV2).⁵⁸

This clearly shows the significant difference in sound pressure at lower speeds, but a convergence in vehicle noise above 20km/h, due to tyre noise and aerodynamics. This could potentially increase the attractiveness of residential properties otherwise subject to noise pollution in urban environments in some circumstances.

Figure 51: Noise output – hydrogen FCV and two comparable internal combustion engine vehicles



Source: Aurecon

⁵⁸ Extracted from Sakamoto et al (2010).

While we don't have any specific evidence as to the difference in noise for heavy zero emissions vehicles compared to their diesel counterparts, we do know that propulsion noise for heavy vehicles is significant.⁵⁹ If the reduction in propulsion noise from trucks with electric engines (either battery electric or hydrogen fuel cell) is similar to that of light passenger vehicles at lower speeds, this could significantly increase amenity for those living and working in areas near where heavy vehicles travel.

Reduction in vehicle noise has the potential to change road use. Road freight operations, which are typically restricted at night, could potentially increase their operating timetable as their noise impact on urban areas could be mitigated.

The combination of reduced labour costs from automation and reduced vehicle noise from FCV technology led us to test the potential to model moving some of Victoria's freight operations to night in MABM. KPMG's modelling found that, when the total proportion of freight trips made between 7pm and 7am is increased to 50% it makes little difference to the performance of the network under the Hydrogen Highway scenario. This is due mostly to the considerable improvements that automated vehicles bring to the performance of the network in 2046 in this scenario, and the relatively low proportion of freight compared to private vehicles.

In the meantime, however, moving more freight to night operations in congested areas is likely to remain important (at least as a transitional measure).

Zero emissions freight, ports and you

The introduction of zero emissions and automated vehicles could be very important to ensure the ongoing social licence and capacity of the Port of Melbourne in the coming decades.

Infrastructure Victoria's previous advice on *Securing Victoria's ports capacity* stressed the importance of minimising impacts of increasing capacity at the Port of Melbourne on residents who live near the port and key transport corridors. Reducing noise and emissions is a key element of this, which hydrogen FCVs could potentially deliver.

What would a hydrogen future mean?

A hydrogen future would not be without its challenges. Producing hydrogen is likely to be relatively resource intensive, at least using current generation techniques. Producing enough hydrogen to fuel the entire vehicle fleet would, depending on the method, use vast amounts of electricity, coal or natural gas. This would potentially generate significant CO₂ emissions, which would subsequently need to be captured using carbon capture and storage technologies to make them 'zero emissions'. While it's likely that the efficiency of hydrogen production technologies could improve with scale, there would still be challenges with large-scale distribution and storage of hydrogen. For these reasons, it may not make practical sense to transition the entire vehicle fleet to hydrogen.

However, this does not mean that hydrogen is without merit. Much of the evidence suggests that for heavy vehicles, hydrogen FCV technology is more commercially viable because it can deliver much more range by weight, can carry a larger amount of fuel, and can be refuelled more quickly than a battery. For the freight sector, which is likely to seek to maximise the carrying capacity of its vehicles, this may make hydrogen FCVs a more compelling proposition than battery electric vehicles, and would deliver the same environmental benefits if the hydrogen was produced from a zero emissions source.

There are also strategic considerations that support hydrogen production. Hydrogen technology has the potential to provide greater energy security and build resilience in Victoria's electricity network by adding storage capacity, essentially acting like a battery. In much the same way as pumped hydro or battery storage, excess renewable energy from solar or wind can be used to generate hydrogen, which can then be stored and deployed as a source of energy when demand is higher and generation from these renewable sources is low. An example of this approach can already be seen in South Australia with the announcement of its 'Hydrogen Hub'.

⁵⁹ M+P consulting engineers (2007), *The Noise Emission Model For European Road Traffic - deliverable 11 of the IMAGINE project*

Case study: Japan's 'hydrogen society'

While the world grapples with how to address climate change and meet the Paris Agreement target of limiting global warming to less than 2 degrees by 2030, Japan has firmly staked its future on hydrogen.

Japan's government-backed plan to become a 'hydrogen society' is ambitious. A three-phase approach is currently in progress, with the first phase involving a dramatic increase in fuel cell investment, including for residential use and commercial vehicles.

While hydrogen emits no CO₂ when used, Japan is betting on emerging technologies such as carbon capture and storage to move to the second and third phases of its hydrogen society plan and secure a full-scale zero emissions energy source from around 2040. As part of this plan, Japan is backing the Victorian-based Hydrogen Energy Supply Chain project, a pilot that aims to produce and transport hydrogen from the Latrobe Valley to Japan.

The logistics of rolling out hydrogen fuel cell passenger vehicles are just as challenging. Japan has about 2,200 hydrogen-fuelled cars on the road today, and the Japanese Government told us they plan to have 40,000 similar vehicles on the road by 2020, when the Tokyo Olympic Games will showcase Japan's technology and vision to the world. By 2030, they plan for this to increase to a whopping 800,000 hydrogen

fuel cell cars. By 2020, 100 fuel cell buses are also planned to be on the road as a demonstration during the Olympics. While these numbers might be a small proportion of the 60 million passenger vehicles on Japan's roads today, the refuelling infrastructure required is significant.

The Japanese Ministry for Transport told us that in early 2018, 101 hydrogen refuelling stations were in operation across Japan. Expanding that network to the target of 160 by 2020 won't come cheaply. Japanese gas and energy company Iwatani put the cost of building its first refuelling station at around A\$6 million, with half the funds coming from government coffers. Industry is calling for restrictive (and costly) regulations to be eased to allow for more refuelling stations to be built.

The method of transport is another challenge that is looming. Should the 40,000 vehicles by 2020 target be achieved, moving beyond that will require a significant scaling up of the transport infrastructure, which currently relies on trucks. Adding a network of hydrogen pipelines to a densely populated and built-up metropolis like Tokyo would require careful land use planning and the easing of safety regulations. Road transport of liquid hydrogen is also under consideration. Iwatani, which dominates the domestic market for liquid hydrogen, plans to increase annual output by 50% within two years.

Japan has set its sights on more than just hydrogen – battery electric vehicles are also receiving strong government support. In addition to national subsidy programs, the Tokyo Metropolitan Government told us they have set a goal for more than 80% electric or hybrid battery electric vehicles by 2030, which is supported by a range of programs targeted at small businesses, government and taxi fleets, and Tokyo residents.

One thing is for sure – with the world's third-largest economy fixing its sights on hydrogen, the potential for fuel cell vehicles shouldn't be underestimated.





*A suburban street in Yarraville
reimagined under our Slow
Lane scenario as part of our
Urban Design work*

Slow Lane

Half of the trips taken use a shared fleet of electric automated vehicles, while the other half uses conventional cars.

Slow Lane represents a transitional scenario. Any path to having 100% automated vehicles on the roads will involve a mix of automated and non-automated vehicles for some time. How receptive people are to automated vehicle technologies will also determine the length of the transition and if consumer acceptance is low, the Slow Lane scenario could be the reality for quite a long time. In this situation, we would need to find a way to do the best that we can with our infrastructure to serve all road users.


This scenario gives us an opportunity to examine the transitional effects on transport, energy and infrastructure networks. We can also gain insight into the potential transition issues for Victorians in rural and regional areas, people in lower income brackets, and Victorians who may not otherwise have access to automated vehicles.

Mixed business

A mix of automated and conventional vehicles would clearly dilute the network efficiency benefits of automated vehicles, but it's not projected to eliminate them entirely.

The transport modelling shows that automated vehicles improve the overall performance of the network, even with a mix of cars on the road. This is particularly due to the assumption that the automated fleet in this scenario is a shared on-demand fleet, meaning the number of vehicles is greatly reduced. The transport modelling suggests that the number of cars in this scenario will fall to around two million, compared to 3.5 million in the base case. This, in turn, leads to significantly less road congestion than in the base case, with average speeds projected to increase by 39%. This means that, even with a mix of automated and non-automated vehicle on the roads, the value of time lost to road delays would also fall. We estimate that the annual road delay cost in the Slow Lane scenario would be approximately \$2.1 billion in today's terms, compared to \$8.1 billion in the base case.⁶⁰

The modelling shows that public transport is relatively more attractive in this scenario, accounting for 22% of motorised trips, compared to 19% in the base case and just 14% in Private Drive. Just like in the Fleet Street scenario, in which on-demand automated vehicles operate on a fare structure similar to traditional taxis, on-demand vehicles have a higher perceived cost to use than the conventional vehicle fleet. The impact of this is that those using the on-demand vehicle fleet (half the population) may actually choose public transport because, in some cases, it will be a cheaper. This plays out differently in different parts of Victoria, and is sensitive to factors such as overall trip length and availability of public transport.



Key findings

- 43% fewer vehicles if half are shared
- Congestion improves, with speeds 39% faster on average
- Equity could be an issue, with higher income areas likely to benefit first
- 1,388 DALYs avoided, valued at \$270 million in 2046

⁶⁰ Infrastructure Victoria analysis based on MABM outputs and ATAP guidelines on value of travel time.

Automated and non-automated vehicles – playing nice

Figure 52 provides an illustration of how mixed automated and conventional vehicles could operate on the Monash Freeway in 2046.

In one interpretation of this scenario, the inner lanes of the freeway could be designated to automated vehicle use, allowing automated vehicles to fully realise their efficiency benefits and improve travel speeds. Arup's research on the road infrastructure requirements for automated vehicles found no evidence to suggest that segregating automated vehicles in separate lanes would be necessary. However, we've chosen to illustrate this potential outcome to reflect the possible differences in the way automated and non-automated vehicles could operate on Victoria's roads.

What this scenario also highlights is that anything less than 100% uptake of automated vehicles will likely mean that roads will need to retain all the infrastructure for humans to use the road, including visual infrastructure (traffic lights, line markings and signs), barriers and kerbs. For example, 'passive' roadside infrastructure, such as variable message signs, would need to be maintained in the medium term.

The potential infrastructure benefits of a fully automated fleet, including traffic optimisation, flexible road space use and increased greening of roadways, would probably not be possible with a mixed fleet. However, it is important for the government to be able to recognise and realise any opportunities if we do see a mixed fleet for an extended period of time (for example, if the fleet mix reaches an equilibrium at less than 100% automated vehicles). Repurposing some parking space or designating space for automated vehicles could improve the way our roads operate and further encourage automated vehicle uptake.

Mixed fleet, mixed accessibility

While Victorians will get the accessibility benefits of automated and zero emissions vehicles under all scenarios, the benefits are slightly reduced in the Slow Lane scenario. There are two contributing factors to this. The first is the higher relative cost of use of the on-demand vehicle fleet, as modelled in the Fleet Street scenario.

The second factor is uneven rates of technology uptake among Victorians in different income or socioeconomic groups. Because different income groups tend to live in different parts of the state, this means that different locations will have different outcomes in terms of take-up of automated vehicles and, ultimately, in accessibility.

While in all of our scenarios we assumed a linear uptake of automated and zero emissions vehicles, we also commissioned Deloitte Access Economics to examine the socioeconomic effects of different take-up rates across different regions and income groups in Victoria.



Figure 52: Monash freeway – Slow Lane concept



Source: Urban Circus & Ethos Urban

In this research, much of the evidence suggested that education and income were likely to be key influencing factors for the early uptake of automated and on-demand vehicles. For the purposes of modelling the accessibility impacts of automated vehicles, Deloitte Access Economics used income as the primary factor determining automated vehicle adoption, noting that income and education tend to be highly correlated.


Using Australian Bureau of Statistics incomes data and research on technology diffusion, Deloitte Access Economics grouped the population into five different income segments, and allocated each segment a different rate of uptake. High income groups (groups 4 and 5 in Figure 53) are assumed to adopt the vehicles earlier and at a faster rate than low-income groups (groups 1 and 2 in Figure 53).

For all scenarios other than Slow Lane, all population groups reach 100% take-up by 2046, but at different rates (Figure 53).

What this figure shows is that, at 50% take-up in 2031 (the dotted line), the lowest two income groups, representing 44% of the population, would only represent 3% of automated vehicle users. This is representative of what the differences in automated vehicle uptake among income groups might look like in Slow Lane, meaning that, in the medium to long term, there could be significant ongoing disparities in access to automated vehicles in this scenario.

Using this approach, modelling showed that improvements would be most prominent in areas with higher uptake rates of automated vehicles, which tend to be areas with higher incomes. Figure 54, Figure 55 and Figure 56, which show the percentage of each area that has access to a local train station, illustrate the impact of uneven uptake on accessibility by comparing the base case, Fleet Street (subscription fare) and Slow Lane (subscription fare) scenarios.

Figure 53: Technology uptake by income cohort



Source: Deloitte Access Economics

These maps show that with 100% adoption of automated on-demand vehicles and a cheaper fare structure (Fleet Street with a subscription fare), there is an almost uniform improvement in access to train stations relative to the base case in almost all of the middle ring areas of Melbourne. When only 50% of the population has access to automated on-demand vehicles (Slow Lane), some areas in the south east, north and west, where a higher proportion of people have lower incomes, don't see such improvements.

Figure 54: Base case train access

Figure 55: Fleet Street train access





Figure 56: Slow Lane train access



Source: Deloitte Access Economics

Land use in the Slow Lane


SGS's analysis shows that the effects of mixed take-up and ownership are reflected in the movement of people and jobs. The modelling shows that this scenario is likely to see the lowest overall shift in employment and households, but still lead to fewer people and jobs located in the inner city than in the base case (see Figure 57 and Figure 58).

This pattern of growth reflects the improved performance of the road network. The impact of the EastLink, and improved motorway access to it through the North East Link and the E6, can be seen in strong dwelling growth in Melbourne's east, including in Knox and Casey-North and South. In the west, it can be seen in the uplift at Brimbank, which contains the junction of the Western Ring Road, Western Freeway and Calder Freeway. The freeway corridors in outer areas are where automated and zero emissions vehicles could provide significant increases in accessibility.

As in the other automated scenarios, congestion in inner Melbourne is forecast to lead to fewer dwellings and jobs in inner city areas compared to the base case. This pattern reflects increasing inner city congestion, likely resulting from fleet empty running and lower marginal costs of travel for private automated vehicle owners. The decline in inner city jobs is in all industries, most notably in health and education.


SGS's modelling shows regional Victoria would experience very little change in land use at all in the Slow Lane scenario. Only Geelong and Bendigo experience noticeable changes. This is likely a continuation of the slower uptake of technologies, as observed in Deloitte Access Economics' socioeconomic analysis.

Figure 57: Slow Lane – employment change from base case



Source: SGS Economics & Planning

Figure 58: Slow Lane – dwelling change from base case



Source: SGS Economics & Planning

Slow Lane still has some vehicle emissions

Slow Lane delivers some, but not all, of the environmental and population health benefits of zero emissions vehicles. Because 50% of the fleet is still traditional internal combustion engine vehicles, there are still vehicle exhaust emissions, albeit to a smaller extent than in the base case. Using the avoided DALY approach, the emissions reductions from this scenario are projected to deliver a benefit of 1,388 DALYs avoided compared to the base case scenario, which represents an annual economic benefit of \$270 million in 2046.

Mixed fleet and the energy market

In the same way that this scenario has the potential to deliver some but not all of the benefits of automated and zero emissions vehicles, it may lead to some but not all of the challenges associated with automated vehicles. A prime example of this is the impact on Victoria's energy grid. Because the on-demand automated vehicle fleet is much smaller and driving relatively fewer kilometres than in the other automated vehicle scenarios, the additional energy demand is forecast to be significantly lower. Modelling undertaken by KPMG shows that the vehicle fleet would consume a total of approximately 10,100GWh of electricity in 2046, a 23% increase over base case consumption.

As we discussed earlier in reference to the Fleet Street scenario, the charging profile of an on-demand vehicle fleet is such that a good proportion of vehicle charging can occur when overall energy demand is lower. This means fleet charging is not forecast to contribute as much to maximum demand, mitigating the overall impact on the energy network. In this scenario, the vehicle fleet only adds 1,100MW to maximum demand during peak hours at a total cost to the network of \$2.1 billion compared to the base case.

Slow Lane, lower government financial impacts

The range of financial impacts on governments would also be lessened by a smaller proportion of people moving to on-demand automated vehicles. Unsurprisingly, this scenario is estimated to have the least financial impact on government revenues, including our estimates of Victoria's share of fuel excise revenue, with a \$5.1 billion reduction in 2046. This is because half of the impacts associated with the emergence of automated on-demand battery electric vehicles aren't realised. Driver's licence and registration fees are still being paid, fuel excise is still collected and parking fees are still being paid by drivers of traditional vehicles. Similarly, the economic and employment impacts of this scenario are likely to be less than the fully automated scenarios.

What have we learned from Slow Lane?

We expect that a mix of traditional vehicles and automated, zero emissions, on-demand vehicles is a probable outcome for Victoria in the medium term. What the evidence we've gathered on this scenario shows us is, even if only some people adopt these technologies, there will be wide-ranging (albeit slightly smaller) benefits for most Victorians. This is promising, and might encourage governments to consider the benefits of automated and zero emissions vehicle uptake as the technologies develop.

However, some of the challenges highlighted by this scenario are a reminder that any move to incentivise automated and zero emissions vehicle uptake should be carefully considered and targeted. Given the evidence around how new technologies tend to be adopted, there is a real risk that most of the benefits of automated vehicles will go to relatively wealthy, well-educated people living in inner urban areas. Lower-income people living in outer metropolitan and regional areas may not see as many of the benefits.

Because this scenario could be a reality for quite some time, it's worth considering how infrastructure planning, energy market investment and urban design rules could maximise the benefits of automated and zero emissions vehicles and/or further encourage their uptake.

The consultant reports also highlight that there are some no-regrets actions that governments could take regardless of automated vehicle uptake rates. For example, the benefits to road space allocation and street and neighbourhood design that could be achieved by automated vehicles could still be pursued by repurposing parking space or designating space for automated vehicles. Changes like these could serve the dual purpose of simultaneously capturing the benefits of automated vehicles and encouraging their uptake. In the same vein, certainty around emissions reductions targets and renewable energy policy, as well as investment in 'smart' network infrastructure, could deliver significant benefits. Even a small fleet of battery electric vehicles, if well managed, could improve the resilience of Victoria's energy network.

Local insights – how Victorians might use automated vehicles

To help better understand how people might value their time differently in an automated or shared vehicle, we ran an online survey for two weeks in May and June 2018. The survey asked Victorian motorists how they might use an automated vehicle in the future, and what trade-offs they'd be willing to accept to use a shared vehicle. Respondents were allowed to select more than one response to each question.

Of the 992 respondents, most people (64%) said they would 'relax and do nothing' on a short trip in an automated vehicle, but 43% would use the internet and 26% would work in that time.

On longer journeys of more than 30 minutes, people started to think about what they might do differently in an automated vehicle. About half (49%) of respondents said they would use the internet, one-third would watch television or movies and around 30% would either work or sleep.

There were differences in these choices across demographic groups. For example, a higher percentage of people aged under 55 said they would use the internet for leisure in an automated vehicle. Similarly, people aged under 45 were more likely to say they would use that time to work.

We also asked what types of journeys people might take in an automated vehicle compared to how they use their car today. The same amount of people who currently use their car for work trips during business hours would also consider using an automated vehicle for this purpose (23%), and 70% of respondents would consider using an automated vehicle for social outings. Roughly two-thirds of people would think about taking an automated vehicle to run errands, and 13% would consider sending their children to school on their own in an automated vehicle.

What would you do an automated vehicle trip	of less than 30 minutes?	of more than 30 minutes?
Use the internet for leisure (e.g. Facebook or online shopping)	43%	49%
Work (including using the internet for work)	26%	29%
Watch TV or movies	13%	33%
Sleep	13%	30%
Just relax and do nothing	64%	55%
Other	38%	40%

Activity	Percentage of respondents who would consider using an automated vehicle for this activity
Commuting	39%
Work trips during business hours	23%
School run	17%
Unaccompanied school run	13%
Running errands	64%
Social outings	70%
Long trips or holidays	45%
None of the above	18%
Other	13%

Imagine a future where you own your own automated vehicle. To what extent might you do the following?	Definitely would	Might	Definitely would not
Have your automated vehicle drop you off, then park somewhere nearby for current parking rates, so it's nearby when you need it	21%	50%	29%
Have your automated vehicle drop you off, then send it elsewhere to avoid paying for parking where you are, before calling it back later	42%	38%	20%
Generate an income for yourself by letting other passengers use your automated vehicle when you are not using it	15%	36%	49%

Approximately 58% of people aged 55–64 said they currently travel by car for their commute, either as a driver or a passenger, but only 42% would consider travelling in an automated vehicle for these trips. Comparatively, 67% of people aged under 54 would consider travelling in an automated vehicle for their commute. However, a majority of people aged over 65 were open to using an automated vehicle to run errands (56%) and attend social outings (58%).

In terms of sharing taxi rides, a slim majority of people would be driven by their hip pocket, opting to share with one or two other passengers in order to save money, even if it meant the trip took slightly longer. This was true in both traditional and automated vehicles, although people were slightly less comfortable sharing a vehicle when there was no driver present. However, among people aged 34 or younger, over 65% would share an automated vehicle with one or two other passengers to benefit from the lower cost, while over 70% would share a traditional car. There was little difference in the preference for sharing an automated vehicle between women (52%) and men (49%).

Money was also a motivator when it came to paying for parking, with 42% of people saying that if

they had their own an automated vehicle, they would 'definitely' send it elsewhere to avoid paying for parking (compared to 21% of people opting to park nearby and pay current rates). However, just 15% of people said they would definitely consider generating an income for themselves by allowing their automated vehicle to run as a 'robotaxi' when not being used.

These decisions are also different across age groups, with 34% of people aged under 34 stating they would definitely generate an income through hiring out their automated vehicle when they weren't using it. Conversely, less than 9% of people aged over 65 would definitely do this.

While the focus of our survey was not people's willingness to use automated vehicles or features, a number of respondents commented that they wouldn't use one. Attitudes to automated vehicles was the focus of a Victorian survey conducted in 2017 by ConnectEast in partnership with VicRoads, the Australian Road Research Board, La Trobe University and RACV to help road operators and car manufacturers understand the needs of motorists. The results from more than 15,000 people polled showed that, despite the majority of respondents stating they have very

little or no knowledge of automated vehicles, 55% of people want lane keeping assistance technology in their next car and 35% of people would like their next car to be fully self-driving on freeways. The majority of respondents were also in favour of having their next car connected to a data network for the purposes of communicating real-time traffic and safety information.

A separate poll by global market research firm Ipsos, released in 2018, found that while the vast majority of Australians are at least interested in automated vehicles, we are less optimistic than other countries about the benefits. Less than half of us believe automated vehicles will make driving safer. We also bucked the international trend on who we trust to regulate automated vehicles, with government seen as the most trusted regulatory player, versus the rest of the world who trusted car manufacturers and designers.

Victorians may be sceptical about the potential for automated vehicles, but the market is already clearly calling for automated features, such as lane keeping assistance. As more and more people are exposed to and become familiar and comfortable with automated technologies, how we plan and use our time in cars could change considerably.

High Speed

A shared fleet of electric and automated vehicles in 2031.

If automated technologies prove themselves to be safe and reliable, they may become common on our roads much sooner than we expect.

Transitioning to 100% automated on-demand vehicles is projected to have the most dramatic impact on Victoria's transport network. In the High Speed scenario, the impact is just as dramatic as that outlined in the Fleet Street scenario, but with all of the effects felt 15 years earlier.


Cars are a significant purchase for many people, and not something to be replaced as soon as the newest technology comes around. On-demand services provided by commercial fleets, however, aren't likely to have the same constraints. The rapid emergence of automated vehicle technologies could present an opportunity for car-sharing businesses to roll out fleets of automated on-demand vehicles. In this scenario, we tested the effects of a rapid roll out of shared on-demand vehicles, where 100% of the vehicle fleet is made up of automated on-demand vehicles in 2031.

This could mean that the market for second-hand conventional vehicles collapses, which may lead people to 'dump' their vehicles. While this scenario might minimise the growing pains of the Slow Lane, it would also mean that governments have to move rapidly to implement any required infrastructure changes to support this new approach to transportation.

Victoria in 2031: a High Speed base case

Before we discuss the impacts of the High Speed scenario, it is useful to understand what the base case for Victoria looks like in 2031. Between 2015 and 2031, Victoria's population is forecast to grow by 30% to a total of 7.7 million, with Melbourne forecast to grow slightly faster at 33% to six million. Jobs growth is forecast to be quicker than population growth over the same period, by 31% in Victoria and 34% in Melbourne.

Along with population growth, the demands on the transport network also increase. Public transport is projected to take a greater share of the load, accounting for 14% of all motorised trips in 2031 – up from 10% in 2015. In line with growth in public transport use, people are projected to be walking an extra 300 metres per day. This equates to about five minutes of extra walking every day. In 2031, many of the current transport infrastructure projects have not yet been completed, which means that the efficiency of the network is slightly lower than either present day (but with fewer vehicles) and in 2046. The vehicle fleet is projected to generate 24 million tonnes of CO₂ equivalent in 2031 (compared to 27 million tonnes in 2046).



Key findings

- 80% of trips by car, 20% by public transport
- 93% fewer cars, with average speed increased by 43%
- Benefits of automation realised sooner and for longer, including GSP growth and health benefits
- Waste impacts more severe as they happen more quickly

Rapid transport revolution

As with Fleet Street, the modelling found that Victoria's transport demands could be met by a much smaller fleet of automated on-demand vehicles in 2031. The 2031 base case vehicle fleet is projected to be 2.9 million vehicles, which could reduce to 210,000 in the High Speed scenario (a 93% reduction).

As the number of vehicles falls, their utilisation rates increase. Although there is a smaller vehicle fleet in the High Speed scenario, the number of trips and distance travelled remains relatively unchanged. Since the vehicle fleet is entirely automated, the efficiency of the network is significantly increased and congestion almost entirely eliminated.

In line with the Fleet Street and Slow Lane scenarios, we assumed a price for automated vehicle trips of a \$2.00 flagfall, a per-kilometre cost of \$0.22 and a per-minute cost of \$0.07. The high cost of on-demand vehicles and the lack of new transport infrastructure projects are likely to make public transport a much more cost effective option, particularly for longer journeys. The modelling for this scenario supports this. Public transport use is projected to increase across all modes and all regions in High Speed, but particularly in the middle ring suburbs.


Overall public transport is projected to account for 20% of all motorised transport trips in this scenario, compared to the 2031 base case of 14%.

The increase in public transport demand seen in the modelling could lead to some key routes or services facing severe capacity constraints, particularly at peak times. The speed of the transition will likely mean that public transport will need to adjust rapidly. Train and tram networks can't be easily expanded in the short term, so buses would be expected to become increasingly important. Figure 59 shows the forecast growth in public transport by mode in this scenario, further highlighting the potential importance of buses in future.

The impact of a subscription-style fare model like in Fleet Street would mitigate the pressure on public transport, with a 13% share of all trips.

All of the above factors contribute to a significant reduction in road congestion. Average speeds on the network increase from 34km/h in the base case to 53km/h. Depending on the commercial models of a scenario like High Speed, the rapid uptake of automated vehicles may therefore have significant implications for future road infrastructure investments, such as deferring the need for some additional road capacity.

Figure 59: Increase in public transport use between 2015 and 2031 (High Speed)



Source: Adapted from KPMG transport modelling (MABM)

Healthier, sooner

The environmental and population health benefits of this scenario are significant. In High Speed, these benefits are slightly lower than the other scenarios with zero emissions vehicles, as they apply to a smaller population base (2031 as opposed to 2046), but this doesn't lessen their significance. In fact, realising the population health benefits sooner means that Victorians would receive the benefits for longer. Overall, 3,099 DALYs are avoided in this scenario in 2031, delivering an economic benefit of \$603 million. These benefits are generated annually for every year the effects of vehicle exhaust emissions are removed, so earlier realisation of these in the High Speed scenario translates into more significant overall benefits as well.

Equally, Victoria is more likely to achieve its emissions reductions targets sooner. The projected 24 million tonnes of CO₂ equivalent emitted from Victoria's vehicle fleet in 2031 would be entirely eliminated.

While this scenario would deliver some significant benefits through reduced congestion, improved access to services for many Victorians and lower vehicle emissions, there will likely be some challenges associated with the speed of the transition.

No littering, please

As we discussed in the Fleet Street scenario, moving to a smaller vehicle fleet can be expected to deliver long-term benefits to Victoria's waste management system by reducing the amount of vehicle waste needing to be recycled and going to landfill. While this still holds true in the High Speed scenario, such a radical reduction in the vehicle fleet (93%) by 2031 means that a large number of vehicles will need to be disposed of in a very short time. A large-scale move to a shared fleet would mean that the value of second-hand cars collapses and many individuals would be left with vehicles of little or no value.

This means that Victoria's waste infrastructure would not only have to deal with a spike in vehicle disposal, but would also have to less time to do so, relative to the Fleet Street scenario. We expect this combination of factors to make investment in waste capacity both more urgent and more costly. However, because the spike in vehicles needing to be disposed of would only be temporary, there is limited incentive for the waste management sector to invest in extra capacity, which tends to be a long-term investment. This could lead to stockpiling, illegal dumping or other unwanted outcomes.

The government is already making changes to address future waste challenges and is taking steps to expand the local recycling sector through a recently announced Recycling Industry Strategic Plan. However, it is unlikely that a significant increase in vehicle disposals is within their sights.


The grid in transition

A rapid transition to automated on-demand and battery electric vehicles also has implications for Victoria’s energy network. As discussed in the Fleet Street scenario, the impact of the vehicle fleet on maximum energy demand could potentially be mitigated by price signals to incentivise fleet operators to charge at off-peak times or times when renewable generation is highest. However, a faster uptake of these vehicles would give the energy market less time to adjust its supply mix and there would likely be more fossil fuel-based electricity production in 2031 than there would be in the longer-term scenarios (2046).

For example, Figure 60 shows that in 2031, the additional consumption requirements of the fleet could be met within existing generation capacity. This baseload capacity is more likely to be fossil fuel based, even though additional renewable capacity may be required to meet maximum demand at peak times.

Although generation capacity may not be an issue in 2031, localised distribution networks might still come under pressure from increased vehicle charging. Given that expenditure plans and tariff schedules are set every five years, electricity distributors and Victorian regulators would most likely need to start planning for the High Speed scenario in 2024–25. If adequate plans aren’t in place to support the transition to battery electric vehicles charging, the reliability of distribution networks could be affected.

Figure 60: Generation investment requirements – High Speed




Source: KPMG energy modelling

The High Speed economy

The employment and economic impacts of automation will also be felt sooner. A rapid transition to a fully automated vehicle fleet could, like Fleet Street, affect a number of jobs in the road transport sector. The on-demand fleet scenarios are estimated to have the largest overall employment impact of the scenarios, as they combine the impacts of automation, vehicle electrification and significant fleet consolidation. Employment forecasts developed by Deloitte Access Economics predict a one-off employment impact in these sectors of around 50,000 job losses in the High Speed scenario, as shown in Figure 61.


As with the other automated scenarios, the initial job losses are likely to be offset by employment growth in other parts of the transport sector and other industries due to productivity growth associated with automated vehicles. Deloitte Access Economics' modelling predicts that over 60,000 jobs will be added in 2031. Like in the Fleet Street scenario, automated vehicles are forecast to add around 2% to Victorian GSP, worth around \$10 billion in 2031. These employment and productivity benefits would be felt on an annual basis, as Figure 62 shows, meaning the Victorian economy could be stronger for a longer period of time. The cumulative benefit of an earlier transition to a stronger economy and more jobs is projected to be worth approximately \$30 billion in today's terms.

Figure 61: Change in employment in key industries – Victoria 2031



Source: Deloitte Access Economics

Figure 62: Deviation in GSP between High Speed and Fleet Street



Source: Deloitte Access Economics

Fast-tracked urban redesign

Like in the Fleet Street scenario, taking around 2.2 million cars off the road would present an opportunity to fundamentally rethink the way we design neighbourhoods and streets. Arup's research suggests automated vehicles will be designed to operate within the existing infrastructure constraints, meaning wholesale upgrades of road infrastructure wouldn't necessarily be required. However, the opportunity to reshape our streets by reclaiming unused parking spaces and extra road space made available by the operating improvements of automated vehicles is significant.

In Figure 63, Chapel Street, South Yarra has been redesigned as part of our urban design analysis. This image represents a vision for what could be achieved in a busy inner-urban street with a much smaller on-demand vehicle fleet. In this concept, all on-street parking has been removed and footpaths have been widened to provide extra space for pedestrians, recreational use and urban greening.

Some space that was previously used for parking is now a pick-up and drop-off zone for on-demand vehicles, but this is limited. Automated vehicles and trams communicate remotely with one another and can share the centre lane without incident.




Figure 63: Chapel Street reimagined



Source: Urban Circus & Ethos Urban

Automatic for the people

We talk a lot about the potential of automated and zero emissions vehicles to be a catalyst for a fundamental reshaping of cities, neighbourhoods and streets, but, so far, we haven't discussed in detail what this means for other road users – pedestrians and cyclists. Any changes to street design should consider the amenity and safety impacts for all road users. Automated vehicles probably won't need line markings to help with lane positioning in the same way traditional vehicles do, but it's likely that pedestrians and cyclists will still need infrastructure in areas like road crossings. Pedestrians and cyclists, understandably, might feel uncomfortable crossing an intersection without some kind of signal telling them that it is safe to cross. In this instance, traffic signals could be retained as a redundancy system to provide pedestrians and cyclists comfort that they are able to cross, or reimagined in a way that is pedestrian-centric, as in Figure 64, which shows lighting embedded in street crossings.

WSP's technical report on ICT infrastructure notes that, ideally, cyclists and pedestrians would passively broadcast their location and planned route so automated vehicles could adjust their behaviour to provide maximum protection. To facilitate this, vehicle-to-person (V2P) and vehicle-to-cyclist (V2C) communications are both being explored in international trials. However, WSP also noted that any requirement for vulnerable road users to self-select the technology they use for protection is likely to be controversial, and Arup's technical report notes that automated vehicles need to detect cyclists (and pedestrians) whether or not they are connected, with any system that could be worn or installed to be used only as a back-up. The *Blueprint for Autonomous Urbanism* developed by the US National Association of City Transportation Officials states simply that "people walking or biking should not have to carry sensors or signals to stay safe".⁶¹

What active transport infrastructure might be required to allow active transport and automated vehicles to interact safely?

We know that people have safety concerns about automated vehicles and this may deter people from walking, cycling or engaging in other forms of active transport where interaction with automated vehicles may occur. Introducing some infrastructure to ensure people feel safe, especially during the transition period to an automated vehicle future, could help encourage active transport.

Effective measures for the promotion of active transport may include lower motor vehicle speeds, lower motor vehicle traffic volumes, protected infrastructure such as footpaths and protected bike lanes, provision of direct routes with minimal delay, and crossing infrastructure such as protected medians and signalised crossings.

In the future, even if automated vehicles are proven to interact safely with pedestrians, cyclists and motorcyclists and avoid collisions, people in 2046 will still make mistakes. In many high risk locations like routes to schools, infrastructure requirements for active transport will remain important.



⁶¹ National Association of City Transportation Officials (2017), *Blueprint for Autonomous Urbanism*. Available at: <https://nacto.org/publication/bau/blueprint-for-autonomous-urbanism>. Accessed 22 June 2018.

Figure 64: Potential pedestrian crossing at Ringwood Station in a fully automated future



Source: Urban Circus & Ethos Urban

Lessons from a rapid transition

High Speed is a scenario in which all of the benefits of Fleet Street – reduced emissions, improved productivity, improved safety and lower congestion – are realised sooner and for longer.

The rapid uptake of automated on-demand vehicles would likely improve the performance of the road network to such an extent that the government could defer or altogether avoid some infrastructure investments. Equally, the health-related savings and environmental benefits would accumulate year on year.

However, it is important for governments to be prepared for the emergence of these technologies to ensure their benefits are fully realised. The High Speed scenario could also present a case study of what might happen if a transformative technology evolved very quickly. Monitoring technological trends will be particularly important in this scenario to ensure that policy, regulation and supporting ICT infrastructure is in place and doesn't hinder automated vehicle uptake.

Like many disruptive technologies of the past, this scenario is more likely to be market led than state led. There is a risk of government being forced to respond to these technologies, rather than being prepared for them. The rapid emergence of new mobility models such as Uber and oBike are examples of market-led developments that had significant and, at times, undesirable consequences. Uber provided a service for which there was considerable consumer demand and, in doing so, caused significant disruption to an existing industry already regulated by government. This had financial consequences for the taxi industry, which protested Uber's arrival and unsuccessfully sought to protect their industry from disruption. Uber's emergence led to a significant change to the regulatory framework and government compensation for affected stakeholders. Dockless bike share service oBike also generated disruption when it arrived in Melbourne in 2017. The unintended consequences of oBike were felt very quickly, with dumped bikes becoming a common sight around Melbourne. Local governments responded with attempts to regulate the scheme. Within 12 months of its emergence, oBike announced its withdrawal from Victoria.

Similarly, Victoria's waste management system and energy market may be caught off guard by the speed of the transition, leading to negative outcomes ranging from illegal disposal of vehicle waste to increased greenhouse gas emissions from the electricity generation sector.

Case study: Dubai's high speed approach to automated vehicle roll out

Dubai, the most populous city in the United Arab Emirates, knows how to get things done quickly and at scale. The business and transport hub has grown rapidly over the past half century to become a metropolis in the desert, and its plans for the future of automated transport are just as ambitious.

Dubai's Sheikh Mohammed bin Rashid Al Maktoum has often stated that "Dubai will never settle for anything less than first place". This sentiment is reflected in the city's target of 25% of all transport to be automated by 2030, and its aim to have the world's first automated bus rapid transit system. The bus system is touted as being capable of reaching metro-style capacity, taking 30,000 to 40,000 passengers per hour in each direction, at a much lower cost than the train system.

Dubai isn't only aiming high on automation. The Dubai Roads and Transport Authority (RTA) told us its Green Mobility Initiative is promoting the use of sustainable transport and battery electric vehicles, rolling out charging stations and setting battery electric vehicle targets for new car sales and government fleets. The RTA is leading the development of a battery electric vehicle inspection regime, linked to vehicle registrations to ensure proper service and maintenance. Dubai also aims to have the lowest carbon footprint in the world by 2050 and to cut carbon emissions by 16% in 2021, demonstrating its shift away from oil and resources.

Dubai will host the next World Expo in 2020, where it will showcase its commitment to sustainable materials and design to thousands of visitors.

The Sustainable City in Dubai is one example of how the city is turning ambition into reality. When we visited the 500 residential villa development, we saw a car-less, rooftop solar-powered township, with an automated shuttle bus to get around and a 'green spine' with biodomes for growing food. Battery electric vehicle charge points are offered for free in the city's car parks, and they've set a target of 20% battery electric vehicles by 2020. Sustainable building features like structural insulation, efficient air conditioning and reflective paint keep energy costs low, which is critical in a city where average temperatures over summer are over 40 degrees Celsius.

Importantly, Dubai hasn't lost sight of bringing its residents along for the ride as it moves towards an automated transport future. When the Dubai metro train system was first automated, a 'driver' or attendant was still present for the first six months to help people feel safe and adjust to the change. A similar approach is being considered for automated bus trials. In the Sustainable City, when residents raised questions about the safety of the automated shuttle bus, community engagement formed a key pillar of ensuring its success today.

With Dubai's track record for high speed infrastructure roll out, it is also investigating Hyperloop technologies. Hyperloop is a developing transport system where passengers are transported at speeds of up to 1,200 kilometres per hour in floating pods within low-pressure tubes. The UAE is testing and seriously investigating its potential, including a possible 15-minute connection from Dubai to Abu Dhabi.

Whatever the future brings, with Dubai's mindset of never settling for less than first place, it will be a key city to watch for high speed transport technology roll out.





*Watergardens reimagined
under the Fleet Street
scenario as part of our
Urban Design work*

Consistent themes across all scenarios

There are some consistent themes that have emerged through gathering the evidence for this report, where the modelling suggests changes to occur regardless of the scenario being examined.

Land use

All of our scenarios show that automated and zero emissions vehicles would change where people choose to live and work. The extent of these changes varies according to the ownership model (private or shared), how travellers value their time, and rate of take-up of new types of vehicle technology. However, what all scenarios have in common is that they show automated and zero emissions vehicles, and the business models that might emerge alongside them are likely to lead to a more dispersed population.

Broadly, the scenarios show more reliance on major roads and freeways and on public transport infrastructure, particularly that which connects outer and middle ring suburbs. The modelling shows that some areas consistently see additional growth in population and jobs compared to the base case. The greenfield area of Casey-North appears in the top five areas in all land use scenarios for both dwellings and employment changes. Similarly, Whittlesea-Wallan is a greenfield area that appears in the top five in three scenarios.

The change in land use patterns projected in these scenarios is an order of magnitude larger than what is typically seen by major transport projects, which tend to be more localised in their impact. The emergence of automated and zero emissions vehicles will affect the whole of Victoria in a more profound way than any one major project affecting a particular part of the network.

However, across all of the scenarios, the change is relatively small compared to the overall growth in population and employment in the base case. For example, areas which are projected to experience the highest growth compared to the base case are generally forecast to see population boosted by around 3–8% in 2046 on a much higher base, with an overall doubling of the population between 2016 and 2046. Similarly, employment is more dispersed under all scenarios. The modelling shows between 2–8% fewer jobs in the inner and inner south east regions in 2046 depending on scenario, but this is in the face of overall jobs growth in these areas of 75% in the intervening period.

The scale of land use change seen as a result of the scenarios could also be reduced if measures were taken to address congestion and public transport crowding in inner Melbourne. The modelling of the scenarios has not sought to adjust the transport network in any way to match the demand changes posed by the scenarios. The resulting impacts on inner Melbourne congestion and public transport crowding are likely a key 'push factor' which, combined with the 'pull factor' of the improved accessibility offered in the middle and outer suburbs and some areas of regional Victoria, triggers a change in land use. With a different transport network service offering or other policies to manage demand, a different pattern of land use could result.

Planning for automated and zero emissions vehicles

Our modelling shows that automated vehicles make living further away from the central city more attractive. With a more dispersed Melbourne, planning rules in different areas are likely to come under pressure.

The current metropolitan strategy, Plan Melbourne 2017–2050, aims to maintain a permanent urban growth boundary to reduce fringe development, encourage more consolidated residential development in established areas and protect agricultural land and biodiversity. Plan Melbourne also identifies peri-urban towns under development pressure and proposes introducing urban growth boundaries to protect surrounding agricultural and environmental land. Several regional Victorian centres have introduced growth policies, but Macedon Ranges is the only area that has legislative requirements for boundary modifications.

Infrastructure

Automated vehicles represent both an opportunity and a challenge for the future of Victoria's transport network. On the one hand, automated vehicles have the potential to increase the effective capacity of our roads, presenting an opportunity to defer or avoid future capital investment in road infrastructure.


Regardless of the scenario, automated vehicles are predicted to increase the effective capacity of Victoria's roads. Even some automated vehicles mixed in with non-automated vehicles will reduce congestion. The modelling shows us that in the Slow Lane scenario, in which over half of the vehicle fleet are non-automated, average speeds are much higher than in the base case (39%), and average delays are much lower (75%). In the fully automated on-demand scenario of Fleet Street, average speeds are 17 kilometres per hour higher, a 54% increase, while average delays are reduced by 32 seconds per kilometre (a 90% reduction).

On the other hand, Victoria's public transport network is likely to face increasing demand pressures.

All scenarios have much higher levels of public transport use across all modes than today. Even the scenario with the lowest usage (Private Drive) has more than double today's public transport patronage, and the scenario with the highest usage (Fleet Street) has over four times today's patronage. Figure 65 shows the projected increase in public transport use in all 2046 scenarios.

In addition, the High Speed scenario, which assumes automated vehicles are ubiquitous in 2031, is predicted to have two and a half times the public transport demand of today, but 15 years sooner. Regardless of scenario, public transport is likely to remain a vital part of Victoria's transport mix in future.

Figure 65: Public transport patronage – all scenarios



Source: KPMG Transport modelling (MABM)

Physical and digital road infrastructure will need to adapt to a future with automated and zero emissions vehicles, though the specific changes to be made are still uncertain at this stage of development of the technology. We do know that there is little evidence at the moment to suggest that physical road assets need to be changed to accommodate automated vehicles (such as road strengths, road design approach, bridge strengths or barrier design), other than keeping current roads in good condition, standardising approaches to roadworks and ensuring lines and signs are able to be read by automated vehicles.

We know that the existing and planned ICT infrastructure is largely sufficient to support the introduction of automated vehicles in Victoria, though there are a lot of benefits to be gained through further investment in connecting vehicles to the world around them. We also know that there is an inverse relationship between investment in digital infrastructure and investment in physical infrastructure in the future to support automated vehicles, with digital infrastructure likely to reduce the need for physical infrastructure in some applications.

To a certain extent, the impacts of automated and zero emissions vehicles on energy infrastructure in Victoria vary by scenario. The amount of generation capacity required to meet the energy demand of zero emissions vehicles depends on the number of vehicles in the fleet and how much they're used. Total consumption of electricity is projected to be between 23% and 56% higher in all battery electric vehicle scenarios.

Electricity demand, and therefore cost, is highest where vehicles are privately owned and there is no mechanism to influence charging behaviour, such as an incentive to charge at off-peak times. Taking steps to influence charging behaviours, for example through price incentives or controlled charging, could mitigate the amount of additional investment required and provide cost savings to Victorian consumers.

Hydrogen Highway presents a different range of considerations. This scenario could potentially fundamentally change energy markets in Australia, and would require an entirely new supply chain including new production and distribution infrastructure.

What is consistent is the forecast impact on distribution networks. In all scenarios other than Hydrogen Highway, there is a likely need to upgrade a substantial number of the current 228 zone substations, compared to the base case. It is also important to note that, while not included in the scope of KPMG's analysis, the potential impact of battery electric vehicles on local networks is likely to vary significantly at local 'street level'. If not adequately planned for by distributors, this could have implications for the future uptake of zero emissions vehicles.

Economic, social and environmental impacts

All scenarios are forecast to deliver enduring economic, social and environmental impacts. Automation brings productivity and efficiency benefits that are projected to lead to more jobs and a stronger economy. Despite the likelihood that automated vehicles will cause some initial job losses in key transport sectors, such as freight and passenger transport, our evidence suggests that the enduring benefit of automated vehicles will be a stronger economy and an overall increase in employment. Victoria's economy is forecast to perform 2% better in 2046 in the fully automated vehicle scenarios than in the base case. The value of this benefit is projected to be worth \$14.9 billion in 2046, and will increase over time in line with economic growth. What's more, these benefits will be felt every year, while any initial job losses would likely be one-off.

It's not just the Victorian economy that could benefit from automated and zero emissions. Many Victorians could also benefit from better access to services and reduced vehicle emissions vehicles. Consumers are also projected to benefit from lower costs for automated and zero emissions vehicles, with the average Victorian who travels 15,000 kilometres saving 13–30% if they owned their own vehicle, with an additional 40% benefit for those who use shared fleet services instead of owning their own car.

Overall, the introduction of automated and zero emissions vehicles has the potential to improve all Victorians' access to schools, jobs, health care services and public transport services, assuming a subscription-based fare model is in place for the on-demand scenarios. This is mostly due to either lower out-of-pocket costs associated with battery electric vehicles, or lower time costs associated with vehicle automation, or a combination of these factors.

Automated vehicles have the potential to deliver significant accessibility benefits to individuals currently unable to operate a vehicle, such as Victorians with a mobility impairment or the elderly. If 50% of the people in these cohorts at risk of social exclusion benefit from the emergence of automated vehicles, the potential value of automated vehicles to this group of people alone could be worth around \$3.5 billion (in today's terms).

Automated and zero emissions vehicles are also projected to substantially reduce adverse health outcomes from exposure to pollutants harmful to human health. The estimated net reduction for all scenarios relative to the base case scenario ranges from 1,343 DALYs to 3,737 DALYs, valued at between \$270 and \$735 million. Like the economic and accessibility benefits outlined above, these benefits could be realised annually and would only increase over time as Victoria's population grows.

Similarly, the potential reduction in greenhouse gas exhaust emissions, estimated to be up to 27 million tonnes CO₂ equivalent, would make a large contribution towards meeting Victoria's overall greenhouse gas emissions targets.

While the future of automated and zero emissions vehicles is still uncertain, one thing is clear: there are many compelling reasons to introduce them to Victoria, and we need to be sure we have the infrastructure and land use planning in place to support them.

NEXT STEPS

This marks the final report of the automated and zero emissions vehicles infrastructure advice.

We encourage the Victorian Government to consider the advice and recommendations in this report to ensure Victoria is prepared for automated and zero emissions vehicles technologies as they evolve.

Key findings from the research underpinning this advice will also be reflected in the next update of *Victoria's 30-year infrastructure strategy* in 2019.

We will also continue to engage with government and other interested stakeholders in this area to continue to build on the knowledge base that we have developed while preparing this advice, recognising further monitoring and research is necessary to fully understand the opportunities and challenges of automated and zero emissions vehicles.

APPENDIX A:

SUMMARY OF IMPACTS BY SCENARIO

		Technical advice topic	
		Transport modelling	Land use modelling
Scenario			
Compared to 2015	2046 base case	<ul style="list-style-type: none"> • 37% more car trips • 3 times more trips on PT • 81% of trips by car, 19% by PT • Average journey time is 20 minutes • Annual road delay cost \$8.1b 	<ul style="list-style-type: none"> • 2.5m more jobs and 3.4m more people • Most growth in Melbourne suburbs • Regional growth mainly in towns
	Electric Avenue	<ul style="list-style-type: none"> • Virtually no change from base case • Annual road delay cost \$8.2b 	<ul style="list-style-type: none"> • Assumed similar to base case
Compared to 2046 base case	Private Drive	<ul style="list-style-type: none"> • 8% more car trips • Slower CBD traffic • 24% fewer PT trips • Average journey takes 16 minutes • Annual road delay cost \$6.2b 	<ul style="list-style-type: none"> • 11-15% shift in household locations • 13-17% shift in job locations • Lower marginal utility of travel time doesn't result in greater movement
	Fleet Street	<ul style="list-style-type: none"> • 28% of trips by PT • 91-93% fewer cars needed • 54% higher average road speed • Average journey takes 18 minutes • Annual road delay cost \$0.9b 	<ul style="list-style-type: none"> • 12-14% shift in household locations • 14-15% shift in job locations • Lower marginal utility of travel time doesn't result in greater movement
	Hydrogen Highway	<ul style="list-style-type: none"> • 22% increase in road speeds • 8% more car trips • Average journey takes 16 minutes • Annual road delay cost \$4.1b 	<ul style="list-style-type: none"> • Assumed similar to Private Drive
	Slow Lane	<ul style="list-style-type: none"> • 39% increase in average road speed • 43% fewer cars needed • 22% trips by PT • Average journey takes 16 minutes • Annual road delay cost \$2.1b 	<ul style="list-style-type: none"> • 11% shift in household locations • 12% shift in job locations
Compared to 2031 base case	High Speed	<ul style="list-style-type: none"> • 20% of trips by PT • 38% more walking trips • 93% fewer cars needed • 4% fewer trips overall 	<ul style="list-style-type: none"> • Assumed similar to Fleet Street

Energy	Environment and population health	Financial analysis	Socioeconomic impacts
<ul style="list-style-type: none"> • 800MW of additional dispatchable generation required • NPV of \$588m investment needed 	<ul style="list-style-type: none"> • Current DALYs due to emissions of 5425 • 96% of these in metro area and most for people with high or medium SES 	<ul style="list-style-type: none"> • Current trends of vehicle registration, licensing and accidents continue 	<ul style="list-style-type: none"> • 70% of population has sufficient access to services • 2.2m jobs forecast to be in transport, trade and travel-related business
<ul style="list-style-type: none"> • 51% increase in GWh • ~6200MW extra required for non-incentivised use • \$6.4–8.8b additional investment needed 	<ul style="list-style-type: none"> • 3632 DALYs avoided • \$706m annual economic benefit 	<ul style="list-style-type: none"> • Net impact of -\$8.1b per year • Fuel excise impact of -\$6.5b • Increase in TAC revenue of \$70m 	<ul style="list-style-type: none"> • 10% improvement in access to services • No change in GSP
<ul style="list-style-type: none"> • 56% increase in GWh • ~6700MW extra required for non-incentivised use • \$6.9–9.7b additional investment needed 	<ul style="list-style-type: none"> • 3250 DALYs avoided • \$632m annual economic benefit 	<ul style="list-style-type: none"> • Net impact of -\$12.7b per year • Fuel excise impact of -\$6.5b • Decrease in TAC revenue of -\$5.6b 	<ul style="list-style-type: none"> • 32% improvement in access to services • \$14.9 billion (2%) increase in GSP
<ul style="list-style-type: none"> • 50% increase in GWh • \$5.2b additional investment needed 	<ul style="list-style-type: none"> • 3781 DALYs avoided • \$735m annual economic benefit 	<ul style="list-style-type: none"> • Net impact of -\$12.8b per year • Fuel excise impact of -\$6.5b • Decrease in TAC revenue of -\$5.6b 	<ul style="list-style-type: none"> • 7% improvement in access to services • \$14.9 billion (2%) increase in GSP
<ul style="list-style-type: none"> • 147% increase in GWh (for hydrogen from electrolysis) • \$8-14.5b additional investment needed 	<ul style="list-style-type: none"> • 3430 DALYs avoided • \$667m annual economic benefit 	<ul style="list-style-type: none"> • Net impact of -\$12.6b per year • Fuel excise impact of -\$6.5b • Decrease in TAC revenue of -\$5.6b 	<ul style="list-style-type: none"> • 27% improvement in access to services • \$14.9 billion (2%) increase in GSP
<ul style="list-style-type: none"> • 23% increase in GWh • \$2.2b additional investment needed 	<ul style="list-style-type: none"> • 1388 DALYs avoided • \$270m annual economic benefit 	<ul style="list-style-type: none"> • Net impact of -\$5.1b per year • Fuel excise impact of -\$2.3b • Decrease in vehicle registration of -\$2b 	<ul style="list-style-type: none"> • 8% improvement in access to services • Likely <2% GSP growth
<ul style="list-style-type: none"> • 37% increase in GWh • \$2.1b additional investment needed 	<ul style="list-style-type: none"> • 3099 DALYs avoided • \$603m annual economic benefit 	<ul style="list-style-type: none"> • Net impact of -\$8.1b per year • Fuel excise impact of -\$4b • Decrease in TAC revenue of -\$3.4b 	<ul style="list-style-type: none"> • 7% improvement in access to services • \$10 billion (2%) increase in GSP

APPENDIX A (continued)

Transport engineering

- The design of existing road infrastructure is largely expected to be sufficient as automated vehicles are currently being designed to operate on most roads without the need for modifications. Instead, in-vehicle systems are used to 'read' our current infrastructure, including lines, signs and traffic lights with a variety of sensors, including cameras, radar and LIDAR. The vehicle then determines the correct behaviour around these objects using an on-board computer to bring together and interpret the various inputs.
- However, in the short to medium term, as the technology is still in development, clear and consistent infrastructure (e.g. lines and signs) and approaches to road operations (e.g. maintenance) are useful for enabling operations of automated vehicles on our roads.
- While heavy vehicle platooning is seen as a significant benefit of automation, its logic is premised on achieving two benefits: a reduction in labour costs and a reduction in fuel costs. In an automated and zero emissions vehicle future with no drivers and low fuel costs, the benefits of platooning could be largely eliminated. This calls into question whether automated heavy vehicle platooning will occur, unless we see the development of automated vehicles without zero emissions technology, or vice versa.

ICT infrastructure


- At a minimum level, existing ICT infrastructure is largely expected to be sufficient, where minimum is defined as the least amount of ICT infrastructure required to ensure safe automated vehicle operation on critical Victorian roads while minimising over-investment or technical obsolescence risks.
- There are opportunities for vehicle-to-infrastructure (V2I) technology to improve network performance of automated vehicles, at an estimated cost of \$40m for the minimum scenario and \$204m for the optimum scenario (\$2018), though these would need further scoping and trials before they were implemented.
- Connections to mobile networks are not a base requirement for most automated vehicles to operate. However, the breadth of mobile network coverage may limit their reliability and cooperation in some areas of Victoria, especially outside of urban areas. The cost for upgrading these facilities to a minimum level of coverage is estimated at \$76-109m (\$2018), while optimal coverage of all sealed roads in Victoria is estimated at \$1.1-1.7b (\$2018).
- While not necessary to enable the introduction of automated vehicles on Victorian roads, central operations/traffic management systems could require radical change in order to optimise the deployment and movement of automated vehicles by introducing machine learning or even artificial intelligence into traffic management.

International markets

- Battery electric vehicles are currently below 2-3% penetration in almost all markets, with the exception of Norway. Zero emissions electricity production has been identified as the greatest opportunity for investment.
- Water electrolysis (using zero emissions energy sources) is currently the only mature technology to deliver zero emissions hydrogen for vehicles. If Victoria wishes to enable hydrogen fuel cell vehicles, facilitating zero emissions hydrogen production is identified as the best opportunity available.
- There are no clear international examples of what infrastructure investment is required to support automated vehicles. Targeted investments in infrastructure may serve to attract automated vehicle manufacturers to release vehicles in the Victorian market. Standardisation of variable infrastructure within and across jurisdictions is seen as a key enabler in the longer term.
- 'Mobility as a service' participation, on-demand public transport and ride-sharing are developing rapidly, though it is as yet unclear what the best model is to adopting these new mobility market models. Victoria will need to monitor these developments carefully to determine the best way to act, and to move quickly when it is identified.

Urban design

- Major opportunities highlighted include reduced parking, which results in increased footpath space, opportunities for development, urban greening due to reduced emissions, and shared lanes for automated vehicles and public transport due to increased communication potential.
- In a Fleet Street future, further opportunities highlighted include flexibility in lane sizes and directions, reduction in visual infrastructure through connected infrastructure technology, and more flexible shared street space due to the increased safety of automated vehicles, and reduced health implications of zero emissions vehicles.



APPENDIX B:

Infrastructure Victoria's 30-year strategy objectives

1.	Prepare for population change	Automated and zero emissions vehicles could help Victoria prepare for population change by making the best use of our infrastructure through improving the performance of our transport networks, and improving health outcomes through emissions and road accident reductions.
2.	Foster healthy, safe and inclusive communities	Automated and zero emissions vehicles could help Victoria foster healthy, safe and inclusive communities by reducing the health impacts of road accidents and emissions, and by improving access to services for community members.
3.	Reduce disadvantage	Automated and zero emissions vehicles could help Victoria reduce disadvantage by improving amenity of those living near busy transport routes, decreasing the cost of personal travel and improving access to services, and reducing road accidents, particularly in regional areas.
4.	Enable workforce participation	Automated and zero emissions vehicles could help Victoria enable workforce participation by improving the health of the working population through reduced emissions and road accidents, enabling better access to activity centres, and providing more mobility options for the working age population, as well as providing an uplift to the economy.
5.	Lift productivity	Automated and zero emissions vehicles could help Victoria lift productivity by reducing the health impacts of road accidents and emissions, providing drivers with more productive time, and making the transportation sector and transport investment more efficient, thereby generating productivity gains in other sectors.
6.	Drive Victoria's changing, globally integrated economy	Automated and zero emissions vehicles could help drive Victoria's changing globally-integrated economy by aligning with other large economies that have signalled their intention to move to automated and/or zero emissions vehicles, and by opening up previously unexplored possibilities for the economy as these new technologies change how we live, work and consume.

7.	Promote sustainable production and consumption	Automated and zero emissions vehicles could help Victoria promote sustainable production and consumption by increasing the use of renewables for energy, and decreasing reliance on fossil fuels.
8.	Protect and enhance natural environments	Automated and zero emissions vehicles could help Victoria protect and enhance natural environments by reducing greenhouse gas emissions, providing opportunities for urban greening through improved road space efficiencies and increased safety, and improving road safety for native animals.
9.	Advance climate change mitigation and adaptation	Automated and zero emissions vehicles could help Victoria advance climate change mitigation and adaptation by reducing emissions and consumption of fossil fuels.
10.	Build resilience to shocks	Automated and zero emissions vehicles could help Victoria build resilience to shocks by aligning with national and global moves to adopt more flexible mobility options, future-proofing our infrastructure investments, and diversifying our energy sources.

APPENDIX B (continued) Infrastructure Victoria's 30-year strategy objectives

TRANSPORT					
	1. Update Victoria's roads	2. Rethink road space	3. Future-proof projects	4. Plan for transport	
RECOMMENDATIONS	Update the road maintenance and monitoring regime to take into account the needs of automated vehicles, including changes to lines and signs, roadworks, and road maintenance throughout Victoria, and provision of reliable and timely data to connected and automated vehicles.	Incorporate automated and zero emissions vehicles into a transparent road space allocation framework in Victoria, building on existing transport system and place-based planning principles.	Develop specific guidance for business cases for transport projects to account for the risks, opportunities and uncertainties posed by automated and zero emissions vehicles.	Develop a transport plan which includes potential impacts from automated and zero emissions vehicles, to enable priority transport investments and reforms to be identified and support the development of business cases that address transport needs in the context of these impacts.	
ALIGNMENT TO THE 30-YEAR INFRASTRUCTURE STRATEGY OBJECTIVES	1		● Prepare for population change	● Prepare for population change	
	2	● Foster healthy, safe and inclusive communities	● Foster healthy, safe and inclusive communities		
	3		● Reduce disadvantage	● Reduce disadvantage	
	4				
	5			● Lift productivity	● Lift productivity
	6	● Drive Victoria's changing, globally integrated economy	● Drive Victoria's changing, globally integrated economy	● Drive Victoria's changing, globally integrated economy	
	7			● Promote sustainable production and consumption	
	8		● Protect and enhance natural environments		
	9		● Advance climate change mitigation and adaptation		
	10			● Build resilience to shocks	● Build resilience to shocks

		ICT infrastructure and data		
5. Manage before you build	6. Integrate new transport options	7. Boost ICT infrastructure	8. Share more data	9. Integrate transport management
Ensure Victoria's transport planning considers how non-infrastructure solutions, including transport network pricing, can provide a policy response to address the potential impacts of automated and zero emissions vehicles.	Incorporate new services like on-demand and mobility as a service into the public transport mix, in preparation for automated vehicles.	Promote investment in ICT infrastructure where there is a safety and/or optimisation requirement for automated vehicles that the market is unable to satisfy commercially.	Expand the availability of open, real-time information on government-owned transport system data and establish principles for data sharing between government and commercial transport service providers.	Develop integrated transport management to enable better real-time coordination of the system across all transport modes and networks, including network management of connected automated vehicles.
● Prepare for population change	● Prepare for population change	● Prepare for population change	● Prepare for population change	
● Foster healthy, safe and inclusive communities	● Foster healthy, safe and inclusive communities	● Foster healthy, safe and inclusive communities		● Foster healthy, safe and inclusive communities
● Reduce disadvantage	● Reduce disadvantage			
	● Enable workforce participation		● Enable workforce participation	
	● Lift productivity	● Lift productivity	● Lift productivity	● Lift productivity
	● Drive Victoria's changing, globally integrated economy	● Drive Victoria's changing, globally integrated economy	● Drive Victoria's changing, globally integrated economy	
● Promote sustainable production and consumption				
	● Build resilience to shocks			

Continued on the next page

APPENDIX B (continued) Infrastructure Victoria's 30-year strategy objectives

	ENERGY			PLANNING
RECOMMENDATIONS	<p>10. Transition to zero emissions</p> <p>Establish a supportive environment for the Victorian fleet to transition to zero emissions technologies.</p>	<p>11. Plan for energy changes</p> <p>Enable the energy sector to respond to the emergence of zero emissions vehicles.</p>	<p>12. Encourage demand management</p> <p>Allow for incentives or other mechanisms to shift energy demand from peak periods.</p>	<p>13. Rethink planning values</p> <p>Re-examine planning values, assumptions and opportunities related to where people may want to live and work in a future with automated vehicles, and how government should constrain or support these preferences.</p>
ALIGNMENT TO THE 30-YEAR INFRASTRUCTURE STRATEGY OBJECTIVES	<p>1 ● Prepare for population change</p>	<p>● Prepare for population change</p>		<p>● Prepare for population change</p>
	<p>2 ● Foster healthy, safe and inclusive communities</p>			<p>● Foster healthy, safe and inclusive communities</p>
	<p>3 ● Reduce disadvantage</p>			<p>● Reduce disadvantage</p>
	<p>4</p>			
	<p>5 ● Lift productivity</p>			
	<p>6 ● Drive Victoria's changing, globally integrated economy</p>			
		<p>● Promote sustainable production and consumption</p>	<p>● Promote sustainable production and consumption</p>	
	<p>8 ● Protect and enhance natural environments</p>	<p>● Protect and enhance natural environments</p>		<p>● Protect and enhance natural environments</p>
	<p>9 ● Advance climate change mitigation and adaptation</p>	<p>● Advance climate change mitigation and adaptation</p>		
	<p>10 ● Build resilience to shocks</p>	<p>● Build resilience to shocks</p>	<p>● Build resilience to shocks</p>	

	WASTE	MONITORING AND COORDINATION	
<p>14. Create planning flexibility</p> <p>Create flexibility for property owners and local authorities to adapt to future changes due to automated and zero emissions vehicles.</p>	<p>15. Prepare for new waste</p> <p>Implement changes to the <i>Statewide waste and resource recovery infrastructure plan</i> and <i>Recycling industry strategic plan</i> to incorporate impacts of the emergence of automated and zero emissions vehicles.</p>	<p>16. Keep track of trends</p> <p>Initiate monitoring and annual reporting of automated and zero emissions vehicles developments, benefits and risks, focusing on uptake, performance, safety, vehicle connectivity, road wear, road structures and public transport usage changes.</p>	<p>17. Lead and collaborate</p> <p>Continue to participate in the development of national and international principles, standards and regulations for automated vehicles.</p>
<ul style="list-style-type: none"> ● Prepare for population change 		<ul style="list-style-type: none"> ● Prepare for population change 	<ul style="list-style-type: none"> ● Prepare for population change
		<ul style="list-style-type: none"> ● Foster healthy, safe and inclusive communities 	<ul style="list-style-type: none"> ● Foster healthy, safe and inclusive communities
		<ul style="list-style-type: none"> ● Reduce disadvantage 	
		<ul style="list-style-type: none"> ● Enable workforce participation 	
		<ul style="list-style-type: none"> ● Lift productivity 	
		<ul style="list-style-type: none"> ● Drive Victoria's changing, globally integrated economy 	<ul style="list-style-type: none"> ● Drive Victoria's changing, globally integrated economy
<ul style="list-style-type: none"> ● Promote sustainable production and consumption 	<ul style="list-style-type: none"> ● Promote sustainable production and consumption 	<ul style="list-style-type: none"> ● Promote sustainable production and consumption 	
	<ul style="list-style-type: none"> ● Protect and enhance natural environments 	<ul style="list-style-type: none"> ● Protect and enhance natural environments 	
		<ul style="list-style-type: none"> ● Advance climate change mitigation and adaptation 	
<ul style="list-style-type: none"> ● Build resilience to shocks 		<ul style="list-style-type: none"> ● Build resilience to shocks 	<ul style="list-style-type: none"> ● Build resilience to shocks

FIGURES

Figure 1: Flow capacity of conventional and automated vehicles in a queue model	18	Figure 24: Change in dwellings – regional Victoria	134
Figure 2: Average cost per kilometre, by vehicle type	20	Figure 25: Change in Victorian GSP, Private Drive	137
Figure 3: Change in network speed in a more likely future	29	Figure 26: Employment impacts – key industries 2046	138
Figure 4: Public transport mix - scenario comparison	29	Figure 27: Load profile – incentivised	139
Figure 5: Change in road network 2015 – 2046	102	Figure 28: Load profile – non-incentivised	139
Figure 6: Public transport use: 2015 – 2046	104	Figure 29: Projected capacity and maximum demand – Private Drive (incentivised)	140
Figure 7: Victorian energy profile	105	Figure 30: Minimum mobile coverage requirements for automated vehicles	143
Figure 8: Victorian emissions profile	106	Figure 31: Connected automated and roadside infrastructure	145
Figure 9: Battery electric vehicle international take-up	109	Figure 32: Connected transport system design	146
Figure 10: Cost comparison for e-buses and diesel buses, with different annual distance travelled	110	Figure 33: Fleet Street – change in public transport use from base case	150
Figure 11: Battery electric and plug-in hybrid vehicles as a proportion of the Australian vehicle fleet	111	Figure 34: Fleet Street train volume capacity ratio – morning peak period	151
Figure 12: Non-incentivised Electric Avenue	116	Figure 35: Vehicle operating and use costs – Private Drive and Fleet Street	151
Figure 13: Incentivised Electric Avenue	116	Figure 36: Number of vehicles (thousands)	152
Figure 14: Vehicle charging indicative power draw	118	Figure 37: Private and fleet vehicle cost comparison	152
Figure 15: Tesla battery	118	Figure 38: Employment change from base case – Fleet Street	153
Figure 16: Nissan Leaf battery	118	Figure 39: Dwelling change from base case – Fleet Street	154
Figure 17: Components of the energy supply chain	121	Figure 40: Regional SA3 dwelling change from the base case – Fleet Street	155
Figure 18: Projected capacity and maximum demand – Electric Avenue (non-incentivised)	122	Figure 41: Access to train stations – base case	156
Figure 19: Vehicle manufacturers' plans for vehicle automation	127	Figure 42: Access to train stations – Fleet Street	156
Figure 20: Technology uptake trends	129	Figure 43: Sturt Street Ballarat – Fleet Street concept	159
Figure 21: Automated and zero emissions uptake curves in Victoria by income group	130	Figure 44: Estimated avoided DALYs – Melbourne (Fleet Street scenario)	160
Figure 22: Change in speed from the base case – Private Drive	132	Figure 45: Estimated avoided DALYs – rest of Victoria (Fleet Street scenario)	160
Figure 23: Dwelling change from the base case – Private Drive (empty running)	133	Figure 46: Fleet Street vehicle charging profile	161

Figure 47: Mobility as a service ecosystem	165
Figure 48: Cumulative cost comparison between fuel sources (2046 AUD)	170
Figure 49: Change in flow: Hydrogen Highway vs base case (morning peak period)	171
Figure 50: Hydrogen supply chain concept	173
Figure 51: Noise output – hydrogen FCV and two comparable internal combustion engine vehicles	175
Figure 52: Monash freeway – Slow Lane concept	181
Figure 53: Technology uptake by income cohort	182
Figure 54: Base case train access	183
Figure 55: Fleet Street train access	183
Figure 56: Slow Lane train access	183
Figure 57: Slow Lane – employment change from base case	184
Figure 58: Slow Lane – dwelling change from base case	185
Figure 59: Increase in public transport use between 2015 and 2031 (High Speed)	190
Figure 60: Generation investment requirements – High Speed	192
Figure 61: Change in employment in key industries – Victoria 2031	193
Figure 62: Deviation in GSP between High Speed and Fleet Street	193
Figure 63: Chapel Street reimaged	195
Figure 64: Potential pedestrian crossing at Ringwood Station in a fully automated future	197
Figure 65: Public transport patronage – all scenarios	203

ACKNOWLEDGEMENTS

Singapore

- Ministry of Transport
- Land Transport Authority
- Singapore Technologies Kinetics
- Singapore Technologies Engineering
- 2getthere
- Nanyang Technological University
- Grab

Japan

- Softbank Drive
- Ministry of Economy, Trade and Industry
- Ministry of Land, Infrastructure, Transport and Tourism
- Tokyo Metropolitan Government
- Association for the Promotion of Electric Vehicles (APEV)
- Iwatani Corporation

Dubai

- Ebtikaar
- Hyperloop Transportation Technologies
- The Sustainable City Dubai
- Roads and Transport Authority

The Netherlands

- Transdev/Connexion
- City of Amsterdam
- Pakhuis de Zwijger
- Netherlands Organisation for Applied Scientific Research (TNO)
- Traffic Innovation Centre
- Automotive Campus Helmond
- Amsterdam Smart City
- Daimler/EvoBus
- Connekt
- 2getthere

Finland

- Business Finland
- Sensible 4
- Trafi (Finland Road Safety)
- Finnish Transport Agency
- City of Helsinki
- MaaS Global

Sweden

- PowerSwap
- City of Stockholm
- Ericsson
- City of Gothenburg
- Swedish Transport Administration (Trafikverket)
- RISE Research Institutes of Sweden

US

- City of Chandler – Mayor's office
- Waymo
- Arizona Governor's office

Peer reviewers

- Brian Negus
- Gary Liddle
- Geoffrey Lawler

Expert reviewers


- Professor Hugh Bradlow
- Dr Julian de Hoog
- Andrew Somers

Consulting teams

- KPMG – Transport modelling
- SGS – Land use modelling
- WSP – ICT infrastructure
- Arup – Transport engineering
- KPMG – Energy modelling
- Aurecon and ERM – Environment and population health
- Deloitte Access Economics – Socioeconomic impacts
- KPMG – Financial analysis
- LEK and Arup – International markets
- Urban Circus and Ethos Urban – Urban design

Survey partner

- RACV



SOURCES

- Ambühl, L., Ciari, F. and Menendez, M., 2016, What about space? A simulation based assessment of AVs impact on road space in urban areas, *16th Swiss Transport Research Conference*
- ARUP, 2018, *Infrastructure Victoria Automated and Zero Emission Vehicles Transport Engineering Advice*
- Aurecon Australia Pty Ltd, 2018, *Air Emissions Calculation from Road Transport in Melbourne Metropolitan Area*
- Aurecon Australia Pty Ltd, 2018, *AV / ZEV Environmental & Health Impact Assessment*
- Australian Institute of Health and Welfare, 2018, *Burden of Disease*
- Australian Safety and Compensation Council, 2008, *The Health of Nations: The Value of a Statistical Life*
- Austrroads, 2018, *Connected and Automated Vehicles (CAV) Open Data Recommendations*
- BBC News, 2018, *Tesla driver banned for M1 autopilot seat-switch*, 28 April
- Blackburn, R., 2017, Toyota to bring hydrogen fuel-cell car to Australia, *Herald Sun*, 26 October
- Bloomberg New Energy Finance, 2018, *Electric Vehicle Outlook 2018*
- Bruce S., Temminghoff M., Hayward J., Schmidt E., Munnings C., Palfreyman D. and Hartley P., 2018, *National Hydrogen Roadmap*, Commonwealth Scientific and Industrial Research Organisation
- Budget Direct, 2018, *Australia lags behind in the driverless cars race*
- Bureau of Infrastructure, Transport and Regional Economics, 2015, *Traffic and congestion cost trends for Australian capital cities*
- Canstar Blue, 2018, *Average Electricity Costs per kWh*
- Climate Change Authority, 2014, *Light Vehicle Emissions Standards for Australia Research Report*
- de Hoog, J., Muenzel, V., Jayasuriya, DC, Alpcan, T., Brazil, M., Thomas, DA., Mareels, I., Dahlenburg, G. and Jegatheesan, R., 2015, The importance of spatial distribution when analysing the impact of electric vehicles on voltage stability in distribution networks, *Energy Systems*, vol. 6, iss. 1, pp. 63-84
- Deloitte Access Economics, 2018, *Automated and zero emissions vehicles infrastructure advice - Socio-economic impact analysis*
- Department of Environment, Land, Water and Planning, 2016, *Victoria's Climate Change Framework*
- Department of Environment, Land, Water and Planning, 2017, *Plan Melbourne 2017-2050*
- Department of Infrastructure and Transport, 2010, *Final Regulation Impact Statement for Review of Euro 5/6 Light Vehicle Emissions Standards*
- Department of Treasury and Finance, 2018, *Investing under uncertainty: Real options analysis technical supplement – Investment Lifecycle and High Value High Risk Guidelines*
- Drive Zero, 2018, *A full list of Electric Cars (EVs and PHEVs) available or coming to Australia*
- Eastlink, 2017, *Eastlink Announces Results of First Annual Victorian Self-Driving Vehicle Survey*
- Electric Vehicle Council and ClimateWorks Australia, 2017, *The state of battery electric vehicles in Australia*
- Energeia, 2018, *Australian Electric Vehicle Market Study*
- Engel, H., Hensley, R., Knupfer, S. and Sahdev, S., 2018, *The potential impact of electric vehicles on global energy systems*, McKinsey & Company
- Environmental Clean Technologies Limited, 2018, *Why should investors care about hydrogen?*
- Ewbank, J., 2017, *The Tipping Point for Electric Vehicle Charging*
- Fagnant, D., and Kockelman, J., 2018, Dynamic ride-sharing and fleet sizing for a system of shared autonomous vehicles in Austin, Texas, *Transportation*, vol. 45, no. 1, pp. 143-158.
- Felton, N., 2008, Consumption Spreads Faster Today, *New York Times*, 10 February
- Friedrich B., 2016, The Effect of Autonomous Vehicles on Traffic, *Autonomous Driving*, pp. 317-334
- Gartner Inc., 2017, *Gartner Hype Cycle*
- Graham, P., Reedman, L., Gargett, D. and Cosgrove, D., 2017, *Australian road revenue and expenditure: scenarios to 2050*, Commonwealth Scientific and Industrial Research Organisation
- Harrington, D., 2018, *Future of Motor Insurance*, Investor Day
- Hinkley, J., Hayward, J., McNaughton, R., Gillespie, R., Matsumoto, A., Watt, M. and Lovegrove, K., 2016, *Cost assessment of hydrogen production from PV and electrolysis*
- Holguín-Veras, J., Wang, X., Sánchez-Díaz, I., Campbell, S., Hodge, SD., Jaller, M. and Wojtowicz, J., 2017, Fostering unassisted off-hour deliveries: The role of incentives, *Transportation Research Part A*, vol. 102, pp. 172-187.
- Infrastructure Victoria, 2016, *Victoria's 30-year Infrastructure Strategy*
- Infrastructure Victoria, 2017, *Advice on Securing Victoria's Ports Capacity*
- Infrastructure Victoria 2018, *Advice on Automated and Zero Emissions Vehicles Infrastructure Literature Review*
- International Council on Clean Transportation, 2017, *Electric vehicle capitals of the world: What markets are leading the transition to electric?*

- Kalra, N. & Groves, DG., 2017, *The Enemy of Good: Estimating the Cost of Waiting for Nearly Perfect Automated Vehicles*
- Keeney, T., 2017, Self-Driving Cars: 7 Takeaways For Innovation Investors, *Ark Invest*, 3 February
- KPMG, 2018, *Automated and Zero Emission Vehicle Infrastructure Advice: Energy Impacts Modelling*
- KPMG, 2018, *Automated and Zero Emission Vehicle Infrastructure Advice: Transport Modelling*
- KPMG, 2018, *Automated and Zero Emission Vehicle Infrastructure Advice: 2046 Reference Scenario and AZEVIA Model Development*
- KPMG, 2018, *Vehicles Advice – financial analysis*
- L.E.K. and ARUP, 2018, *AV / ZEV International Scan*
- Levin, MW. and Boyles, SD., 2016, A multiclass cell transmission model for shared human and autonomous vehicle roads, *Transportation Research Part C Emerging Technologies*, vol. 62, pp. 103-116.
- Local Government Victoria (2018), Report on 2017-18 Council Budgets.
- M+P Consulting Engineers, 2007, *The Noise Emission Model For European Road Traffic - deliverable 11 of the IMAGINE project*
- Maribyrnong City Council, 2018, *Annual Budget and Strategic Resource Plan 2018/2019*
- Martyn, A., 2017, Autonomous car companies report getting rear-ended in most crashes, blame driver error, *Consumer Affairs*, 20 October
- McCowen, D., 2017a, Australian Government: fully self-driving cars, *Drive*, 1 March
- McCowen, D., 2017b, Hyundai reveals Australia's first fuel cell vehicle, *Drive*, 17 August
- Musk, E. and Straubel, JB., 2012, *Model S Efficiency and Range*, Tesla
- My Electric Car, n.d., *FAQ*
- National Association of City Transportation Officials, 2017, *Blueprint for Autonomous Urbanism*
- National Highway Traffic Safety Administration, 2015, *Critical Reasons for Crashes Investigated in the National Motor Vehicle Crash Causation Survey*
- National Highway Traffic Safety Administration, 2015, *Human Factors Evaluation of Level 2 and Level 3 Automated Driving Concepts*
- North East Link Project, 2018, *Business Case*
- Offer, GJ., Howey, D., Contestabile, M., Clague R. and Brandon, NP., 2010, Comparative analysis of battery electric, hydrogen fuel cell and hybrid vehicles in a future sustainable road transport system, *Energy Policy*, vol. 38, no. 1, pp. 24-29.
- Parliament of Victoria, 2018, *Inquiry into battery electric vehicles*
- QBE, 2017, *The most common causes of car accidents in Australia*
- Randell, P., 2016, *Waste lithium-ion battery projections*, Randell Environmental Consulting
- Rawlinsons Construction Cost Consultants and Quantity Surveyors, 2016, *Rawlinsons Australian Construction Handbook 2016*
- Sakamoto, I., Tanaka, T., Sekine, M., Morita, K., Shima, M., Korenori, T. and Yoshiike, A., 2010, Reviews on Countermeasure to Safety Risk Associated with Quietness of Hybrid or Electric Vehicles in Japan, *Inter-Noise*, vol. 2, pp. 1048-1055
- SGS Economics and Planning, 2018, *Automated & Zero Emission Vehicle Land Use Scenarios*
- Shladover, S., Su, D. and Lu, X., 2012, Impacts of Cooperative Adaptive Cruise Control on Freeway Traffic Flow, *Transportation Research Record*, vol. 2324, no. 2324, pp. 63-70.
- Smith, A., 2018, Distrust in self-driving cars on the rise after crashes, *CNN*, 23 May
- Solar Choice, 2013, *The impact of rising wholesale fuel costs on Queensland's electricity prices (and the rest of Australia)*
- Sripad, S. and Viswanathan V., 2017, Performance Metrics Required of Next-Generation Batteries to Make a Practical Electric Semi Truck, *ACS Energy Letters*, vol. 2, no. 7. pp. 1669-1673
- Stanley, J.K. and Hensher, D., 2011, Economic Modelling, *New Perspectives and Methods in Transport and Social Exclusion Research*. Ed. Graham Currie, pp.204-219
- Thakur, P., Kinghorn, R. and Grace, R., 2016, Urban Form and Function in the Autonomous Era, *Australasian Transport Research Forum 2016 Proceedings*
- Toyota, 2018, *Toyota Mirai*
- Transurban, 2018, *Victorian connected and automated vehicle trials*
- UrbanCircus & Ethos Urban, 2018, *Automated And Zero Emission Vehicles How They Might Reshape Our Streets*
- van der Heiden, RMA., Iqbal, ST. and Janssen, CP., 2017, Priming Drivers before Handover in Semi-Autonomous Cars, *Proceedings of the 2017 CHI Conference on Human Factors in Computing Systems*
- Victorian Department of Premier and Cabinet, 2017, *Choose API design principles*
- Wagner, P., 2016, Traffic control and traffic management in a transportation system with autonomous vehicles, in *Autonomous Driving: Technical, Legal and Social Aspects*, pp. 301-316
- Wiggins, J., 2018, Charging bases key to spark electric car sales, *Australian Financial Review*, 19 June
- WSP, 2018, *ICT Infrastructure Advice for Automated and Zero Emission Vehicles*

ABOUT US

Infrastructure Victoria is an independent advisory body operating under the *Infrastructure Victoria Act 2015*.

It has three main functions:

- preparing a 30-year infrastructure strategy for Victoria, to be refreshed every three to five years
- providing written advice to government on specific infrastructure matters
- publishing original research on infrastructure-related issues.

Infrastructure Victoria also supports the development of sectoral infrastructure plans by government departments and agencies.

The aim of Infrastructure Victoria is to take a long-term, evidence-based view of infrastructure planning and raise the level of community debate about infrastructure provision.

Infrastructure Victoria does not directly oversee or fund infrastructure projects.






Image: Ringwood Station reimagined under our Fleet Street scenario as part of our Urban Design work

This publication may be of assistance to you, but Infrastructure Victoria and its employees do not guarantee that the publication is without flaw of any kind or is wholly appropriate for your particular purposes and therefore disclaims all liability for any error, loss or other consequence that may arise from you relying on any information in this publication. You should seek appropriately qualified advice before making any decisions regarding your particular project.

Printed by Infrastructure Victoria

October 2018

© Copyright Infrastructure Victoria 2018



Except for any logos, emblems, trademarks, figures and photography, this document is made available under the terms of the Creative Commons Attribution 3.0 Australia licence. It is a condition of this Creative Commons Attribution 3.0 licence that you must give credit to the original author, who is Infrastructure Victoria.

This document is also available in PDF and accessible Word format at www.infrastructurevictoria.com.au.

ISBN: 978-1-925789-16-4